Codebook and User's Guide to the ANES 2016 Pilot Study

American National Election Studies Stanford University & the University of Michigan February 23, 2016

1. Study Overview

The ANES 2016 Pilot Study is a cross-sectional survey conducted to test new instrumentation under consideration for potential inclusion in the ANES 2016 Time Series Study. Highlights of the study include the following.

Title: ANES 2016 Pilot Study

Data status: Initial release; see part 3 below

Main purpose: To test questions for inclusion on the ANES 2016 Time Series

Population: U.S. citizens age 18 or older

Sample: Online opt-in panel, cross-sectional design; see part 2 below

Mode: Internet Number of cases: 1,200

Field period: January 22 through 28, 2016

Response rate: Not applicable

Interview length: Median 31.8 minutes

Weight: Use the variable "weight" or "weight_spss" to generalize to the population;

see part 2 below.

Sponsors & design: The National Science Foundation funded the study, which was designed by

the ANES Principal Investigators and senior staff.

Data collection firm: YouGov

2. Sampling and weighting

The study was conducted on the Internet using the YouGov panel. The YouGov panel consists of a large and diverse set of over a million respondents who have volunteered to complete surveys online and who regularly receive invitations to do so. They receive points usually worth about 21 to 50 cents for each survey they complete. The points are redeemable for various gift cards, a YouGov t-shirt, or a UNICEF donation. A respondent has to complete about 40 surveys to be eligible for any reward.

Respondents were selected from the YouGov panel by sample matching. Matching is intended to make the individuals who complete the survey represent the population on the variables used for matching. Respondents were matched to U.S. citizens in the 2010 American Community Survey (ACS) sample by gender, age, race, and education, and to the November 2010 Current Population Survey (CPS) for voter registration and turnout status, and to the 2007 Pew Religious Life Survey on interest in politics and party identification. Individuals from the YouGov panel were selected for the ANES Pilot Study to match the target population defined by the ACS, CPS, and Pew surveys.¹

¹ For more on matched samples see Douglas Rivers, 2007, Sampling for Web Surveys, paper prepared for the Joint Statistical Meetings, Salt Lake City (available at

https://s3.amazonaws.com/yg-public/Scientific/Sample+Matching JSM.pdf) and Douglas Rivers and Delia Bailey, 2009, Inference from Matched Samples in the 2008 U.S. National Elections, paper prepared for the annual meeting of the American Association for Public Opinion Research, Hollywood, FL (available at https://www.amstat.org/sections/srms/proceedings/y2009/Files/303309.pdf).

After data collection the sample was weighted by YouGov using propensity scores using a logistic regression with age, gender, race/ethnicity, years of education, region, and party identification included in the model.

Respondents opt in to YouGov's panel. It is conventional to refer to datasets from opt-in panels as "non-probability samples." Matching the YouGov sample data against high quality data sources and additional weighting of the data enable valid inferences with respect to the population, under an assumption of conditional ignorability or "selection on observables," i.e., given the variables used in weighting and matching, survey participation is independent of variables measured in the survey. If this assumption holds, a useful consequence is that the sample distribution of survey variables will (at least approximately) match the distribution of those variables in the population; matching helps ensure that this is true not just for marginal distributions, but for joint distributions of survey variables. It is important to note that the "selection on observables" assumption is practically the same assumption made when using post-stratification weights to deal with survey non-response, irrespective of whether the sample was drawn using probability or non-probability methods.

Statistical significance and "standard errors." Standard errors are measures of variability in sample statistics (estimates of population parameters) arising from random sampling. The design of a sampling plan determines the way a standard error is computed, most typically by accounting for different probabilities of selection for sampled units (e.g., contrast simple random sampling versus complex sampling designs). Because the YouGov survey data was not generated by a sampling plan (a "non-probability" sample), some practitioners recommend against using the term "standard error" (and related terms such as "sampling error", "margin of error" and "confidence intervals") when reporting analyses of these data², at least without noting that these terms are not being used in their usual sense. This said, for surveys utilizing weighting to address non-response (irrespective of whether the sample was drawn using probability or non-probability methods), analysis utilizing those weights generates standard errors whose validity turns on the ignorability assumption discussed above. Thus, as a practical matter, there may be little to distinguish the validity of standard errors accompanying probability and non-probability samples in the presence of weighting to address non-response: valid inference in either case rests on an ignorability assumption.

ANES makes no specific recommendation about the terminology that researchers should adopt when referring to the standard errors (or other uncertainty assessments) produced by analysis of these data, beyond the guidance offered above.

Weights in data analysis. The variable called "weight" on the ANES 2016 Pilot Study data file is the weight for analysis that is intended to generalize to the population. ANES strongly recommends utilizing the weights provided with this data set when making inferences to the target population of U.S. adult citizens.

This variable is normed to have mean 1.0, such that the number of weighted observations equals to the number of unweighted observations (1,200). The weight variable ranges from 0.1693 to 7.01 and has variance 0.75. Using this weight variable means that the resulting standard errors and confidence intervals will be larger than those from analyses that naively treat the data as a simple random sample

² See Baker, Reg, et al. 2010. AAPOR Report on Online Panels. *Public Opinion Quarterly* 74, 711-781, and Baker, Reg, et al., Report of the AAPOR Task Force on Non-Probability Sampling. AAPOR 2013. Available at https://www.aapor.org/AAPOR Main/media/MainSiteFiles/NPS TF Report Final 7 revised FNL 6 22 13.pdf

(but SPSS users should note the next paragraph.) With a simple random sample of 1,200 observations, a sample estimate of a proportion of .5 would have a standard error of 0.014 and a 95% confidence interval of \pm 0.028 (to two significant digits). In this data set, the weights results in a loss of precision relative to a simple random sample, by a factor proportional to the variance of the weights (recall that under simple random sampling, any weight variable would be constant and have variance zero); standard errors and confidence intervals are inflated by a term proportional to the standard deviation of the weights. With these data and weights, a sample estimate of a proportion of .5 would have a standard error of 0.019 and a 95% confidence interval of \pm 0.039, an increase of 132% relative to what we obtain if the data were a simple random sample. For this specific example (a proportion estimated to of .5), these weighted data have the same level of precision as a simple random sample of \pm 1.32° (1.32°) = 687 observations.

SPSS weights. We recommend that SPSS users not using the Complex Samples procedures use the weight variable <code>weight_spss</code>, which is normed to a mean of 687/1200 = 0.57. This variable will account for the smaller effective sample size. When not using the Complex Samples procedures it is necessary to use this adjusted weight because SPSS uses frequency weights that do not account for the variance of the weights when computing standard errors.

3. Initial Release

This is an "initial release" to give access to the data as quickly as possible. Data from an initial release differ from complete ANES datasets in several important ways. Quality-control review, error correction, file formatting, and documentation are not provided to the usual ANES standard. As such, the **current dataset is a first draft and probably contains errors**. The file serves analysts who want to start working with the data right away.

A future re-release of the data may include expanded documentation and some changes to the data, such as error corrections and edits to the variable names and labels, to improve accuracy or usability. **If you find errors or have comments or questions about the data, please let us know** by writing to anes@electionstudies.org

4. Dataset Variables

The dataset includes data from the ANES questionnaire administered in January 2016 and from a profile questionnaire administered by YouGov to the same respondents on prior occasions.

There are 590 variables on the file, as follows.

The first three variables – version, caseid, and weight – identify the dataset version by its release date, uniquely identify each respondent, and provide a statistical weight to obtain results representative of the adult citizen US population, respectively.

The fourth variable, weight_spss, is scaled for data analysis using SPSS.

The variables from follow through other10_open (variables 5 through 217) are the responses to questions on the ANES Pilot Study questionnaire.

The variables from birthyr through relignew_t (218-238) are YouGov profile survey responses.

The variables page_page_follow_timing through page_pagerace10_timing (239-374) show the time in seconds to complete the ANES questionnaire pages.

The variables from disc_fed_disc_police_rnd through RAND_OC4 (375-402) are randomization data for questionnaire items.

The variables beginning with $flag_{403-587}$ indicate whether a nonresponse prompt was displayed for each questionnaire item.

starttime and endtime (588 and 589) indicate when the interview began and finished, respectively.

optintimestamp (590) gives the date that the respondent joined the YouGov panel.

ua, browser, and os (591-593) respectively give the User Agent string, web browser name, and operating system used by the respondent to answer the questionnaire.

count (594) gives the total number of YouGov surveys previously completed, excluding the initial profile survey.

5. Codebook

version	Dataset version
	string (str38)
uni que val ues:	1 missing "": 0/1, 200
tabul ati on:	Freq. Value 1,200 "ANES 2016 Pilot Study version 20160223"
warni ng:	variable has embedded blanks
casei d	Case identification number
type:	numeric (int)
range: uni que val ues:	
mean: std. dev:	600. 5 346. 554
percentiles:	10% 25% 50% 75% 90% 120. 5 300. 5 600. 5 900. 5 1080. 5
wei ght	Case weight
	numeric (double)
range: uni que val ues:	[.16925047, 7.0104039] units: 1.000e-10 396 missing .: 0/1, 200
mean: std. dev:	. 864697
percentiles:	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
wei ght_spss	Weight for SPSS
	numeric (double)
range: uni que val ues:	[.09647277, 3.9959302] units: 1.000e-11 396 missing .: 0/1, 200
mean: std. dev:	. 57 . 492878
percentiles:	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
follow	Follow politics
type: l abel:	numeric (byte) follow
range: uni que val ues:	
tabul ati on:	Freq. Numeric Label 616 1 Most of the time 355 2 Some of the time 164 3 Only now and then 65 4 Hardly at all
turnout12	Election 2012 turn out
*	numaria (huta)

type: numeric (byte) label: turnout12

```
range:
uni que val ues:
                                  [1, 3]
                                                                           uni ts:
                                                                     missing .:
                                                                                      0/1,200
                                 Freq.
923
                tabul ati on:
                                                          Label
                                             Numeri c
                                                          Definitely voted
Definitely did not vote
                                                      1
2
                                     224
                                      53
                                                          Not completely sure
turnout12b
                                                                                Election 2012 turn out - Follow up
                       type:
label:
                                  numeric (byte)
                                  turnout12b
                                  [1, 2]
                       range:
                                                                           units: 1
         uni que val ues:
uni que my codes:
                                                                    missing .:
missing .*:
                                                                                     0/1, 200
1, 147/1, 200
                tabul ati on:
                                              Numeri c
                                                          Label
                                                          Probably voted
Probably did not vote
[9]Not Asked
                                   1, 147
vote12
                                                                                                                   Vote 2012
                                  numeric (byte)
                       type: label:
                                  vote12
                                  [1, 3]
                       range:
                                                                           uni ts:
         uni que val ues:
uni que my codes:
                                                                    missing .:
missing .*:
                                                                                      0/1,200
                                                                                      249/1, 200
                                  Freq.
371
                tabul ati on:
                                              Numeri c
                                                          Label
                                                          Mitt Romney
Barack Obama
                                     512
                                                      \tilde{3}
                                                          Someone el se
                                      68
                                     249
                                                          [9]Not Asked
percent16
                                                                                                  Chance R votes in 2016
                                  \begin{array}{ll} numeri\,c\ (byte)\\ percent16,\ but\ 38\ nonmissing\ values\ are\ not\ label\,ed \end{array}
                       type: label:
                                                                           uni ts:
                       range:
                                  [0, 100]
                                                                     mi\,ssi\,ng . : \, 0/1, 200
            uni que val ues:
                                  80
                   examples:
                                   100
                                   100
                                   100
                                             Attend a meeting to talk about political or social concerns
meet
                       type:
label:
                                  numeric (byte)
                                  meet
            range:
uni que val ues:
                                  [1, 5]
5
                                                                           uni ts:
                                                                      missing .:
                                                                                      0/1,200
                tabul ati on:
                                  Freq.
119
                                                          Label
                                             Numeri c
                                                         Extremely likely
Very likely
Moderately likely
A little likely
Not at all likely
                                     130
                                                      3
                                     235
                                     251
                                     465
gi vefut
                Likely to give money to an organization concerned with a political or social iss
                                  numeric (byte)
                         type:
                       label:
                                  meet
                       range:
                                  [1, 5]
                                                                           uni ts:
                                                                      mi\,\,ssi\,\,ng\,\,.:\,\,-0/1,\,200
            uni que val ues:
                tabul ati on:
                                             Numeric Label
                                  Freq.
                                     100
                                                          Extremely likely
```

```
Very likely
Moderately likely
A little likely
                                 191
                                 250
                                 530
                                                   Not at all likely
              Likely to distribute information or advertisements supporting a political or soc
info
                     type:
label:
                              numeric (byte)
                              meet
                     range:
                              [1, 5]
                                                                  uni ts:
           uni que val ues:
                                                              missing .:
                                                                            0/1,200
              tabul ati on:
                              Freq.
88
                                        Numeri c
                                                   Label
                                                    Extremely likely
                                                    Very likely
                                  84
                                                   Moderately likely
A little likely
                                 203
                                                3
                                 234
                                 591
                                                    Not at all likely
                      Joined in a protest march, rally, or demonstration during the past 4 years
march
                     type:
label:
                              numeric (byte)
                              march
           range:
uni que val ues:
                              [1, 2]
2
                                                                  uni ts:
                                                              mi ssi ng .: 0/1, 200
              tabul ati on:
                              Freq.
174
                                        Numeri c
                                                  Label
                                                   Have done this in past 4 years
Have not done this in the past 4
                               1,026
                                                    vears
              Worn a campaign button, put a campaign sticker on your car, or placed a sign in
si gn
                    type: label:
                              numeric (byte)
                              si gn
           range:
uni que val ues:
                              [1, 2]
                                                                  uni ts:
                                                              mi ssi ng .: 0/1, 200
              tabul ati on:
                                        Numeri c
                                                   Label
                              Freq.
                                                    Have done this in the past 12
                                 266
                                                    months
                                 934
                                                   Have not done this in the past
                                                    12 months
gi ve12mo
                                              Given money to any candidate during the past 12 months
                      type:
                              numeric (byte)
                     label:
                              si gn
           range:
uni que val ues:
                              [1, 2]
                                                                  uni ts:
                                                                            0/1,200
                                                              missing .:
               tabul ati on:
                              Freq.
247
                                        Numeri c
                                                   Label
                                                    Have done this in the past 12
                                                   months
                                                   Have not done this in the past 12 months
                                 953
                                                Compromises to get things done vs. sticks to his or her principles no matter wha
compromi se
                     type:
label:
                              numeric (byte)
                              compromi se
           range:
uni que val ues:
                              [1, 2]
2
                                                                   uni ts:
                                                                            0/1,200
                                                              missing .:
               tabul ati on:
                                                   Label
                              Freq.
                                        Numeri c
                                 687
                                                    Compromises to get things done
                                 513
                                                    Sticks to his or her principles
                                                    no matter what
```

```
type: numeric (byte)
label: ftobama, but 92 nonmissing values are not labeled
                      l ăbel :
                                 [0, 100]
                                                                       \quad \text{uni ts:} \quad
                      range:
                                                                missing.:
missing.*:
                                                                                 0/1, 200
           uni que val ues:
                                 101
         uni que mv codes:
                                                                                 2/1, 200
                  examples:
                                 70
                                         70 - Fairly warm or favorable feeling
                                 90
ftbl ack
                                                                                     Feeling thermometer - Blacks
                                numeric (byte)
                       type:
                                 ftblack, but 91 nonmissing values are not labeled
                                 [0, 100]
                                                                mi ssi ng .: 0/1, 200
mi ssi ng .*: 4/1, 200
           uni que val ues:
         uni que mv codes:
                                         50 - No feeling at all
                  examples:
                                 60
                                         60 - A bit more warm or favorable feeling than cold feeling
ftwhi te
                                                                                     Feeling thermometer - Whites
                                numeric (byte)
ftwhite, but 82 nonmissing values are not labeled
                      type:
label:
                                 [0, 100]
                                                                       uni ts:
                      range:
                                                                mi ssi ng . : 0/1, 200
mi ssi ng . *: 1/1, 200
           uni que val ues:
                                 90
         uni que mv codes:
                  examples:
                                 50
                                        50 - No feeling at all
                                 66
                                 80
                                 93
fthi sp
                                                                                 Feeling thermometer - Hispanics
                                numeric (byte)
                                 fthisp, but 89 nonmissing values are not labeled
                      l abel :
           range:
uni que val ues:
                                                                       uni ts:
                                                                mi ssi ng .: 0/1, 200
mi ssi ng .*: 1/1, 200
         uni que mv codes:
                  examples:
                                 50
                                         50 - No feeling at all
                                 57
75
                                                                      Feeling thermometer - Gays and lesbians
ftgay
                                numeric (byte)
                                ftgay, but 90 nonmissing values are not labeled
                      label:
           range:
uni que val ues:
                                 [0, 100]
                                                                \begin{array}{ccc} & uni\,\,ts: & 1 \\ mi\,\,ssi\,\,ng\,\,.: & 0/1,\,200 \\ mi\,\,ssi\,\,ng\,\,.\,*: & 1/1,\,200 \end{array}
                                 99
         uni que my codes:
                  examples:
                                 26
                                 50
                                         50 - No feeling at all
                                 69
                                 93
ftj eb
                                                                                 Feeling thermometer - Jeb Bush
```

type: numeric (byte)

label: ftjeb, but 91 nonmissing values are not labeled

```
range:
uni que val ues:
uni que mv codes:
                                  [0, 100]
                                                                          uni ts:
                                                                   missing .:
missing .*:
                                                                                     0/1,200
                                  100
                                                                                     3/1, 200
                                  ^6_{24}
                   examples:
                                  43
                                  57
fttrump
                                                                               Feeling thermometer - Donald Trump
                         type:
                                  numeric (byte)
                                 fttrump, but 91 nonmissing values are not labeled
                        l åbel :
                                  [0, 100]
                       range:
                                                                          uni ts:
                                                                                     0/1, 200
                                                                   missing.:
missing.*:
            uni que val ues:
                                   100
                                                                                   3/1, 200
         uni que mv codes:
                   examples:
                                  1
10
                                  50
                                          50 - No feeling at all
                                  80
                                                                                 Feeling thermometer - Ben Carson
ftcarson
                                 numeric (byte)
ftcarson, but 92 nonmissing values are not labeled
                        type:
label:
            range:
uni que val ues:
                                  [0, 100]
                                                                          uni ts:
                                                                   \begin{array}{ll} \text{mi ssi ng .:} & 0/1,200 \\ \text{mi ssi ng .*:} & 8/1,200 \end{array}
                                   101
         uni que my codes:
                   examples:
                                  6
                                  31
51
                                   75
fthrc
                                                                          Feeling thermometer - Hillary Clinton
                                  \begin{array}{ll} numeri\,c\ (byte)\\ fthrc,\ but\ 92\ nonmissing\ values\ are\ not\ l\,abel\,ed \end{array}
                        type:
                       label:
                       range:
                                  [0, 100]
                                                                          uni ts:
                                                                   mi ssi ng .: 0/1, 200
mi ssi ng .*: 1/1, 200
                                                                                     0/1, 200
            uni que val ues:
                                  101
         uni que mv codes:
                   examples:
                                  20
                                  58
ftrubio
                                                                                 Feeling thermometer - Marco Rubio
                                 numeric (byte)
ftrubio, but 91 nonmissing values are not labeled
                         type:
                       range:
                                  [0, 100]
                                                                          uni ts:
                                                                   mi ssi ng .: 0/1, 200
mi ssi ng .*: 13/1, 200
            uni que val ues:
         uni que my codes:
                                  ^{10}_{34}
                   examples:
                                  50
                                          50 - No feeling at all
                                  69
                                                                                     Feeling thermometer - Ted Cruz
ftcruz
                                 numeric (byte)
ftcruz, but 92 nonmissing values are not labeled
                         type:
                        label:
                                  [0, 100]
                                                                          uni ts:
                       range:
                                                                   mi ssi ng .: 0/1, 200
mi ssi ng .*: 8/1, 200
            uni que val ues:
                                   101
         uni que mv codes:
                   examples:
                                  25
```

50 50 - No feeling at all 70 70 - Fairly warm or favorable feeling

```
ftsanders
                                                                             Feeling thermometer - Bernie Sanders
                                  \begin{array}{ll} numeri\,c\ (byte)\\ fts anders,\ but\ 92\ nonmissing\ values\ are\ not\ l\,abel\,ed \end{array}
                        type:
                       l ăbel :
                                  [0, 100]
                       range:
                                                                          uni ts:
                                                                   missing .:
missing .*:
            uni que val ues:
                                  101
                                                                                    0/1,200
         uni que mv codes:
                                                                                    8/1, 200
                                  ^{11}_{43}
                   examples:
                                  60
                                          60 - A bit more warm or favorable feeling than cold feeling
                                  88
ftfi ori na
                                                                              Feeling thermometer - Carly Fiorina
                                  numeric (byte)
                        type:
                        l ăbel :
                                  ftfiorina, but 90 nonmissing values are not labeled
                       range:
                                  [0, 100]
                                                                   missing.:
missing.*:
            uni que val ues:
                                                                                    0/1,200
         uni que my codes:
                                                                                    27/1, 200
                   examples:
                                          30 - Fairly cold or unfavorable feeling 50 - No feeling at all
                                  30
                                  50
ftpolice
                                                                                  Feeling thermometer - The police
                                 numeric (byte) ftpolice, but 92 \text{ nonmissing values are not } labeled
                       type: label:
                                  [0, 100]
101
            range:
uni que val ues:
                                                                          uni ts:
                                                                    mi ssi \overline{ng} .: 0/1, 200
                                  44
                   examples:
                                  62
78
                                  92
ftfem
                                                                                   Feeling thermometer - Feminists
                                  numeric (byte)
                        type:
                       label:
                                  ftfem, but 92 nonmissing values are not labeled
           range: uni que val ues:
                                  [0, 100]
                                                                   mi ssi ng .: 0/1, 200
mi ssi ng .*: 2/1, 200
                                  101
         uni que mv codes:
                   examples:
                                  20
                                  47
                                  58
                                                                       Feeling thermometer - Transgender people
fttrans
                                 \begin{array}{ll} \text{numeric (byte)} \\ \text{fttrans, but 89 nonmissing values are not } l\,abel\,ed \end{array}
                       type:
label:
                                  [0, 100]
                       range:
                                                                                  0/1, 200
1/1, 200
         uni que val ues:
uni que my codes:
                                                                   missing.:
missing.*:
                                  98
                                          15 - Quite cold or unfavorable feeling 50 - No feeling at all
                   examples:
                                  15
                                  50
                                  55
                                          85 - Quite warm or favorable feeling
ftmuslim
                                                                                      Feeling thermometer - Muslims
```

```
type:
label:
                                 numeric (byte)
                                 ftmuslim, but 92 nonmissing values are not labeled
                                 [0, 100]
                      range:
                                                                       uni ts:
         uni que val ues:
uni que my codes:
                                                                                 0/1, 200
4/1, 200
                                                                missing.:
missing.*:
                                 101
                                 10
                  examples:
                                 41
                                 51
73
ftsci
                                                                               Feeling thermometer - Scientists
                                 \begin{array}{ll} numeri\,c\ (byte)\\ ftsci\,,\ but\ 86\ nonmissing\ values\ are\ not\ l\,abel\,ed \end{array}
                        type:
                      label:
                                 [0, 100]
95
                      range:
                                                                       uni ts:
                                                                 missing .:
missing .*:
            uni que val ues:
                                                                                 0/1,200
         uni que my codes:
                                                                                 1/1, 200
                  examples:
                                 51
                                 70
                                         70 - Fairly warm or favorable feeling
                                 86
                                 95
                                                                                                   Vote registration
reg
                      type:
label:
                                numeric (byte)
                                 reg
            range:
uni que val ues:
                                 [1, 3]
3
                                                                       uni ts:
                                                                  missing .: 0/1, 200
                                 Freq.
1, 046
                tabul ati on:
                                           Numeri c
                                                       Label
                                                       Yes, registered to vote
                                                   1
                                   124
30
                                                       No, not registered
Don't know
                                                                                  Democratic candidate R prefers
demcand
                                 numeric (byte)
                      label:
                                 demcand
                      range:
                                 [1, 5]
                                                                       uni ts:
                                                                                 1
                                                                missing .:
missing .*:
           uni que val ues:
                                                                                 0/1,200
         uni que my codes:
                                                                                 1/1, 200
                                 Freq.
353
                tabul ati on:
                                            Numeri c
                                                       Label
                                                       Hillary Clinton
Martin O'Malley
Bernie Sanders
                                     80
                                    366
                                     63
                                                       Another Democratic candidate
                                    337
                                                       None
                                                       [8] Ski pped
                                                  . a
                                                                                  Republican candidate R prefers
repcand
                                numeric (byte)
                      type:
label:
                                 repcand
                                 [1, 11]
                                                                       uni ts:
                      range:
                                                                  mi \, ssi \, ng \, \ldots \, 0/1, \, 200
            uni que val ues:
                                 11
                  examples:
                                 4
                                         Ted Cruz
                                         Marco Rubi o
Donal d Trump
                                 8
                                 9
                                 11
                                         None
vote16j b
                                                                    Vote 2016 - Hillary Clinton vs. Jeb Bush
                        type:
                                numeric (byte)
                      l abel :
                                vote16j b
                      range:
                                 [1, 4]
                                                                       uni ts:
                                                                  missing : 0/1,200
            uni que val ues:
```

```
uni que mv codes: 1
                                                                   missing. *: 720/1, 200
                                 Freq.
212
                tabul ati on:
                                             Numeri c
                                                        Label
                                                         Hillary Clinton
                                     123
                                                         Jeb Bush
                                                     \tilde{3}
                                      99
                                                         Someone el se
                                                         Probably not vote
[9]Not Asked
                                      46
                                                     4
                                     720
                                                    . b
vote16bc
                                                                    Vote 2016 - Hillary Clinton vs. Ben Carson
                      type:
label:
                                  numeric (byte)
                                  vote16bc
                                  [1, 4]
                       range:
                                                                          units: 1
                                                                   missing .:
missing .*:
            uni que val ues:
         uni que mv codes:
                                                                                    717/1, 200
                                                         Label
Hillary Clinton
                tabul ati on:
                                             Numeri c
                                                     2
3
                                     159
                                                         Ben Carson
                                      60
                                                         Someone else
                                                         Probably not vote
                                     717
                                                         [9]Not Asked
                                                                    Vote 2016 - Hillary Clinton vs. Ted Cruz
vote16tc
                      type:
label:
                                 numeric (byte)
                                  vote16tc
                       range:
                                  [1, 4]
                                                                         units: 1
         uni que val ues:
uni que mv codes:
                                                                   missing.:
missing.*:
                                                                                    0/1, 200
742/1, 200
                                 Freq.
196
                                             Numeric Label
                tabul ati on:
                                                         Hillary Clinton
Ted Cruz
Someone else
Probably not vote
[9]Not Asked
                                     153
                                                     2
                                                     \tilde{3}
                                      67
                                                     4
                                      42
                                     742
vote16mr
                                                                   Vote 2016 - Hillary Clinton vs. Marco Rubio
                        type:
                                  numeric (byte)
                       label:
                                  vote16mr
                       range:
                                  [1, 4]
                                                                          uni ts:
                                                                   missing .:
missing .*:
                                                                                    0/1, 200
708/1, 200
            uni que val ues:
         uni que mv codes:
                                 Freq.
199
                tabul ati on:
                                             Numeri c
                                                         Label
                                                         Hillary Clinton
Marco Rubio
                                     154
                                     100
                                                         Someone else
                                                         Probably not vote
[9]Not Asked
                                      39
                                     708
vote16dt
                                                                Vote 2016 - Hillary Clinton vs. Donald Trump
                                 numeric (byte)
                       type: label:
                                  vote16dt
                                                                         units: 1
                                  [1, 4]
                      range:
         uni que val ues:
uni que my codes:
                                                                   \begin{array}{ll} \text{mi ssi ng .:} & 0/1,200 \\ \text{mi ssi ng .*:} & 713/1,200 \end{array}
                                 Freq.
217
                tabul ati on:
                                                         Label
                                             Numeri c
                                                         Hillary Clinton
Donald Trump
Someone else
                                                     2
3
                                     171
                                      56
                                      43
                                                         Probably not vote
                                     713
                                                         [9]Not Asked
                                                                           Approve/disapprove Barack Obama's job
```

type: numeric (byte)

```
label: presj ob
                                   [1, 7]
                                                                             uni ts:
                        range:
                                                                                       1
                                                                       missing .: 0/1, 200
            uni que val ues:
                                   Freq.
177
276
                 tabul ation:
                                               Numeri c
                                                          Label
                                                           Approve extremely strongly
Approve moderately strongly
Approve slightly
Neither approve nor disapprove
Disapprove slightly
Disapprove moderately strongly
                                      110
                                       81
                                      64
114
                                                        6
7
                                                           Disapprove extremely strongly
                                      378
                                                                                                                 Lazy - Blacks
l azyb
                                   numeric (byte)
                        label:
                                   lazyb
                                   [1, 5]
                                                                             uni ts:
                                                                                        1
                        range:
                                                                      missing .:
missing .*:
             uni que val ues:
                                                                                        0/1, 200
          uni que mv codes:
                                                                                        5/1, 200
                                   Freq.
111
                 tabul ati on:
                                               Numeri c
                                                           Label
                                                            Extremely well
                                       136
                                                            Very wel I
                                                           Moderately well
Slightly well
Not at all well
                                       237
                                      280
                                       431
                                                       5
                                                            [8]Ski pped
                                         5
                                                                                                                 Lazy - Whites
lazyw
                        type: label:
                                   numeric (byte)
                                   l azyb
                                   [1, 5]
                                                                             units: 1
                        range:
                                                                      missing .:
missing .*:
                                                                                        0/1,200 6/1,200
             uni que val ues:
          uni que mv codes:
                                   Freq.
                 tabul ati on:
                                                           Label
                                               Numeri c
                                                            Extremely well
                                        68
                                                            Very well
                                      242
                                                        3
                                                            Moderately well
                                                            Slightly well
Not at all well
                                      361
                                                        4
                                       479
                                                            [8] Ski pped
                                         6
lazyh
                                                                                                            Lazy - Hi spani cs
                        type:
label:
                                   numeric (byte)
                                   l azyb
                        range:
                                   [1, 5]
                                                                             units: 1
                                                                      mi ssi ng .: 0/1, 200
mi ssi ng .*: 4/1, 200
            uni que val ues:
          uni que my codes:
                                   Freq. 52
                 tabul ati on:
                                               Numeri c
                                                           Label
                                                           Extremely well
Very well
                                        60
                                                        3
                                                            Moderately well
                                       170
                                                           Slightly well
Not at all well
[8]Skipped
                                      264
                                                        4
                                                       5
                                      650
                                                                                                               Lazy - Muslims
lazym
                        type:
label:
                                   numeric (byte)
                                   l azyb
                        range:
                                   [1, 5]
                                                                             units: 1
             uni que val ues:
                                                                      missing .:
missing .*:
                                                                                        0/1,200
                                                                                        4/1, 200
          uni que mv codes:
```

tabulation: Freq. Numeric Label
62 1 Extremely well
74 2 Very well
197 3 Moderately well

```
Slightly well
Not at all well
[8]Skipped
                                         614
vi ol entb
                                                                                                                      Violent - Blacks
                                      numeric (byte)
                            type:
                          label:
                                      l azyb
                          range:
                                      [1, 5]
                                                                                    units: 1
                                                                            missing .:
missing .*:
                                                                                               0/1, 200
7/1, 200
              uni que val ues:
           uni que mv codes:
                                      Freq.
125
                  tabul ati on:
                                                   Numeri c
                                                                 Label
                                                                 Extremely well
Very well
                                          174
                                                            3
                                          300
                                                                 Moderately well
                                                                 Slightly well
Not at all well
                                          285
                                                            4
                                          309
                                                                 [8] Ski pped
vi ol entw
                                                                                                                     Violent - Whites
                                      numeric (byte)
                          label:
                                      l azyb
                                      [1, 5]
                                                                                   units: 1
                          range:
                                                                            mi ssi ng .: 0/1, 200
mi ssi ng .*: 7/1, 200
          uni que val ues:
uni que my codes:
                                      Freq. 62
                   tabul ati on:
                                                   Numeri c
                                                                Label
                                                                Extremely well
Extremely well
Very well
Moderately well
Slightly well
Not at all well
[8]Skipped
                                           99
                                                            3
4
                                          292
                                          365
                                         375
7
                                                            5
vi ol enth
                                                                                                                 Violent - Hispanics
                            type:
                                      numeric (byte)
                          l abel :
                                      l azyb
                          range:
                                      [1, 5]
                                                                                    units: 1
           uni que val ues:
uni que my codes:
                                                                            missing .:
missing .*:
                                                                                               0/1,200 8/1,200
                                      Freq.
48
                  tabul ati on:
                                                    Numeri c
                                                                 Extremely well
                                                            2
3
                                           98
                                                                 Very well
                                                                Moderately well
Slightly well
Not at all well
[8]Skipped
                                          277
                                                            5
vi ol entm
                                                                                                                    Violent - Muslims
                          type:
label:
                                      numeric (byte)
                                      l azyb
                                      [1, 5]
                          range:
                                                                                   units: 1
          uni que val ues:
uni que my codes:
                                                                                               0/1, 200
                                                                            missing .:
missing .*:
                                                                                               4/1,200
                                      Freq.
230
                                                                Label
                                                   Numeri c
                  tabul ati on:
                                                                 Extremely well
                                          159
                                                            2
                                                                Very well
Moderately well
                                                            \tilde{3}
                                          252
                                         242
313
                                                                 Slightly well
Not at all well
[8]Skipped
                                                            4
5
econnow
                                                                                       Economy now compared to one year ago
```

type: numeric (byte) label: econnow

249

```
range:
uni que val ues:
                                [1, 5]
                                                                      uni ts:
                                                                                0/1,200
                                                                missing .:
               tabul ati on:
                               Freq.
98
                                                      Label
                                          Numeri c
                                                      Much better
Somewhat better
About the same
                                                  1
2
                                   289
                                   414
252
147
                                                  \frac{\tilde{3}}{4}
                                                      Somewhat worse
                                                      Much worse
econ12mo
                                                                Economy 12 months from now compared to now
                                numeric (byte)
                       type:
                      l abel :
                                econnow
                                [1, 5]
                      range:
                                                                      uni ts:
                                                                missing .:
         uni que val ues:
uni que my codes:
                                                                                0/1,200
                                                               mi ssi ng .
               tabul ati on:
                                           Numeri c
                                                      Label
                                                      Much better
                                                      Somewhat better
                                                      About the same
Somewhat worse
                                                      Much worse
[8]Ski pped
pi d1d
                                                                                    Party ID - Republican first
                     type:
label:
                                numeric (byte)
                                pi d1d
                                [1, 4]
                                                                      uni ts:
                      range:
                                                                               1
         uni que val ues:
uni que my codes:
                                                               missing .:
missing .*:
                                                                               0/1, 200
612/1, 200
               tabul ati on:
                                Freq.
229
                                           Numeri c
                                                      Label
                                                      Democrat
Republican
                                                  2 3
                                   123
                                   195
41
                                                      Independent
                                                      Something else
                                   612
                                                      [9]Not Asked
pi d2d
                                                                          Party ID - Republican first - Other
                               string (str123)
                       type:
                                                                missing "": 0/1, 200
           uni que val ues:
                                37
                  examples:
                               variable has embedded blanks
                   warni ng:
PI D2D0
                                                                         Party ID - Republican first - Other
                                string (str1), but longest is str0
                       type:
           uni que val ues:
                                                                mi ssi ng "": 1, 200/1, 200
                                Freq.
1, 200
                                        Val ue
               tabul ati on:
PI D2D1
                                                                         Party ID - Republican first - Other
                                string (str1), but longest is str0
                       type:
           uni que val ues:
                                                                mi ssi ng "": 1, 200/1, 200
                                Freq.
1, 200
                                        Val ue
               tabul ati on:
```

```
type: string (str1), but longest is str0
                                                         mi ssi ng "": 1, 200/1, 200
          uni que val ues:
                            Freq.
1, 200
             tabul ati on:
                                    Val ue
pi d1r
                                                                             Party ID - Democrat first
                            numeric (byte)
                   label:
                            pi d1d
                   range:
                            [1, 4]
                                                              uni ts:
                                                        mi ssi ng .: 0/1, 200
mi ssi ng .*: 588/1, 200
          uni que val ues:
        uni que mv codes:
             tabul ati on:
                                      Numeri c
                                                Label
                                                Democrat
                               157
                                                Republ i can
                               185
                                            3
                                                Independent
                                                Something else
[9]Not Asked
pi d2r
                                                                   Party ID - Democrat first - Other
                    type: string (str114)
                                                         missing "": 1/1,200
          uni que val ues:
                            31
                examples:
                          variable has embedded blanks
                 warni ng:
PI D2RO
                                                                  Party ID - Democrat first - Other
                            string (str1), but longest is str0
                                                         missing "": 1, 200/1, 200
          uni que val ues:
                                  Val ue
             tabul ati on:
                            Freq.
                             1, 200
PI D2R1
                                                                   Party ID - Democrat first - Other
                            string (str1), but longest is str0
                                                         missing "": 1,200/1,200
          uni que val ues:
                            Freq.
1, 200
             tabul ati on:
                                    Val ue
PI D2R2
                                                                   Party ID - Democrat first - Other
                            string (str1), but longest is str0
                    type:
                                                         mi ssi ng "": 1, 200/1, 200
          uni que val ues:
                            Freq.
1, 200
                                    Val ue
             tabul ation:
pi dstr
                                                                                     Party Id - Follow
                           numeric (byte)
                    type:
                   label:
                            pi dstr
                   range:
                                                              uni ts:
          uni que val ues:
```

uni que mv codes:

mi ssi ng .: 0/1, 200 mi ssi ng .*: 460/1, 2 460/1, 200

```
Freq.
460
                tabul ati on:
                                            Numeri c
                                                        Label
                                                         Strong $pidstr_text
                                                     2
                                                         Not very strong Spidstr_text
[8]Skipped
[9]Not Asked
                                    280
                                     459
pi dl ean
                                                                                                        Party Id - Lean
                        type: numeric (byte)
                       label:
                                 pi dl ean
                                 [1, 3]
                       range:
                                                                         units: 1
                                                                   missing .:
missing .*:
                                                                                    0/1,200 \\ 741/1,200
            uni que val ues:
         uni que mv codes:
                tabul ati on:
                                             Numeri c
                                                        Label
                                                     1
2
3
                                                         Closer to the Republican Party
                                     118
                                                         Closer to the Democratic Party
                                    214
                                                         Nei ther
                                     741
                                                         [9]Not Asked
lcself
                                                                                 Liberal/conservative scale - You
                                 numeric (byte)
                         type:
                       label:
                                 lcself
                       range:
                                 [1, 7]
                                                                         units: 1
         uni que val ues:
uni que my codes:
                                                                                   0/1,200 5/1,200
                                                                  missing.:
missing.*:
                                 Freq.
177
                tabul ati on:
                                             Numeri c
                                                         Label
                                                        Label
Very liberal
Somewhat liberal
Closer to liberals
Neither liberal nor conservative
Closer to conservatives
Somewhat conservative
Very conservative
                                     161
94
                                    336
                                     124
                                                     5
6
7
                                     160
                                                         Very conservative [8] Ski pped
                                     143
l cd
                                                                         Liberal/conservative scale - Democrats
                        type:
                                 numeric (byte)
                       label:
                                 l csel f
                                 [1, 7]
                       range:
                                                                         units: 1
                                                                   missing .:
missing .*:
            uni que val ues:
         uni que mv codes:
                                 Freq. 384
                tabul ati on:
                                             Numeri c
                                                         Label
                                                         Very liberal
                                     320
                                                         Somewhat liberal
                                                         Closer to liberals
                                     194
                                                         Neither liberal nor conservative
                                      49
21
                                                         Closer to conservatives
                                                         Somewhat conservative
                                                         Very conservative [8] Ski pped
                                      16
                                       6
lcr
                                                                      Liberal/conservative scale - Republicans
                                 numeric (byte)
                       type: label:
                                 [1, 7]
                       range:
                                                                         units: 1
                                                                                    0/1, 200
7/1, 200
         uni que val ues:
uni que my codes:
                                                                  missing .:
missing .*:
                tabul ati on:
                                 Freq.
39
                                                         Label
                                             Numeri c
                                                         Very liberal
                                                         Somewhat liberal
Closer to liberals
                                      34
72
                                    210
                                                         Neither liberal nor conservative
                                                     4
                                     196
                                                         Closer to conservatives
                                     251
                                                         Somewhat conservative
                                     391
                                                         Very conservative
                                                         [8] Ški pped
```

```
l chc
                                                                    Liberal/conservative scale - Hillary Clinton
                                   numeric (byte)
                        type: label:
                                   lcself
                        range:
                                   [1, 7]
                                                                             units: 1
                                                                     missing .:
missing .*:
                                                                                       0/1,200 6/1,200
             uni que val ues:
          uni que mv codes:
                 tabul ati on:
                                   Freq. 409
                                               Numeri c
                                                           Label
                                                           Very liberal
Somewhat liberal
                                      231
                                                           Closer to liberals
Neither liberal nor conservative
                                      203
                                                       3
                                       232
                                       72
20
27
                                                           Closer to conservatives
                                                            Somewhat conservative
                                                           Very conservative
[8]Ski pped
l cbo
                                                                        Liberal/conservative scale - Barack Obama
                        type:
label:
                                   numeric (byte)
                                   l csel f
                        range:
                                   [1, 7]
                                                                             uni ts:
                                                                                       1
         uni que val ues:
uni que mv codes:
                                                                     missing .:
missing .*:
                                                                                        0/1,200
                                                                                       12/1, 200
                                   Freq.
461
                 tabul ation:
                                               Numeri c
                                                           Label
                                                           Very liberal
Somewhat liberal
Closer to liberals
                                      244
                                       180
                                                           Neither liberal nor conservative
Closer to conservatives
Somewhat conservative
                                       222
                                       40
22
19
12
                                                           Very conservative
[8]Ski pped
                                                                       Liberal/conservative scale - Donald Trump
l cdt
                        type:
label:
                                   numeric (byte)
                                   l csel f
                        range:
                                   [1, 7]
                                                                             uni ts:
                                                                                       1
                                                                     missing .:
missing .*:
            uni que val ues:
                                                                                       0/1,200
          uni que my codes:
                                                                                       6/1,200
                 tabul ati on:
                                               Numeri c
                                                           Label
                                                            Very liberal
                                       34
72
                                                            Somewhat liberal
                                                           Closer to liberals
                                                           Neither liberal nor conservative
Closer to conservatives
                                       323
                                       202
                                       188
                                                            Somewhat conservative
                                                           Very conservative
[8]Ski pped
1 cmr
                                                                         Liberal/conservative scale - Marco Rubio
                                   numeric (byte)
                        type:
label:
                                   l csel f
                        range:
                                   [1, 7]
                                                                             units: 1
         uni que val ues:
uni que mv codes:
                                                                     missing .: 0/1, 200
missing .*: 21/1, 200
                                                                                       21/1, 200
                                   Freq.
                 tabul ati on:
                                                           Label
                                               Numeri c
                                                           Very liberal
Somewhat liberal
Closer to liberals
Neither liberal nor conservative
                                      43
64
302
227
                                                       5
6
                                                            Closer to conservatives
                                      285
                                                            Somewhat conservative
                                                            Very conservative
[8]Skipped
                                      233
                                       21
```

```
type: numeric (byte)
                      label:
                               lcself
                                [1, 7]
                     range:
                                                                      units: 1
                                                               missing .:
missing .*:
           uni que val ues:
                                                                                0/1,200
         uni que my codes:
                                                                                7/1,200
               tabul ati on:
                                Freq.
                                           Numeri c
                                                      Label
                                                      Very liberal
                                    34
                                                      Somewhat liberal
                                    60
                                                  3
                                                      Closer to liberals
                                   257
                                                      Neither liberal nor conservative
                                   149
                                                      Closer to conservatives
                                   180
                                                      Somewhat conservative
                                                      Very conservative [8] Ski pped
                                   486
                                                  Rank - Most important issues in terms of choosing a
ISSUES_0C14_1
                                                  political candidate - Aborti
                                numeric (byte)
ISSUES_OC14_1
                      range:
                                [1, 8]
                                                                      units: 1
            uni que val ues:
                                                                 mi \, ssi \, ng \, \ldots \, 0/1, \, 200
                                Freq.
25
               tabul ati on:
                                          Numeri c
                                                      Label
                                                      Ranked first
                                                      Ranked second
Ranked third
                                    32
                                    18
                                                  3
                                    27
                                                      Ranked fourth
                                1,098
                                                      Not ranked
                                                  Rank - Most\ important\ issues\ in\ terms\ of\ choosing\ a\ political\ candidate\ -\ Nation
ISSUES_0C14_2
                               numeric (byte)
ISSUES_OC14_2
                       type:
                      label:
                      range:
                                                                      uni ts:
            uni que val ues:
                                                                                0/1,200
                                                                 missing .:
                               Freq.
66
               tabul ati on:
                                          Numeri c
                                                      Label
                                                      Ranked first
                                                  2
                                    63
                                                      Ranked second
                                                      Ranked third
Ranked fourth
                                    57
                                    81
                                   933
                                                      Not ranked
ISSUES_0C14_3
                                                  Rank - Most important issues in terms of choosing a
                                                  political candidate - Enviro
                               numeric (byte)
ISSUES_0C14_3
                      type:
label:
                      range:
                                [1, 8]
5
                                                                      uni ts:
            uni que val ues:
                                                                 missing : 0/1,200
                                Freq.
69
               tabul ati on:
                                          Numeri c
                                                      Label
                                                      Ranked first
                                                      Ranked second
Ranked third
Ranked fourth
                                    50
                                                  3
                                    61
                                    62
                                   958
                                                  8
                                                      Not ranked
ISSUES_0C14_4
                                                  Rank - Most important issues in terms of choosing a
                                                  political candidate - Gay ri
                      type: numeric (byte) label: ISSUES_OC14_4
                                                                 \begin{array}{cc} \text{units:} & 1 \\ \text{missing::} & 0/1,200 \end{array}
                                [1, 8]
5
                      range:
           uni que val ues:
                                          Numeric Label
               tabulation: Freq.
```

```
Ranked first
                                        17
                                                            Ranked second
Ranked third
Ranked fourth
                                        19
                                    1, 122
                                                            Not ranked
                                                       \begin{array}{lll} Rank - Most \ i \, mportant \ i \, ssues \ in \ terms \ of \ choosing \ a \\ political \ candidate - Gun \ co \end{array}
ISSUES_0C14_5
                         type: numeric (byte) abel: ISSUES_OC14_5
                        l abel :
                                   [1, 8]
                                                                             uni ts:
                        range:
                                                                                        0/1,200
             uni que val ues:
                                                                        missing .:
                                   Freq.
39
                 tabul ati on:
                                               Numeri c
                                                            Label
                                                            Ranked first
                                                        2
3
                                                            Ranked second
Ranked third
                                        46
                                        71
                                                            Ranked fourth
                                                            Not ranked
ISSUES_0C14_6
                                                       Rank - Most important issues in terms of choosing a
                                                       political candidate - Health
                                  numeric (byte)
ISSUES_OC14_6
                        type:
label:
             range:
uni que val ues:
                                   [1, 8]
5
                                                                             uni ts:
                                                                        mi ssi ng .: 0/1, 200
                                   Freq.
110
                 tabul ati on:
                                                            Label
                                               Numeri c
                                                            Ranked first
Ranked second
Ranked third
                                       116
                                                        \tilde{3}
                                       119
                                        99
                                                            Ranked fourth
                                       756
                                                            Not ranked
                                                       Rank - Most important issues in terms of choosing a political candidate - Immigr
ISSUES_0C14_7
                        type:
label:
                                  numeric (byte)
ISSUES_OC14_7
             range:
uni que val ues:
                                   [1, 8]
5
                                                                             uni ts:
                                                                        mi \, ssi \, ng \, \ldots \, 0/1, \, 200
                 tabul ati on:
                                               Numeri c
                                                            Ranked first
                                                            Ranked second
Ranked third
                                        70
                                        68
                                        65
                                                            Ranked fourth
                                      929
                                                            Not ranked
                                                       Rank - Most\ i\,mportant\ i\,ssues\ in\ terms\ of\ choosing\ a
ISSUES 0C14 8
                                                       political candidate - Povert
                        type: numeric (byte) label: ISSUES_OC14_8
             range:
uni que val ues:
                                   [1, 8]
5
                                                                             uni ts:
                                                                                        0/1,200
                                                                        missing .:
                                   Freq.
28
                 tabul ati on:
                                               Numeri c
                                                            Label
                                                            Ranked\ first
                                                            Ranked second
Ranked third
                                        48
                                                        3
                                        56
                                        52
                                                        4
                                                            Ranked fourth
                                    1,016
                                                            Not ranked
                                                        Rank - Most\ i\,mportant\ \underline{i}\,ssues\ in\ terms\ of\ choosing\ a
ISSUES_0C14_9
                                                       political candidate - Income
```

type: numeric (byte) label: ISSUES_0C14_9

```
range:
                                [1, 8]
                                                                     uni ts:
                                                                missing .: 0/1,200
           uni que val ues:
                               Freq.
70
               tabul ati on:
                                          Numeric Label
                                                     Ranked first
Ranked second
                                    71
                                                  3
                                                     Ranked third
Ranked fourth
                                    55
                                  54
950
                                                      Not ranked
                                                  Rank - Most important issues in terms of choosing a
ISSUES_0C14_10
                                                  political candidate - Unempl
                               numeric (byte)
ISSUES_OC14_10
                       type:
                      l abel :
                      range:
                                [1, 8]
                                                                     uni ts:
            uni que val ues:
                                                                mi \, ssi \, ng \, \ldots \, 0/1, 200
               tabul ati on:
                                          Numeri c
                                                      Label
                                Freq.
                                                      Ranked first
                                                      Ranked second
                                    59
                                                      Ranked third
                                    68
                                                      Ranked fourth
                                  966
                                                      Not ranked
                                                  Rank - Most important issues in terms of choosing a political candidate - Econom
ISSUES_0C14_11
                               numeric (byte)
ISSUES_OC14_11
                       type:
                      label:
                                [1, 8]
                      range:
                                                                     uni ts:
            uni que val ues:
                                                                mi\,\,ssi\,\,ng . : 0/1,\,200
                                Freq.
               tabul ati on:
                                                     Label
                                          Numeri c
                                                     Ranked first
Ranked second
                                                  1 2
                                   103
                                                  3
                                                      Ranked third
                                    96
                                    86
                                                      Ranked fourth
                                  761
                                                  8
                                                      Not ranked
                                                  Rank - Most important issues in terms of choosing a
ISSUES_0C14_12
                                                  political candidate - Milita
                               numeric (byte)
ISSUES_OC14_12
                      label:
                     range:
                                [1, 8]
                                                                     uni ts:
            uni que val ues:
                                                                mi \, ssi \, ng \, \ldots \, 0/1, 200
               tabul ati on:
                                Freq.
29
                                          Numeri c
                                                      Label
                                                      Ranked first
                                                      Ranked second
                                                     Ranked third
Ranked fourth
                                    62
                                1, 014
                                                      Not ranked
ISSUES_0C14_13
                                                  Rank - Most\ i\,mportant\ i\,ssues\ in\ terms\ of\ choosing\ a
                                                  political candidate - Morali
                               numeric (byte)
ISSUES_OC14_13
                     type:
label:
                                [1, 8]
                                                                     uni ts:
                     range:
            uni que val ues:
                                                                               0/1,200
                                                                missing .:
                                5
                               Freq.
38
                                                     Label
               tabul ati on:
                                          Numeri c
                                                     Ranked first
Ranked second
Ranked third
Ranked fourth
                                                  1
2
                                    16
                                    20
                                                  3
                                    33
                                1,093
                                                     Not ranked
                                                  Rank - Most important issues in terms of choosing a
ISSUES_0C14_14
                                                  political candidate - Racism
```

type: numeric (byte) label: ISSUES_0C14_14

range: uni que val ues: [1, 8] 5 uni ts: 0/1,200missing .: tabul ati on: Freq. 18 Numeri c Label Ranked first Ranked second 28 Ranked third Ranked fourth 31 31 3 4 1, 092 Not ranked Rank - Most important issues in terms of choosing a ISSUES_0C14_15 political candidate - Social type: numeric (byte) l abel : ISSUES_0C14_15 range: uni que val ues: missing .: 0/1,200Freq. 90 tabul ati on: Numeri c Label Ranked first Ranked second Ranked third 95 2 77 Ranked fourth Not ranked Rank - Most important issues in terms of choosing a political candidate - Taxes ISSUES_0C14_16 numeric (byte) ISSUES_0C14_16 type: label: [1, 8] 5 range: uni que val ues: uni ts: missing .: 0/1,200Freq. tabul ati on: Label Numeri c Ranked first Ranked second Ranked third 2 3 55 57 64 Ranked fourth 982 8 Not ranked ISSUES_0C14_17 $Rank\ \text{-}\ Most\ important\ issues\ in\ terms\ of\ choosing\ a$ political candidate - Women' type: label: numeric (byte) ISSUES_OC14_17 range: [1, 8]uni ts: uni que val ues: missing .: 0/1, 200 tabul ati on: Numeri c Label Ranked first 24 Ranked second Ranked third Ranked fourth 30 1,090 Not ranked

ISSUES_OC14_18 Rank - Most important issues in terms of choosing a political candidate - Crime

type: numeric (byte) label: ISSUES_0C14_18

 $\begin{array}{cccc} range: & [1,8] & units: & 1 \\ uni \ que \ val \ ues: & 5 & mi \ ssi \ ng \ .: & 0/1, 200 \end{array}$

35 3 Ranked third 52 4 Ranked fourth 1,066 8 Not ranked

```
\begin{array}{lll} Rank - Most \ i \ mportant \ i \ ssues \ in \ terms \ of \ choosing \ a \\ political \ candidate - Foreig \end{array}
ISSUES_0C14_19
                                 numeric (byte)
ISSUES_OC14_19
                      type:
label:
                      range:
                                 [1, 8]
                                                                         uni ts:
                                                                                  1
            uni que val ues:
                                                                                   0/1,200
                                                                    missing .:
                                 Freq.
                tabul ati on:
                                            Numeri c
                                                        Label
                                                         Ranked first
                                                        Ranked second
Ranked third
                                      35
                                                     2
3
                                      56
                                      45
                                                     4
                                                         Ranked fourth
                                  1,040
                                                         Not ranked
ISSUES_0C14_20
                                                     Rank - Most important issues in terms of choosing a
                                                    political candidate - Educat
                                 numeric (byte)
ISSUES_OC14_20
                       range:
                                 [1, 8]
                                                                         units: 1
            uni que val ues:
                                                                   missing .: 0/1,200
                                 Freq.
60
                tabul ati on:
                                            Numeri c
                                                        Label
                                                        Ranked first
                                                        Ranked second
Ranked third
                                      78
                                      63
                                                     3
                                      72
                                                         Ranked fourth
                                    927
                                                         Not ranked
                                                    Rank - Most important issues in terms of choosing a political candidate - Terror
I\,SSUES\_0C14\_21
                                 numeric (byte)
ISSUES_OC14_21
                      type:
label:
                                 [1, 8]
                       range:
                                                                         uni ts:
                                                                                   0/1,200
            uni que val ues:
                                                                    missing .:
                tabul ati on:
                                 Freq.
                                                        Label
                                            Numeri c
                                    144
                                                         Ranked first
                                                         Ranked second
Ranked third
                                     112
                                                     3
                                     88
                                     67
                                                         Ranked fourth
                                    789
                                                     8
                                                         Not ranked
best1
                                                                                         Rank follow - Ranked first
                                 numeric (byte)
                      type: label:
                                 best1
                                                                        units: 1
                                 [1, 3]
                      range:
                                                                  missing .:
missing .*:
         uni que val ues:
uni que my codes:
                                                                                   0/1, 200
7/1, 200
                                 Freq. 520
                tabul ati on:
                                             Numeri c
                                                        Label
                                                         Democrats
                                                         Republ i cans
                                    410
                                    263
                                                    3
                                                        Neither
                                       3
                                                         [8] Ski pped
                                                    . a
                                                         9 Not Asked
                                       4
best2
                                                                                       Rank follow - Ranked second
                                 numeric (byte)
                       label:
                                 best1
                       range:
                                 [1, 3]
                                                                         uni ts:
                                                                                   1
                                                                  missing .:
missing .*:
            uni que val ues:
                                                                                   0/1,200
                                 3
         uni que mv codes:
                                                                                   7/1,200
                                 Freq.
522
                tabul ati on:
                                             Numeri c
                                                        Label
                                                        Democrats
                                                     2
                                    403
                                                        Republ i cans
```

```
[8]Ski pped
[9]Not Asked
best3
                                                                                           Rank follow - Ranked third
                       type: label:
                                  numeric (byte)
                                  best1
                       range:
                                  [1, 3]
                                                                           uni ts:
                                                                    missing .:
missing .*:
            uni que val ues:
                                                                                     6/1, 200
         uni que mv codes:
                tabul ati on:
                                  Freq.
                                              Numeri c
                                                          Label
                                     506
                                                          Democrats
                                     391
                                                          Republ i cans
                                                          Nei ther
[8]Ski pped
[9]Not Asked
                                                      3
                                     297
                                        2
best4
                                                                                          Rank follow - Ranked fourth
                       type:
label:
                                  numeric (byte)
                                  best1
                       range:
                                  [1, 3]
                                                                           uni ts:
                                                                    mi ssi ng .: 0/1, 200
mi ssi ng .*: 9/1, 200
            uni que val ues:
                                   3
         uni que mv codes:
                                  Freq.
500
                tabul ati on:
                                              Numeri c
                                                          Label
                                                          Democrats
                                                      1
2
3
                                                          Republicans
Neither
[8]Skipped
[9]Not Asked
                                      386
                                     305
                                        3 6
di\,sc\_b
                                                                                               Discrimination - Blacks
                                  numeric (byte)
                         type:
                       label:
                                  di sc_b
                                  [1, 5]
                       range:
                                                                           uni ts:
                                                                                     1
                                                                    missing .:
missing .*:
            uni que val ues:
                                                                                     0/1,200
         uni que mv codes:
                                                                                     2/1, 200
                                  Freq.
224
                 tabul ati on:
                                              Numeri c
                                                          Label
                                                          A great deal
A lot
                                                      23
                                     291
                                     365
                                                          A moderate amount
                                                          Alittle
                                                          None at all
[8]Ski pped
di sc_h
                                                                                           Discrimination - Hispanics
                       type:
label:
                                  numeric (byte)
                                  di sc_b
                       range:
                                  [1, 5]
                                                                           uni ts:
                                                                                     1
         uni que val ues:
uni que my codes:
                                                                                     0/1, 200
1/1, 200
                                                                    missing .:
missing .*:
                                  Freq.
106
                tabul ati on:
                                                          Label
                                              Numeri c
                                                          A great deal
                                     255
                                                      2
                                     447
305
                                                      3
4
                                                          A moderate amount
A little
                                                          None at all
[8]Ski pped
                                       86
                                                      5
                                        1
                                                                                               Discrimination - Whites
di sc_w
```

Nei ther

type: numeric (byte) label: disc_b

268

range: [1, 5] units: 1

```
\begin{array}{ll} \text{mi ssi ng .:} & 0/1,200 \\ \text{mi ssi ng .*:} & 1/1,200 \end{array}
          uni que my codes:
                                   Freq.
75
                 tabul ati on:
                                                Numeric Label
                                                             A great deal
A lot
                                        116
                                       235
394
                                                             A moderate amount A little
                                                         3
                                                         4
5
                                       379
                                                             None at all
                                                             [8] Ski pped
                                                                                        Discrimination - Gays & lesbians
di sc_g
                          type:
                                    numeric (byte)
                         l abel :
                                    di sc_b
                                    [1, 5]
                         range:
                                                                               uni ts:
                                                                                          1
          uni que val ues:
uni que my codes:
                                                                        missing .:
missing .*:
                                                                                          0/1,200
                                    Freq.
178
                 tabul ation:
                                                 Numeri c
                                                            Label
                                                             A great deal
A lot
                                       297
                                                             A moderate amount
                                                             Alittle
                                                             None at all [8] Ski pped
                                         95
                                                         5
                                                        . a
di sc_wo
                                                                                                       Discrimination - Women
                                    numeric (byte)
                        type: label:
                                    di sc_b
                                                                               units: 1
                        range:
                                    [1, 5]
          uni que val ues:
uni que my codes:
                                                                                          0/1, 200
1/1, 200
                                                                        missing.:
missing.*:
                                    Freq.
                 tabul ati on:
                                                 Numeric Label
                                                             A great deal
A lot
                                                         23
                                        193
                                        429
                                                             A moderate amount
                                       391
                                                         4
                                                             Alittle
                                                              None at all
                                        122
                                                         5
                                                              [8] Ski pped
                                          1
disc_m
                                                                                                          Discrimination - Men
                                    numeric (byte)
                           type:
                         label:
                                    di sc_b
                        range:
                                    [1, 5]
                                                                               uni ts:
             uni que val ues:
                                                                        missing .:
missing .*:
                                                                                          0/1,200
          uni que my codes:
                                                                                          1/1, 200
                                    Freq.
55
                 tabul ation:
                                                 Numeri c
                                                             Label
                                                             A great deal
A lot
                                         82
                                       202
                                                         3
                                                             A moderate amount
                                                             A little
None at all
                                        361
                                                         4
                                        499
                                                         5
                                                             [8] Ski pped
                                                                                   \operatorname{Di}\operatorname{scri}\operatorname{mi}\operatorname{nati}\operatorname{on} - \operatorname{Transgender}\operatorname{peopl}\operatorname{e}
di\,\mathbf{s}c\_t
                                    numeric (byte)
                          type:
                        label:
                                    di sc_b
                                    [1, 5]
                                                                              uni ts:
                                                                                          1
                        range:
                                                                        missing .: 0/1, 200
missing .*: 1/1, 200
             uni que val ues:
          uni que mv codes:
                                    Freq. 298
                 tabul ati on:
                                                 Numeric Label
                                                             A great deal
A lot
                                       301
                                        325
                                                         3
                                                              A moderate amount
                                                         4
                                        190
                                                              Alittle
                                                             None at all
                                         85
                                                         5
                                                              [8] Ski pped
```

0/1,200

uni que val ues:

```
di sc_mu
                                                                                           Discrimination - Muslims
                      type: label:
                                 numeric (byte)
                                 di sc_b
                                 [1, 5]
                                                                        uni ts:
                                                                                  1
                      range:
                                                                 missing .:
missing .*:
                                                                                  0/1, 200
1/1, 200
            uni que val ues:
         uni que mv codes:
                tabul ati on:
                                 Freq.
396
                                            Numeri c
                                                       Label
                                                        A great deal
A lot
                                    288
                                                    3
                                    273
                                                        A moderate amount
                                    172
                                                        Alittle
                                     70
                                                    5
                                                        None at all
                                                        [8]Ski pped
                                      1
                                                                                       Discrimination - Christians
di sc_c
                        type:
                                 numeric (byte)
                      label:
                                 di sc_b
                      range:
                                 [1, 5]
                                                                        uni ts:
                                                                 missing .:
missing .*:
                                                                                  0/1, 200
            uni que val ues:
         uni que my codes:
                                                                                  1/1, 200
                                 Freq.
138
                tabul ation:
                                            Numeri c
                                                        Label
                                                        A great deal
A lot
A moderate amount
                                    169
                                                    2
                                                    \tilde{3}
                                    256
                                    309
                                                    4
                                                        Alittle
                                                        None at all [8] Ski pped
                                    327
                                                    5
di\,sc\_sel\,fsex
                                                Experienced discrimination because of your sex or gender
                                 numeric (byte)
                      label:
                                 di sc_sel f sex
                      range:
                                 [1, 5]
                                                                        uni ts:
                                                                                  0/1, 200
            uni que val ues:
                                                                   missing .:
                tabul ati on:
                                 Freq.
                                            Numeri c
                                                        Label
                                                        A great deal
A lot
                                                    2
3
                                     60
                                    198
                                                        A moderate amount
                                    346
                                                        Alittle
                                                        None
                                    536
disc_fed
                                                                Federal government treats white/black better
                                 numeric (byte)
                      type:
label:
                                 disc_fed
                      range:
                                 [1, 7]
                                                                        units: 1
         uni que val ues:
uni que my codes:
                                                                 missing .:
missing .*:
                                                                                  0/1, 200
                tabul ati on:
                                 Freq.
                                            Numeri c
                                                        Label
                                                        Treats whites much better
Treats whites moderately better
Treats whites a little better
Treats both the same
Treats blacks a little better
                                    205
                                    140
                                    163
361
                                                    5
                                    154
                                     88
88
                                                    6
7
                                                        Treats blacks moderately better
                                                        Treats blacks much better
                                                        [8] Ski pped
di sc_pol i ce
                                                                           The police treats white/black better
                        type:
                                 numeric (byte)
                                 di sc_pol i ce
                      l abel :
                                 [1, 7]
7
                      range:
                                                                        uni ts:
                                                                                  0/1,200
            uni que val ues:
                                                                   missing .:
```

```
uni que mv codes: 1
                                                             missing . *: 1/1, 200
                              Freq.
342
               tabul ation:
                                         Numeri c
                                                    Label
                                                    Police treat whites much better
Police treat whites moderately
                                  185
                                                    better
                                 228
                                                 3
                                                    Police treat whites a little
                                                     better
                                                    Police treat both the same
Police treat blacks a little
                                  416
                                   17
                                                     better
                                    8
                                                 6
                                                    Police treat blacks moderately
                                                    better
                                    3
                                                    Police treat blacks much better
                                                    [8] Ski pped
srv_spend
                                                     Government should provide many fewer/more services
                               numeric (int)
                      l ăbel :
                               srv_spend, but 7 nonmissing values are not labeled
                     range:
                               [1,997]
                                                                    uni ts:
           uni que val ues:
                                                               missing .: 0/1, 200
                              Freq.
167
               tabul ati on:
                                          Numeri c
                                                    Label
                                  116
                                                 3
                                  123
                                 217
                                                 4
                                  171
135
                                                 56
                                  168
                                              997
                                                    Haven't thought much about this
                                  103
campfin
              Favor/oppose placing limits on spending money advertisements during a political
                               numeric (byte)
                    type:
label:
                               campfin
                     range:
                               [1, 7]
                                                                    uni ts:
           uni que val ues:
                                                                             0/1,200
                                                               missing .:
                              Freq.
383
               tabul ati on:
                                         Numeri c
                                                    Label
                                                    Favor a great deal
Favor moderately
                                  152
                                   98
                                                    Favor a little
                                 366
                                                    Neither favor nor oppose
                                   37
                                                    Oppose a little
                                   51
                                                    Oppose moderately
                                                    Oppose a great deal
immig_legal
                                                                                              Legal immigration
                              numeric (byte)
                     label:
                               i mmi g_l egal
           range:
uni que val ues:
                               [1, 7]
                                                                    uni ts:
                                                               missing .:
                                                                             0/1,200
               tabul ati on:
                               Freq. 253
                                         Numeri c
                                                    Label
                                                    Extremely good
Moderately good
A little good
Neither good nor bad
A little bad
Moderately bad
Extremely bad
                                  363
                                  156
                                  234
                                   60
70
                                                 5
6
7
                                                Increased/decreased the number of people who are
i mmi g_numb
                                                allowed to legally move to the
                      type:
                              numeric (byte)
                     l abel :
                              i mmi g_numb
                               [1, 7]
                     range:
                                                                    uni ts:
           uni que val ues:
                                                                             0/1,200
                                                               missing .:
               tabulation: Freq.
                                         Numeric Label
```

```
Increased a lot
Increased a moderate amount
Increased a little
                                   130
                                   145
                                                      Kept the same
Decreased a little
Decreased a moderate amount
                                                  4
                                   455
                                   149
                                   112
                                   125
                                                      Decreased a lot
               Favor/oppose requiring employers to pay women and men the same amount for the sa
equal pay
                                numeric (byte)
                       type:
                      label:
                                campfin
                     range:
                                [1, 7]
                                                                      uni ts:
           uni que val ues:
                                                                                0/1,200
                                                                 missing .:
                                Freq.
707
               tabul ati on:
                                          Numeri c
                                                      Label
                                                      Favor a great deal
Favor moderately
                                   148
                                                      Favor a little
                                   182
                                                      Neither favor nor oppose
                                    30
                                                      Oppose a little
                                                      Oppose moderately
                                                      Oppose a great deal
                Favor/oppose requiring employers to offer paid leave to parents of new children
parl eave
                     type:
label:
                                numeric (byte) campfin
           range:
uni que val ues:
                                [1, 7]
                                                                      uni ts:
                                                                 missing .:
                                                                                0/1.200
                                Freq.
497
               tabul ati on:
                                                      Label
                                          Numeri c
                                                      Favor a great deal
Favor moderately
Favor a little
Neither favor nor oppose
Oppose a little
                                   211
                                                  \overline{2}
                                                  3
                                   137
                                   193
                                    52
                                                  5
                                    34
76
                                                      Oppose moderately
                                                      Oppose a great deal
                                           Increased/decreased federal spending on dealing with crime
cri mespend
                     type:
label:
                               numeric (byte)
                                cri mespend
                     range:
                                [1, 7]
                                                                      uni ts:
                                                               missing .:
missing .*:
           uni que val ues:
                                                                                0/1,200
         uni que my codes:
                                                                                2/1, 200
               tabul ati on:
                                Freq.
150
                                           Numeri c
                                                      Label
                                                      Increased a great deal
                                   252
                                                      Increased a moderate amount
                                   267
                                                      Increased a little
                                   363
                                                      Kept the same
                                                      Decreased a little
Decreased a moderate amount
                                    49
2
                                                      Decreased a great deal
                                                  7
                                                      [8]Ski pped
                                                 . a
death
                                      Favor/oppose the death penalty for persons convicted of murder
                               numeric (byte) campfin
                     type:
label:
                                [1, 7]
7
                                                                      uni ts:
                      range:
           uni que val ues:
                                                                                0/1,200
                                                                 missing .:
                                Freq. 352
               tabul ati on:
                                          Numeri c
                                                      Label
                                                      Favor a great deal
Favor moderately
                                   207
                                                  2
3
4
                                   148
200
                                                      Favor a little
                                                      Neither favor nor oppose
                                    63
                                                      Oppose a little
                                    75
                                                      Oppose moderately
                                   155
                                                      Oppose a great deal
```

```
Worried that the United States will experience a
terror_worry
                                                  terrorist attack in the near fu
                               numeric (byte)
terror_worry
                      type:
label:
                                [1, 5]
                                                                      uni ts:
                                                                                1
                      range:
                                                                missing .:
missing .*:
                                                                                0/1,200
           uni que val ues:
         uni que my codes:
                                                                                416/1, 200
               tabul ati on:
                                Freq.
180
                                           Numeri c
                                                      Label
                                                       Extremely worried
                                                       Very worried
                                   163
                                   195
                                                   3
                                                      Moderately worried
                                                      Slightly worried
Not at all worried
[9]Not Asked
                                   149
                                    97
                                   416
                                                   Likelihood - There will be a terrorist attack in the
terror_12mo
                                                   United States that kills 10
                                numeric (byte)
terror_12mo
                      range:
                                [1, 5]
                                                                      units: 1
         uni que val ues:
uni que my codes:
                                                                missing .:
missing .*:
                                                                                0/1, 200
371/1, 200
                                Freq.
134
               tabul ati on:
                                           Numeric Label
                                                       Extremely likely
                                                      Very likely
Moderately likely
Slightly likely
Not at all likely
[9]Not Asked
                                   160
                                   213
                                                   3
                                                   4
                                   100
371
terror_local
                                              Worried terrorist will attack in the area where you live
                      type:
label:
                                numeric (byte)
                                terror_worry
                                [1, 5]
5
                      range:
                                                                      uni ts:
                                                                                0/1, 200
            uni que val ues:
                                                                 missing .:
                                Freq.
82
                tabul ati on:
                                           Numeri c
                                                      Label
                                                       Extremely worried
                                    98
                                                       Very worried
                                   253
                                                   3
                                                      Moderately worried
                                   321
                                                   4
                                                       Slightly worried
                                   446
                                                      Not at all worried
             Employers who object to birth control on religious grounds should be not be exem
relig_bc
                               numeric (byte)
                       type:
                      label:
                                relig_bc
                      range:
                                [1, 2]
                                                                      uni ts:
                                                                                1
         uni que val ues:
uni que my codes:
                                                                missing .:
missing .*:
                                                                                0/1,200 1/1,200
                                2
                                Freq.
452
                tabul ati on:
                                           Numeri c
                                                      Label
                                                      Should be exempt
Should not be exempt
                                                   2
                                   747
                                                       [8]Ski pped
                                                  Employers who object to birth control on religious grounds should be/not be exem
relig_bcstr
                       type:
                                numeric (byte)
                      label:
                                relig_bcstr
                                [1, 3]
3
                      range:
                                                                      uni ts:
                                                                missing.:
missing.*:
                                                                                 0/1,200
            uni que val ues:
         uni que mv codes:
                                                                                 1/1,200
               tabulation: Freq.
                                           Numeric Label
```

```
2 3
                                                     Moderatel y
                                  357
                                                     Alittle
                                  102
                                                     [9]Not Asked
                                                . b
             Owners who provide wedding-related services should be allowed to refuse services
relig_srv
                     type:
label:
                               numeric (byte)
                               relig_srv
                               [1, 2]
                     range:
                                                                    units: 1
                                                              missing .:
missing .*:
           uni que val ues:
                                                                              2/1, 200
         uni que mv codes:
                               Freq.
655
               tabul ati on:
                                          Numeri c
                                                     Label
                                                     Should be allowed to refuse
                                  543
                                                     Should be required to provide
                                                     servi ces
                                     2
                                                     [8] Ski pped
relig_srvstr
                                                 Owners who provide wedding-related services should be
                                                 allowed to refuse services
                      type:
                               numeric (byte)
                     label:
                               relig_bcstr
                               [1, 3]
                                                                    units: 1
                     range:
                                                              uni que val ues:
uni que my codes:
                               3
1
                               Freq. 772
               tabul ati on:
                                          Numeri c
                                                     Label
                                                    Very strongly
Moderately
A little
                                  298
                                  128
2
                                                     [9]Not Asked
i ncgap20
                                                                   Difference in incomes is larger/smaller
                               numeric (byte)
incgap20
                       type:
                     l abel :
                               [1, 5]
                     range:
                                                                    uni ts:
                                                                              1
                                                              missing .:
missing .*:
           uni que val ues:
                                                                              0/1,200
         uni que mv codes:
                                                                              2/1, 200
                               Freq.
638
               tabul ati on:
                                          Numeri c
                                                     Label
                                                     Much larger
                                  331
                                                     Somewhat larger
                                                 3
                                  198
                                                     About the same
                                                     Somewhat smaller
                                                     Much smaller
[8]Skipped
                                     9
                                      Favor/oppose sending ground troops to fight Islamic militants
isis_troops
                     type:
label:
                               numeric (byte)
                               campfin
                                                                    uni ts:
                     range:
                               [1, 7]
                                                                              1
        uni que val ues:
uni que my codes:
                                                              missing .:
missing .*:
                                                                              0/1, 200
1/1, 200
               tabul ati on:
                               Freq.
159
                                                     Label
                                          Numeri c
                                                     Favor a great deal
Favor moderately
Favor a little
Neither favor nor oppose
Oppose a little
                                  181
                                  175
224
                                   84
                                                 5
                                  137
                                                 6
7
                                                     Oppose moderately
                                                     Oppose a great deal
[8]Skipped
                                  239
syri ans_a
                                 Favor/oppose allowing Syrian refugees to come to the United States
```

Very strongly

type: numeric (byte) label: campfin

```
[1, 7]
                     range:
                                                                    uni ts:
                                                              missing.:
missing.*:
                                                                              0/1.200
           uni que val ues:
         uni que mv codes:
                                                                              613/1, 200
                              Freq.
50
               tabul ation:
                                         Numeri c
                                                    Label
                                                     Favor a great deal
Favor moderately
Favor a little
                                   62
                                                 \tilde{3}
                                   77
                                  100
                                                     Neither favor nor oppose
                                   53
                                                 5
6
                                                     Oppose a little
                                   59
                                                     Oppose moderately
                                                     Oppose a great deal
[9]Not Asked
                                  186
                                  613
                                                . b
             Favor/oppose allowing refugees fleeing the Syrian civil war to come to the Unite
syri ans_b
                               numeric (byte)
                       type:
                     label:
                               campfin
                               [1, 7]
                                                                    uni ts:
                     range:
                                                              missing .:
missing .*:
                                                                              0/1, 200
           uni que val ues:
                               2
         uni que my codes:
                                                                              588/1, 200
                               Freq.
68
               tabul ati on:
                                          Numeri c
                                                     Label
                                                     Favor a great deal
Favor moderately
                                   79
                                                     Favor a little
Neither favor nor oppose
                                   54
                                  115
                                                     Oppose a little
                                   48
                                                     Oppose moderately
                                   59
                                                 6
                                                     Oppose a great deal
[8]Ski pped
[9]Not Asked
                                                 7
                                  189
                                  587
              The way people talk needs to change with the times to be more sensitive to peopl
                               numeric (byte)
                       type:
                     label:
                               pc_a
                               [1, 4]
                     range:
                                                                    uni ts:
                                                              missing .:
missing .*:
           uni que val ues:
                                                                              0/1,200
         uni que mv codes:
                               2
                                                                              627/1, 200
                               Freq.
92
               tabul ati on:
                                          Numeri c
                                                     Label
                                                     The way people talk needs to
                                                     change a lot
                                                     The way people talk needs to change a little
                                  113
                                  135
                                                     People are a little too easily
                                                     offended
                                  233
                                                     People are much too easily
                                                     offended
                                                     [8]Ski pped
                                  626
                                                     [9]Not Asked
pc_b
              The way people talk needs to change with the times to be more sensitive to peopl
                     type:
label:
                               numeric (byte)
                               pc_a
                               [1, 4]
                                                                    units: 1
                     range:
                                                                             0/1, 200
574/1, 200
         uni que val ues:
uni que my codes:
                                                              missing.:
missing.*:
                               Freq.
94
               tabul ati on:
                                          Numeri c
                                                     Label
                                                     The way people talk needs to change a lot
                                                     The way people talk needs to change a little
                                  153
                                  135
                                                     People are a little too easily
                                                     offended
                                  244
                                                     People are much too easily
                                                     offended
                                  574
                                                . b
                                                     [9]Not Asked
```

mi nwage Mi ni mum wage

```
mi nwage
                              [1, 4]
                    range:
                                                                  uni ts:
                                                                           0/1,\,200\\1/1,\,200
        uni que val ues:
uni que my codes:
                                                            missing .:
missing .*:
                              Freq.
709
                                         Numeri c
              tabul ati on:
                                                   Label
                                                   Rai sed
                                 359
                                                   Kept the same
                                  33
98
                                                3
4
                                                   Lowered
                                                   Eliminated
                                                   [8] Ski pped
heal\,th spend
                                                Favor an increase/decrease in government spending to
                                                help people pay for health
                    type:
label:
                              numeric (byte)
                              heal thspend
                              [1, 7]
                                                                  units: 1
        uni que val ues:
uni que my codes:
                                                            missing .:
missing .*:
                                                                           0/1,200
               tabul ati on:
                                         Numeri c
                                                   Label
                                                   Increase a great deal
Increase moderately
                                 238
                                 195
                                                   Increase a little
                                                   No change
                                                   Decrease a little
Decrease moderately
                                  69
                                                5
                                  54
                                                6
                                 133
                                                   Decrease a great deal
                                                   [8] Ski pped
                                               . a
            Favor an increase/decrease in government spending to help working parents pay fo
chi l dcare
                              numeric (byte)
                      type:
                    label:
                              heal thspend
                     range:
                              [1, 7]
                                                                  uni ts:
                                                                           0/1, 200
           uni que val ues:
                                                             missing .:
                              Freq.
221
186
              tabul ati on:
                                        Numeri c
                                                   Label
                                                   Increase a great deal Increase moderately
                                 228
                                                   Increase a little
                                 332
                                                   No change
                                                   Decrease a little
                                  66
                                  48
                                                6
                                                   Decrease moderately
                                                   Decrease a great deal
                                                      _____
getahead
                                  Opportunity in America today for the average person to get ahead
                              numeric (byte)
                              getahead
                     label:
                    range:
                              [1, 5]
                                                                  uni ts:
           uni que val ues:
                                                            missing .:
missing .*:
                                                                            0/1,200
        uni que mv codes:
                                                                           1/1, 200
                              Freq.
141
              tabul ati on:
                                         Numeri c
                                                   Label
                                                   None
                                 456
                                                   Alittle
                                                3
                                 386
                                                   A moderate amount
                                                   A lot
A great deal
[8]Skipped
                                                4
5
                                 140
76
ladder
                                                              Move up the income ladder - Easier/harder
                      type:
                              numeric (byte)
                     label:
                              ladder
                              [1, 7]
                     range:
                                                                  uni ts:
        uni que val ues:
uni que my codes:
                                                            missing .:
missing .*:
              tabulation: Freq.
                                        Numeric Label
```

type:

label:

numeric (byte)

```
A great deal easier
Moderately easier
A little easier
Neither easier nor harder
A little harder
Moderately harder
A great deal harder
[8]Skipped
                                    109
                                    164
                                   241
                                                    4
                                    212
                                   191
                                                   7
                                   210
                                                  . a
finwell
                       People's ability to improve their financial well-being is now better/worse
                      type:
label:
                                 numeric (byte)
                                 finwell
                      range:
                                 [1, 7]
                                                                       units: 1
                                                                 missing .:
missing .*:
            uni que val ues:
                                                                                 1/1, 200
         uni que mv codes:
                                Freq.
45
                tabul ati on:
                                            Numeri c
                                                      Label
                                                       A great deal better
                                                       Moderately better
A little better
                                    108
                                    153
                                                       The same as 20 years ago
                                    247
                                                       A little worse
                                    214
                                                       Moderately worse
                                                       A great deal worse
                                                       [8]Ski pped
               Agree/Disagree - Irish, Italians, Jewish and many other minorities overcame prej
rr1
                      type:
label:
                                numeric (byte)
                                 rr1
                      range:
                                 [1, 5]
                                                                       units: 1
         uni que val ues:
uni que my codes:
                                                                 missing .:
missing .*:
                                                                                 0/1, 200
3/1, 200
                                Freq.
480
                tabul ati on:
                                            Numeric Label
                                                       Agree strongly
                                   247
                                                       Agree somewhat
                                    204
                                                       Neither agree or disagree
                                                       Di sagree somewhat
                                    118
                                                       Di sagree strongl y
[8]Ski pped
                                    148
                                                    5
               Agree/Disagree - Generations of slavery and discrimination have created conditio
rr2
                      type:
label:
                                numeric (byte)
                      range:
                                 [1, 5]
                                                                       uni ts:
            uni que val ues:
                                                                 missing .:
missing .*:
                                                                                 0/1,200
         uni que my codes:
                                                                                 3/1, 200
                                 Freq.
213
                tabul ation:
                                            Numeri c
                                                       Label
                                                       Agree strongly
Agree somewhat
                                   243
                                    196
                                                       Neither agree or disagree
                                                       Di sagree somewhat
Di sagree strongly
[8]Ski pped
                                    200
                                                    4
                                    345
                                                    5
                                                  . a
         Agree/Disagree - Over the past few years, blacks have gotten less than they dese
                                numeric (byte)
                      type:
label:
                                 rr1
                                 [1, 5]
                      range:
                                                                       units: 1
                                                                 missing .: 0/1, 200
missing .*: 3/1, 200
            uni que val ues:
         uni que mv codes:
                                Freq. 165
                tabul ati on:
                                            Numeric Label
                                                       Agree strongly
                                    178
                                                       Agree somewhat
                                                       Neither agree or disagree
                                                       Di sagree somewhat
                                                       Di sagree strongl y
[8]Ski pped
                                    327
                                                   5
```

A great deal easier

```
Agree/Disagree - It's really a matter of some people not trying hard enough; if
rr4
                            numeric (byte)
                   type: label:
                             rr1
                                                              units: 1
                             [1, 5]
                   range:
                                                         missing .:
missing .*:
          uni que val ues:
                                                                        0/1,200
        uni que my codes:
                                                                       2/1, 200
              tabul ati on:
                             Freq.
270
274
                                       Numeric Label
                                                 Agree strongly
                                                 Agree somewhat
                               301
                                             3
                                                Neither agree or disagree
                                                Di sagree somewhat
                               144
                                                Di sagree strongl y
[8]Ski pped
                               209
                                             5
                                                         Personal opinion on the world's temperature
warm
                         ______
                     type:
                            numeric (byte)
                   label:
                             warm
                   range:
                             [1, 2]
                                                               units: 1
          uni que val ues:
                                                                        0/1.200
                                                         missing .:
missing .*:
        uni que my codes:
                                                                       1/1, 200
                             Freq.
900
              tabul ati on:
                                       Numeri c
                                                Label
                                                Has probably been happening
                                                Probably hasn't been happening
                               299
                                             2
                                                [8]Ski pped
                         If temperatures continue to go up in the future this would be good/bad
warmbad
                   type:
label:
                             numeric (byte)
                             warmbad
                                                              uni ts:
                             [1, 3]
                   range:
          uni que val ues:
                                                          mi\,ssi\,ng\,\,.:\,\,\,0/1,\,200
                             3
                            Freq.
71
              tabul ati on:
                                      Numeric
                                                Label
                                                Good
                               747
                                             2
                                                 Bad
                               382
                                                Neither good nor bad
            A rise in the world's temperatures would be caused mostly by human activity/natu
                            numeric (byte)
                   l abel :
                             warmcause
                             [1, 3]
3
                   range:
                                                               uni ts:
                                                          missing .: 0/1, 200
          uni que val ues:
                             Freq.
506
              tabul ati on:
                                      Numeri c
                                               Label
                                                 Mostly by human activity
                                                Mostly by natural causes
                               293
                                                About equally by human activity and natural causes
                               401
                    the federal government should be doing more/less about rising temperatures
warmdo
                             numeric (byte)
                   type:
label:
                             warmdo
                                                              units: 1
                             [1, 7]
                   range:
                                                         missing .:
missing .*:
                                                                      0/1, 200
1/1, 200
          uni que val ues:
        uni que mv codes:
              tabul ati on:
                             Freq.
                                       Numeri c
                                                Label
                                                Should be doing a great deal
                                                 more
                               170
                                                Should be doing a moderate
                                                 amount more
                                                 Should be doing a little more
                               173
                                                Is doing the right amount
Should be doing a little less
                               231
```

```
amount less
                                      163
                                                           Should be doing a great deal
                                                            less
                                                           [8] Ski pped
                                         1
                        Favor/Oppose allowing universities to increase the number of black students
aa1
                        type:
label:
                                   numeric (byte)
                                   campfin
                        range:
                                   [1, 7]
                                                                             uni ts:
                                                                       missing.:
             uni que val ues:
                                                                                       0/1,200
          uni que mv codes:
                                                                     missing.
                                                                                       608/1, 200
                 tabul ati on:
                                   Freq.
61
                                               Numeri c
                                                           Label
                                                           Favor a great deal
Favor moderately
Favor a little
                                        58
                                                           Neither favor nor oppose
Oppose a little
                                        49
                                        45
                                                           Oppose moderately
                                                           Oppose a great deal
                                      158
                                      608
                                                           [9]Not Asked
aa2
                    Favor/Oppose allowing universities to increase the number of Hispanic students
                       type:
label:
                                   numeric (byte) campfin
                        range:
                                   [1, 7]
                                                                            uni ts:
         uni que val ues:
uni que my codes:
                                                                     missing .:
missing .*:
                                                                                       0/1, 200
608/1, 200
                                   Freq.
54
                 tabul ati on:
                                               Numeri c
                                                           Label
                                                           Favor a great deal
Favor moderately
Favor a little
Neither favor nor oppose
Oppose a little
                                        51
                                      58
172
47
47
                                                       5
6
7
                                                           Oppose moderately
                                      163
                                                           Oppose a great deal
                                      608
                                                           [9]Not Asked
aa3
                 Favor/Oppose allowing universities to increase the number of underrepresented mi
                          type:
                                   numeric (byte)
                        l abel :
                                   campfin
                        range:
                                   [1, 7]
                                                                             uni ts:
          uni que val ues:
uni que my codes:
                                                                     missing .:
missing .*:
                                                                                       0/1,200
                                                                                       592/1, 200
                                   Freq.
55
                 tabul ati on:
                                               Numeri c
                                                           Label
                                                           Favor a great deal
Favor moderately
Favor a little
Neither favor nor oppose
                                        61
                                        66
                                      164
                                                           Oppose a little
Oppose moderately
Oppose a great deal
[9]Not Asked
                                        44
52
                                      166
                                      592
freetrade
                             Favor/Oppose the U.S. making free trade agreements with other countries
                        type:
label:
                                   numeric (byte)
                                   campfin
                                   [1, 7]
                                                                             uni ts:
                        range:
             uni que val ues:
                                                                                       0/1,200
                                                                       \min \operatorname{ssing} .:
                 tabul ati on:
                                   Freq.
102
                                              Numeri c
                                                           Label
                                                           Favor a great deal
Favor moderately
                                      141
                                                           Favor a little
Neither favor nor oppose
                                      185
                                      447
                                      111
                                                           Oppose a little
                                      106
                                                           Oppose moderately
```

Should be doing a moderate

tabulation: Freq.

Numeric Label

```
stopwhi te
            Frequency police officers stop white people on the street without a good reason
                              numeric (byte)
                     type:
label:
                              stopwhi te
                              [1, 5]
                                                                   units: 1
                     range:
                                                            missing .: 0/1, 200
missing .*: 1/1, 200
           uni que val ues:
        uni que mv codes:
                              Freq.
92
               tabul ati on:
                                         Numeri c
                                                   Label
                                                    Never
                                 421
                                                2
                                                    Rarel y
                                 519
                                                3
                                                    Sometimes
                                 105
                                                4
                                                    Somewhat often
                                  62
                                                    Very often
                                                    [8]Ški pped
stopbl ack
                Frequency police officers stop black people on the street without a good reason
                     type:
label:
                              numeric (byte)
                              stopwhi tè
                                                                   uni ts:
                     range:
                              [1, 5]
           uni que val ues:
                                                              mi \, ssi \, ng \, \ldots \, 0/1, \, 200
                              Freq.
               tabul ati on:
                                        Numeri c
                                                    Label
                                                    Never
                                                   Rarely
Sometimes
                                  76
                                                3
                                 437
                                                    Somewhat often
Very often
                                 338
                                 308
                                                Frequency police officers use more force than is necessary under the circumstanc \,
forcewhite
                             numeric (byte)
                      type:
                     l abel :
                              stopwhi te
                     range:
                                                                   uni ts:
           uni que val ues:
                                                                            0/1,200
                                                              missing .:
                              Freq.
63
               tabul ati on:
                                        Numeri c
                                                   Label
                                                    Never
                                 448
                                                2
                                                    Rarely
                                                    Sometimes
                                                    Somewhat often
                                  93
                                  51
                                                    Very often
                                                Frequency police officers use more force than is necessary under the circumstanc
forcebl ack
                     type:
label:
                              numeric (byte)
                              stopwhi tè
                     range:
                              [1, 5]
5
                                                                   uni ts:
           uni que val ues:
                                                              missing .:
                                                                            0/1,200
                              Freq.
24
               tabul ati on:
                                        Numeri c
                                                    Label
                                                    Never
                                 136
                                                    Rarely
                                                3
                                 453
                                                    Sometimes
                                 279
                                                    Somewhat often
                                 308
                                                5
                                                   Very often
stop_12mo Happened/did not happen during the past 12 months - You were stopped or question
                              numeric (byte)
                      type:
                     label:
                              stop_12mo
                              [1, 2]
                     range:
                                                                   uni ts:
                                                            missing .:
missing .*:
                                                                            0/1, 200
603/1, 200
           uni que val ues:
        uni que mv codes:
```

```
Happened
Did not happen
[9]Not Asked
                                      128
                                      469
                                      603
                                                     . b
arrested_12mo
                              Happened/did not happen during the past 12 months - You were arrested
                                   numeric (byte)
                        type:
label:
                                   stop_12mo
                        range:
                                   [1, 2]
                                                                            uni ts:
                                                                      missing .:
             uni que val ues:
                                   2
2
          uni que mv codes:
                                                                     missing.
                                                                                       604/1,200
                                   Freq.
28
                 tabul ati on:
                                               Numeri c
                                                           Label
                                                           Happened
                                                       1 2
                                                           Did not happen
[8]Skipped
[9]Not Asked
                                      568
                                      603
                                                       Happened/did not happen during the past 12 months - You were charged with a \operatorname{cri} m
charged_12mo
                        type: label:
                                  numeric (byte)
                                   stop_12mo
                                   [1, 2]
                                                                            uni ts:
                                                                                      1
                        range:
          uni que val ues:
uni que mv codes:
                                                                     missing .:
missing .*:
                                                                                       0/1,200
                                                                                      603/1, 200
                                   Freq.
30
                 tabul ati on:
                                               Numeri c
                                                           Label
                                                           Happened
Did not happen
[9]Not Asked
                                                       1 2
                                      567
                                      603
jailed_12mo
                                                       Happened/did not happen during the past 12 months -
                                                       You spent 1 or more nights i
                                  numeric (byte)
                         type:
                        label:
                                   stop_12mo
                        range:
                                   [1, 2]
                                                                            uni ts:
                                                                                      1
                                                                     missing .:
missing .*:
             uni que val ues:
                                                                                       0/1,200
          uni que my codes:
                                                                                       604/1,200
                 tabul ati on:
                                               Numeri c
                                                           Label
                                                           Happened
                                                           Did not happen
[8]Skipped
[9]Not Asked
                                                       2
                                      571
                                      603
                                                       {\tt Happened/did} not happen during the past 12 months - You were convicted of any {\tt mi}
convict_12mo
                          type:
                                  numeric (byte)
                        label:
                                   stop_12mo
                       range:
                                   [1, 2]
                                                                            uni ts:
          uni que val ues:
uni que my codes:
                                                                     missing .:
missing .*:
                                                                                       0/1,200
                                                                                      604/1,200
                                   Freq.
                 tabul ati on:
                                               Numeri c
                                                           Label
                                                          Happened
Did not happen
[8]Ski pped
[9]Not Asked
                                                      2
                                      574
                                      603
                                                      Happened/did not happen during the past 12 months - Any of your family members \boldsymbol{w}
famstop_12mo
                        type:
label:
                                  numeric (byte)
                                  stop_12mo
                                   [1, 2]
2
                        range:
                                                                            uni ts:
                                                                     missing .:
missing .*:
                                                                                       0/1,200
             uni que val ues:
          uni que mv codes:
                                                                                       603/1, 200
```

```
tabulation: Freq.
                                           Numeri c
                                                      Label
                                                      Happened
Did not happen
[9]Not Asked
                                                  1 2
                                   465
                                   603
                                                 . b
               Has happened/Never happened - You were stopped or questioned by a police officer
stop_ever
                      type:
label:
                                numeric (byte)
                                stop_ever
                                [1, 2]
                      range:
                                                                      uni ts:
                                                               missing .:
missing .*:
           uni que val ues:
                                                                                0/1, 200
                                                                                598/1, 200
         uni que mv codes:
               tabul ati on:
                                Freq.
356
                                           Numeri c
                                                      Has happened
                                   246
                                                  2
                                                      Never happened
                                                      [8]Ski pped
[9]Not Asked
                                   597
arrested_ever
                                                          Has happened/Never happened - You were arrested
                      type:
label:
                                numeric (byte)
                                stop_ever
                                [1, 2]
                                                                      uni ts:
                                                                                1
                      range:
         uni que val ues:
uni que my codes:
                                                               missing .:
missing .*:
                                                                                0/1,200
                                                                                599/1, 200
               tabul ati on:
                                Freq.
149
                                           Numeri c
                                                      Label
                                                      Has happened
Never happened
[8]Ski pped
                                                  1 2
                                   452
                                                       [9]Not Asked
                                   597
                                           Has happened/Never happened - You were charged with a crime
charged_ever
                                numeric (byte)
                       type:
                      l abel :
                                stop_ever
                      range:
                                [1, 2]
                                                                      uni ts:
                                                                                1
                                                               missing .:
missing .*:
           uni que val ues:
                                                                                0/1,200
                                                                                598/1, 200
         uni que my codes:
                                Freq.
113
                tabul ati on:
                                           Numeri c
                                                      Label
                                                      Has happened
                                   489
                                                   2
                                                      Never happened
                                                       [8]Ski pped
[9]Not Asked
                                   597
j ai l ed_ever
                       Has happened/Never happened - You spent 1 or more nights in jail or prison
                      type:
label:
                                numeric (byte)
                                stop_ever
                      range:
                                [1, 2]
                                                                      uni ts:
         uni que val ues:
uni que my codes:
                                                                missing.:
missing.*:
                                                                                0/1, 200
                                                                                598/1, 200
                                                               \min \operatorname{ssing} .
                                Freq.
106
                tabul ati on:
                                           Numeri c
                                                      Label
                                                      Has happened
Never happened
                                                   \overline{2}
                                   496
                                                      [8]Ski pped
[9]Not Asked
                                   597
                  Has happened/Never happened - You were convicted of any misdemeanor or felony
convi ct_ever
                                numeric (byte)
                       type:
                      l abel :
                                stop_ever
                      range:
                                [1, 2]
                                                                      uni ts:
                                                                missing .:
missing .*:
           uni que val ues:
                                                                                0/1,200
         uni que mv codes:
                                                                                598/1, 200
                tabul ati on:
                                Freq.
110
                                           Numeri c
                                                      Label
                                                      Has happened
```

```
[8]Ski pped
[9]Not Asked
                                  597
                                                 Has happened/Never happened - Any of your family members were stopped or questio
famstop_ever
                       type:
                               numeric (byte)
                     label:
                               stop_ever
                               [1, 2]
                     range:
                                                                    uni ts:
                                                              missing .:
missing .*:
           uni que val ues:
                                                                              0/1,200
                                                                             600/1, 200
         uni que mv codes:
                               Freq.
345
               tabul ati on:
                                          Numeric Label
                                                     Has happened
Never happened
                                                 2
                                  255
                                                     [8]Ski pped
[9]Not Asked
                                  597
pk_deficit
                                                      The U.S. federal budget deficit is bigger/smaller
                               numeric (byte)
                               pk_deficit
                     label:
                     range:
                               [1, 3]
                                                                    uni ts:
                                                                             1
                                                              missing.:
missing.*:
           uni que val ues:
                                                                              0/1,200
                               3
         uni que mv codes:
                                                                            1/1, 200
               tabul ati on:
                               Freq. 870
                                          Numeri c
                                                     Label
                                                     Bi gger
                                                 1 2
                                                     About the same
Smaller
                                  246
                                                 \tilde{3}
                                   83
                                                     [8] Ski pped
pk_sen
                                                                      Years a United States Senator elected
                       type: numeric (byte)
                     l åbel :
                               pk_sen, but 24 nonmissing values are not labeled
                     range:
                               [1, 99]
                                                                    uni ts:
                                                              mi ssi ng .: 0/1, 200
mi ssi ng .*: 6/1, 200
           uni que val ues:
                               24
         uni que my codes:
                 examples:
                               5
                                6
                                6
pk_spend
                                             The U.S. federal government currently spend the least on
                               numeric (byte)
                       type:
                     label:
                               pk_spend
                     range:
                               [1, 4]
                                                                   units: 1
                                                              missing.:
missing.*:
           uni que val ues:
                                                                              0/1,200
                               4
         uni que mv codes:
                                                                             1/1, 200
                               Freq. 385
               tabul ati on:
                                          Numeri c
                                                    Label
                                                     Foreign aid
                                  246
                                                     Medi care
                                                 3
                                  172
                                                     National defense
                                                     Social Security
[8]Skipped
                                  396
                                                 Favor/Oppose changing the U.S. constitution so that the children of unauthorized
bi rthri ght_a
                      type:
                              numeric (byte)
                     label:
                               campfin
                               [1, 7]
                     range:
                                                                    uni ts:
                                                              missing .:
missing .*:
           uni que val ues:
                                                                              615/1, 200
         uni que mv codes:
               tabulation: Freq.
                                         Numeric Label
```

Never happened

492

```
Favor a great deal
Favor moderately
Favor a little
Neither favor nor oppose
Oppose a little
Oppose moderately
                                       49
                                       55
                                                       3
                                                       4
                                      112
                                       38
47
                                                          Oppose a great deal
[8]Ski pped
[9]Not Asked
                                      122
                                                      7
                                      612
                                                     . b
bi rthri ght_b
                                                      Favor/Oppose children of unauthorized immigrants
                                                       automatically getting citizensh
                         type:
                                  numeric (byte)
                        label:
                                   campfin
                        range:
                                   [1, 7]
                                                                            uni ts:
          uni que val ues:
uni que my codes:
                                                                    missing .:
missing .*:
                                                                                      0/1,200
                                                                                      588/1, 200
                 tabul ati on:
                                               Numeri c
                                                          Label
                                                          Favor a great deal
Favor moderately
                                       76
                                                          Favor a little
Neither favor nor oppose
                                       61
                                                           Oppose a little
                                                          Oppose moderately
                                       51
                                                       6
                                      162
                                                           Oppose a great deal
[9]Not Asked
                                      588
femoff\_jobs
                                              Female elected officials are more likely to favor women/men
                       type:
label:
                                  \begin{array}{c} numeri\,c\ (byte) \\ femoff\_j\,obs \end{array}
                                   [1, 7]
                                                                           uni ts:
                       range:
                                                                                      1
                                                                    missing .:
missing .*:
            uni que val ues:
                                                                                      0/1,200
          uni que mv codes:
                                                                                      601/1, 200
                                  Freq.
60
                                                          Label
                 tabul ati on:
                                               Numeri c
                                                           A great deal more likely to
                                                           favor women
                                       57
                                                           Moderately more likely to favor
                                      105
                                                           A little more likely to favor
                                                          No more likely to favor either
A little more likely to favor
                                      335
                                       29
                                        7
                                                           Moderately more likely to favor
                                                           men
                                        6
                                                           A great deal more likely to
                                                           favor men
                                      601
                                                           [9]Not Asked
                Female elected officials are more likely to promote educational programs to bene
femoff_ed
                       type: label:
                                  numeric (byte)
                                  femoff_ed
                                                                           uni ts:
                                   [1, 7]
                                                                                      1
                       range:
            uni que val ues:
                                                                    \begin{array}{ll} \text{mi ssi ng .:} & 0/1,200 \\ \text{mi ssi ng .*:} & 625/1,200 \end{array}
                                   i
          uni que mv codes:
                                  Freq.
29
                                                          Label
                 tabul ation:
                                              Numeri c
                                                           A great deal more likely to
                                                           favor girls
                                       48
                                                          Moderately more likely to favor
                                                          girls
A little more likely to favor
                                       76
                                                       3
                                                          Mo more likely to favor either
A little more likely to favor
                                      399
                                       13
                                         5
                                                       6
                                                           Moderately more likely to favor
                                         5
                                                           A great deal more likely to
                                                           favor boys
                                      625
                                                      . b
                                                           [9]Not Asked
```

162

```
femoff_spend
                                                 Female elected officials are more likely to support
                                                 government spending that fav
                               numeric (byte)
femoff_j obs
                     type:
label:
                                                                    uni ts:
                                                                             1
                     range:
                               [1, 7]
         uni que val ues:
uni que my codes:
                                                                             0/1, 200
568/1, 200
                                                             missing .:
missing .*:
                               Freq.
               tabul ati on:
                                          Numeri c
                                                    Label
                                                     A great deal more likely to
                                                    favor women
Moderately more likely to favor
                                   70
                                                     women
                                  142
                                                    A little more likely to favor
                                                     women
                                                    No more likely to favor either
A little more likely to favor
                                  346
                                   16
                                    7
                                                     Moderately more likely to favor
                                    7
                                                 7
                                                     A great deal more likely to
                                                     favor men
                                  568
                                                     [9]Not Asked
femoff_issues
                                                 Female elected officials are more likely to focus on
                                                 issues that mainly affect w
                               numeric (byte)
femoff_issues
                      type:
                     label:
                     range:
                               [1, 7]
                                                                    uni ts:
        uni que val ues:
uni que my codes:
                                                             missing .:
missing .*:
                                                                             0/1.200
                                                                             606/1,200
                               Freq.
               tabul ati on:
                                          Numeri c
                                                   Label
                                                     A great deal more likely to
                                                     focus on women
                                   61
                                                     Moderately more likely to focus
                                                     on women
                                  164
                                                     A little more likely to focus on
                                                     women
                                  315
                                                     No more likely to focus on
                                                     ei ther
                                    3
                                                     A little more likely to focus on
                                                     men
                                    1
                                                     Moderately more likely to focus
                                                     on men
                                    6
                                                     A great deal more likely to
                                                     focus on men
                                  606
                                                . b
                                                     [9]Not Asked
l pres_pl eased
                      The idea of a Latino person being President makes you pleased/not pleased
                               numeric (byte)
                       type:
                     label:
                               l pres_pl eased
                     range:
                               [1, 5]
                                                                    uni ts:
                                                              missing .:
missing .*:
           uni que val ues:
         uni que mv codes:
                                                                             5/1, 200
                               Freq.
134
               tabul ati on:
                                                     Label
                                          Numeri c
                                                    Extremely pleased
Very pleased
Moderately pleased
A little pleased
Not pleased at all
[8]Skipped
                                  215
                                                 4
                                  259
l pres_i mmi g
                                                 Likelihood that a Latino president would focus too
                                                 much on trying to help immigr
                     type:
label:
                               numeric (byte)
                               l pres_i mmi g
```

[1, 5] 5 uni ts: range: 0/1,200uni que val ues: missing .:

```
uni que mv codes: 2
                                                                   missing. *: 622/1, 200
                                 Freq.
89
                tabul ati on:
                                             Numeri c
                                                         Label
                                                        Extremely likely
Very likely
Moderately likely
A little likely
Not likely at all
[8]Skipped
[9]Not Asked
                                      94
                                     146
                                     148
                                                     4
                                     101
2
                                                     5
                                     620
                 Worried that a Latino President would support policies that favor Latin America
lpres_la
                                  numeric (byte)
                        type:
                       l abel :
                                  lpres_la
                       range:
                                  [1, 5]
                                                                          uni ts:
         uni que val ues:
uni que my codes:
                                                                   missing .:
missing .*:
                                                                                    0/1,200
                                                                                    581/1, 200
                                 Freq.
62
                tabul ati on:
                                              Numeri c
                                                         Label
                                                         Extremely worried
                                      60
                                                         Very worried
                                                         Moderately worried
A little worried
                                     111
                                                         Not worried at all
[8]Skipped
[9]Not Asked
                                     308
                                                     5
                                                    . a
                                     580
                                                    . b
              Favor/oppose requiring children to be vaccinated in order to attend public schoo
vacci ne
                                 numeric (byte)
                       type:
label:
                                  campfin
                       range:
                                  [1, 7]
                                                                          uni ts:
            uni que val ues:
                                                                    missing .:
                                                                                    0/1,200
                                 Freq.
619
                tabul ati on:
                                             Numeri c
                                                         Label
                                                         Favor a great deal
                                     184
                                                         Favor moderately
                                                     \tilde{3}
                                                         Favor a little
                                      99
                                                         Neither favor nor oppose Oppose a little
                                     168
                                                     4
                                      44
22
                                                     5
6
7
                                                         Oppose moderately
                                      64
                                                         Oppose a great deal
                                                                           Likelihood that vaccines cause autism
autism
                       type:
label:
                                 numeric (byte)
                                  autism
                       range:
                                  [1, 6]
                                                                          uni ts:
            uni que val ues:
                                                                                    0/1,200
                                                                    missing .:
                                 Freq.
58
                tabul ation:
                                             Numeri c
                                                         Label
                                                        Extremely likely
Moderately likely
Slightly likely
Slightly unlikely
Moderately unlikely
Extremely unlikely
                                      91
                                     220
                                                     3
                                     142
                                                     4
                                     226
                                                     5
                                     463
                                                                       Barack Obama a Muslim is/is not a Muslim
bo_muslim
                                 numeric (byte)
                        type:
                       label:
                                  bo_muslim
                                  [1, 2]
                                                                         uni ts:
                       range:
                                                                                   1
                                                                   missing .:
missing .*:
            uni que val ues:
                                                                                    0/1,200
                                                                                    6/1,200
         uni que mv codes:
                tabul ati on:
                                  Freq.
                                              Numeri c
                                                         Label
                                                     1
                                                         Muslim
                                     794
                                                     2
                                                         Not a Muslim
                                                         [8] Ski pped
```

Barack Obama a Muslim is/is not a Muslim - Confidence

bo_confid

```
numeric (byte)
bo_confid
                      type:
                     label:
                     range:
                              [1, 5]
                                                                  uni ts:
        uni que val ues:
uni que my codes:
                                                            missing .:
missing .*:
                                                                            0/1,200 6/1,200
                              Freq.
484
               tabul ati on:
                                         Numeri c
                                                   Label
                                                    Extremely sure
                                                    Very sure
                                 204
                                 256
                                                3
                                                   Moderately sure
                                                   A little sure
Not at all sure
                                 124
                                                5
                                 126
                                                    [9]Not Asked
                                               . b
NFC1
              Item NFC1 - {}^{\shortmid}\text{I} really enjoy a task that involves coming up with new solutions to
                     type:
label:
                              numeric (byte)
                              NFC1
                     range:
                               [1, 5]
                                                                   uni ts:
                                                                            1
                                                             missing .:
           uni que val ues:
                                                                            0/1,200
                                                                            1, 183/1, 200
        uni que mv codes:
                                                            missing.
                               Freq.
               tabul ati on:
                                                   Label
                                         Numeri c
                                                    Strongly agree
                                                    Agree
                                                3
                                                    Neither agree nor disagree
                                                    Di sagree
                                                    Strongly disagree
                                                    [9]Not Asked
                               1, 183
                           Item NFC10 - 'Learning new ways to think doesn't excite me very much.'
NFC10
                              numeric (byte)
                    type:
label:
                              NFC10
                    range:
                              [2, 5]
                                                                   uni ts:
                                                                            1
           uni que val ues:
                                                            missing .:
missing .*:
                                                                            0/1,200
                               2
                                                                            1, 197/1, 200
        uni que my codes:
                               Freq.
               tabul ati on:
                                         Numeri c
                                                   Label
                                                    Agree
                                                    Strongly disagree
[9]Not Asked
                               1, 197
             Item NFC15 - 'The idea of relying on thought to make my way to the top appeals t
NFC15
                      type:
                              numeric (byte)
                     label:
                              NFC15
                     range:
                              [1, 5]
                                                                   uni ts:
                                                            missing .:
missing .*:
           uni que val ues:
                                                                            0/1,200
        uni que mv codes:
                                                                            404/1, 200
                              Freq.
73
               tabul ati on:
                                         Numeri c
                                                   Label
                                                    Strongly agree
                                 374
                                                    Agree
                                 295
                                                3
                                                    Neither agree nor disagree
                                  44
                                                    Disagree
Strongly disagree
[9]Not Asked
                                   10
NFC21
               Item NFC21 - 'I like tasks that require little thought once I've learned them.'
                     type:
label:
                              numeric (byte)
                              NFC21
                                                                  uni ts:
                              [1, 5]
                                                                            1
                     range:
                                                                           0/1, 200
1, 161/1, 200
           uni que val ues:
                                                            missing .:
missing .*:
        uni que my codes:
                               Freq.
               tabul ati on:
                                         Numeri c
                                                   Label
                                                    Strongly agree
                                    6
7
                                                2
                                                    Agree
                                                    Neither agree nor disagree
```

```
Strongly disagree [9]Not Asked
                               1.161
NFC23
             Item NFC23 - 'I would rather do something that requires little thought than some
                              numeric (byte)
NFC23
                     type:
label:
                     range:
                              [1, 5]
                                                                   uni ts:
                                                              mi \, ssi \, ng \, \ldots \, 0/1, \, 200
           uni que val ues:
                              Freq.
55
               tabul ati on:
                                        Numeri c
                                                   Label
                                                    Strongly agree
                                                    Agree
                                                3
                                 295
                                                    Neither agree nor disagree
                                 388
                                                   Di sagree
                                 351
                                                5
                                                   Strongly disagree
NFC24
                     Item NFC24 - 'I find satisfaction in deliberating hard and for long hours.'
                     type: label:
                              numeric (byte)
                              NFC24
                     range:
                              [1, 5]
                                                                  units: 1
        uni que val ues:
uni que my codes:
                                                            missing .:
missing .*:
                                                                            0/1, 200
                                                                            1, 078/1, 200
                              Freq.
49
               tabul ati on:
                                         Numeric Label
                                                    Strongly agree
                                   46
                                                    Agree
                                  22
3
2
                                                3
                                                    Neither agree nor disagree
                                                4
                                                    Di sagree
                                                    Strongly disagree [9]Not Asked
                               1,078
NFC29
              Item NFC29 - 'I like to have the responsibility of handling a situation that req
                    type:
label:
                              numeric (byte)
                              NFC29
                               [1, 5]
                     range:
                                                                   uni ts:
                                                                            1
                                                            missing .:
missing .*:
           uni que val ues:
                                                                            0/1,200
        uni que mv codes:
                                                                            42/1,200
                               Freq.
153
               tabul ati on:
                                         Numeri c
                                                   Label
                                                    Strongly agree
                                 519
                                                    Agree
                                 377
                                                3
                                                    Neither agree nor disagree
                                  93
                                                    Di sagree
                                                    Strongly disagree
[9]Not Asked
                                   16
NFC32
                                                        Item NFC32 - 'Thinking is not my idea of fun.'
                              numeric (byte)
                     type: label:
                              NFC32
                              [1, 5]
                                                                  uni ts:
                     range:
                                                                            1
        uni que val ues:
uni que my codes:
                                                                            0/1,200
                                                             missing.:
missing.*:
                                                                            122/1, 200
                                                            missing.
                              Freq.
30
                                                   Label
               tabul ation:
                                         Numeri c
                                                    Strongly agree
                                  87
                                                \overline{2}
                                                    Agree
                                 285
431
                                                3
4
                                                    Neither agree nor disagree
                                                   Di sagree
Strongl y di sagree
                                 245
                                                5
                                 122
                                                    [9]Not Asked
                                           Item NFC40 - 'I would prefer complex to simple problems.'
NFC40
                      type:
                              numeric (byte)
                     label:
                              NFC40
                     range: [1, 5]
                                                                   units: 1
```

Di sagree

5

13

```
\begin{array}{ll} \text{mi ssi ng .:} & 0/1,200 \\ \text{mi ssi ng .*:} & 813/1,200 \end{array}
           uni que val ues:
        uni que mv codes:
                             Freq.
107
132
              tabul ation:
                                        Numeric Label
                                                  Strongly agree
                                                   Agree
                                               3
                                 108
                                                  Neither agree nor disagree
                                 26
14
                                                  Di sagree
                                                  Strongly disagree [9]Not Asked
                                813
NTE1
                                                      Item NTE1 - 'I form opinions about everything.'
                      type:
                              numeric (byte)
                    l abel :
                              NTE1
                    range:
                              [1, 5]
                                                                 uni ts:
                                                           missing .:
missing .*:
           uni que val ues:
                                                                          0/1,200
        uni que mv codes:
                                                                          183/1, 200
                              Freq.
92
              tabul ati on:
                                        Numeri c
                                                  Label
                                                   Extremely uncharacteristic of me
                                 256
                                                   Somewhat uncharacteristic of me
                                 250
                                                   Uncertai n
                                 361
                                                  Somewhat characteristic of me
                                                  Extremely characteristic of me [9]Not Asked
                                 58
                                 183
NTE3
                                Item NTE3 - 'It is very important to me to hold strong opinions.'
                              numeric (byte)
                    type: label:
                              NTE3
                                                                 uni ts:
                    range:
                              [1, 5]
                                                                          1
                                                             mi ssi ng .: 0/1, 200
           uni que val ues:
                              Freq.
61
              tabul ati on:
                                        Numeri c
                                                  Label
                                                   Extremely uncharacteristic of me
                                 195
                                                   Somewhat uncharacteristic of me
                                266
                                               3
                                                   Uncertain
                                 497
                                               4
                                                   Somewhat characteristic of me
                                 181
                                                   Extremely characteristic of me
                                                        Item NTE9 - 'It bothers me to remain neutral.'
NTE9
                              numeric (byte)
                    label:
                              NTE9
                              [1, 5]
                                                                 uni ts:
                    range:
                                                           missing .:
missing .*:
           uni que val ues:
                                                                          0/1, 200
        uni que mv codes:
                                                                          1, 139/1, 200
              tabul ati on:
                              Freq.
                                        Numeri c
                                                  Label
                                                   Extremely uncharacteristic of me
                                                   Somewhat uncharacteristic of me
                                  14
                                                   Uncertai n
                                                  Somewhat characteristic of me
Extremely characteristic of me
                                  19
                              1, 139
                                                  [9]Not Asked
NTE10
              Item NTE10 - 'I like to have strong opinions even when I am not personally invol
                              numeric (byte)
                    type:
label:
                              NTE10
                    range:
                              [1, 5]
                                                                 uni ts:
           uni que val ues:
                                                            mi\,\,ssi\,ng . : 0/1,\,200
                              Freq.
              tabul ati on:
                                                  Label
                                        Numeri c
                                                   Extremely uncharacteristic of me
                                212
                                                   Somewhat uncharacteristic of me
                                288
489
                                               3
                                                   Uncertain
                                                   Somewhat characteristic of me
                                 148
                                                   Extremely characteristic of me
                                Item NTE11 - 'I have many more opinions than the average person.'
NTE11
```

```
numeric (byte)
                       type:
                                  NTE11
                       range:
                                  [1, 5]
                                                                          units: 1
            uni que val ues:
                                                                    \begin{array}{ll} \text{mi ssi ng .:} & 0/1,\,200 \\ \text{mi ssi ng .*:} & 1,\,017/1,\,200 \end{array}
         uni que my codes:
                                  Freq.
                tabul ati on:
                                                          Label
                                              Numeri c
                                                          Extremely uncharacteristic of me
                                        6
                                                          Somewhat uncharacteristic of me
                                       30
                                                      3
                                                          Uncertai n
                                                          Somewhat characteristic of me
Extremely characteristic of me
[9]Not Asked
                                       57
                                                      4
                                       88
                                   1,017
                       Item NTE12 - 'I would rather have a strong opinion than no opinion at all.'
NTE12
                       type:
label:
                                  numeric (byte)
                                  NTE12
                                  [1, 5]
                       range:
                                                                          units: 1
            uni que val ues:
                                                                    \begin{array}{ll} \text{missing .:} & 0/1,200 \\ \text{missing .*:} & 61/1,200 \end{array}
         uni que my codes:
                                  Freq.
79
                tabul ati on:
                                              Numeri c
                                                          Label
                                                          Extremely uncharacteristic of me
Somewhat uncharacteristic of me
                                     141
                                     217
                                                          Uncertain
                                                          Somewhat characteristic of me
Extremely characteristic of me
                                     446
                                                          [9]Not Asked
amer_i dent
                                                                   Important to your identity - Being American
                                  numeric (byte)
                       type:
label:
                                  amer_i dent
                       range:
                                  [1, 5]
                                                                          units: 1
                                                                     mi \, ssi \, ng \, \ldots \, 0/1, \, 200
            uni que val ues:
                                  Freq.
515
                tabul ati on:
                                             Numeric Label
                                                          Extremely important
                                                      1 2
                                     274
                                                          Very important
                                                          Moderately important
A little important
                                     219
                                                      3
                                      81
                                                          Not important at all
race_i dent
                                                                          Important to your identity - Your race
                         type:
                                 numeric (byte)
                       label:
                                  amer_i dent
                       range:
                                  [1, 5]
                                                                           uni ts:
            uni que val ues:
                                                                     missing .:
                                                                                     0/1,200
                                  Freq.
321
                tabul ati on:
                                             Numeri c
                                                          Label
                                                          Extremely important
                                                         Very important
Moderately important
A little important
Not important at all
                                     228
                                     262
                                                      3
                                     147
                                                      4
                                     242
wad1a
                                          Your skin color make your everyday life easier/harder for you
                       type:
label:
                                  numeric (byte)
                                  wad1a
                                  [1, 7]
                       range:
                                                                           units: 1
         uni que val ues:
uni que my codes:
                                                                    missing .:
missing .*:
                                                                                     0/1,200
                                                                                     592/1, 200
                                  Freq.
70
                tabul ati on:
                                              Numeric Label
                                                          A great deal easier
                                       59
                                                          Moderately easier
                                                      3
                                       71
                                                          A little easier
                                     335
                                                          Does not make any difference
```

A little harder

48

```
A great deal harder [9]Not Asked
                                  12
                                 592
                                              . h
wad2a
                                       Being white grant you unearned privileges in today's society
                              numeric (byte)
                      type:
                              wad2a
                    label:
                    range:
                              [1, 5]
                                                                  uni ts:
                                                             missing .:
           uni que val ues:
                                                                            0/1,200
        uni que mv codes:
                                                            missing.
                                                                            766/1, 200
                              Freq.
31
               tabul ati on:
                                         Numeri c
                                                   Label
                                                   A great deal
A lot
                                                1
2
                                  39
                                  81
                                                3
                                                   A moderate amount
                                  65
                                                4
                                                   Alittle
                                 218
                                                   Not at all
                                 766
                                                   [9]Not Asked
wad3a
                                                  To what extent white people have certain advantages
                              numeric (byte)
                      type:
                    label:
                              wad2a
                    range:
                              [1, 5]
                                                                  uni ts:
                                                            missing .:
missing .*:
                                                                            0/1, 200
592/1, 200
        uni que val ues:
uni que my codes:
                              Freq.
98
               tabul ati on:
                                         Numeri c
                                                   Label
                                                   A great deal
A lot
                                  90
                                                3
                                 137
                                                   A moderate amount
                                 139
                                                4
                                                   Alittle
                                 144
                                                5
                                                   Not at all
                                 592
                                                   [9]Not Asked
                                           White skin generally give whites more/fewer opportunities
wad4a
                      type:
                              numeric (byte)
                    l abel :
                              wad4a
                    range:
                              [1, 7]
                                                                  uni ts:
                                                                           1
                                                            missing .:
missing .*:
           uni que val ues:
        uni que mv codes:
                                                                            592/1, 200
               tabul ati on:
                                         Numeri c
                                                   A lot more opportunities
                                 89
125
                                                   Moderately more
                                                   Slightly more
It does not make any difference
                                 234
                                  26
                                                   Slightly fewer
                                  13
                                                   Moderately fewer
                                                   A lot fewer opportunities
                                  14
                                                   [9]Not Asked
wad1b
                                                                                Being white helps/hurts you
                              numeric (byte)
                      type:
                    l abel :
                              wad1b
                              [1, 7]
                    range:
                                                                  uni ts:
                                                                           1
        uni que val ues:
uni que my codes:
                                                                            0/1, 200
759/1, 200
                                                            missing .:
missing .*:
                                                   Label
Helps a great deal
                              Freq.
47
              tabul ati on:
                                         Numeri c
                                  65
                                                   Helps a moderate amount
Helps a little
                                                3
                                  67
                                 203
                                                   Makes no difference
                                  36
                                                   Hurts a little
                                                6
7
                                  11
                                                   Hurts a moderate amount
                                  12
                                                   Hurts a great deal
                                 759
                                                   [9]Not Asked
```

Moderately harder

13

wad2b

White people have a lot/none advantages

```
type:
label:
                              numeric (byte)
                               wad2b
                     range:
                              [1, 5]
                                                                   uni ts:
        uni que val ues:
uni que my codes:
                                                                            0/1, 200
608/1, 200
                                                            missing .:
missing .*:
                              Freq.
115
              tabul ati on:
                                        Numeri c
                                                  Label
                                                   A great many
A lot
                                                1 2
                                 101
                                                3
4
5
                                 118
                                                    A moderate number
                                                    A few
                                 128
                                 130
                                                    None
                                 608
                                                    [9]Not Asked
                                               . b
wad3b
                                                              White people have a lot/none disadvantages
                              numeric (byte)
                     label:
                               wad2b
                     range:
                              [1, 5]
                                                                   uni ts:
                                                            missing.:
missing.*:
           uni que val ues:
                                                                             0/1, 200
        uni que mv codes:
                                                                            608/1, 200
               tabul ati on:
                                                    Label
                                         Numeri c
                                                    A great many
A lot
                                   34
                                 105
                                                    A moderate number
                                 240
                                                    A few
                                 180
                                                    None
                                                    [9]Not Asked
                                 608
wad4b
                Compared to other groups, white people generally have an advantage/disadvantage
                    type:
label:
                              numeric (byte)
                               wad4b
                    range:
                              [1, 7]
                                                                   uni ts:
                                                                            1
           uni que val ues:
                                                            missing .:
missing .*:
                                                                            0/1.200
                                                                            608/1, 200
        uni que my codes:
                              Freq.
122
                                                    Label
              tabul ati on:
                                         Numeri c
                                                    Large advantage
Moderate advantage
Slight advantage
                                  88
                                 130
                                                    It does not make any difference
Slight disadvantage
                                 177
                                  47
                                  18
                                                6
7
                                                    Moderate di sadvantage
                                   10
                                                    Large di sadvantage
                                 608
                                                    [9]Not Asked
                      Important - Whites work together to change laws that are unfair to whites
whi tework
                      type:
                              numeric (byte)
                     label:
                              amer_i dent
                    range:
                              [1, 5]
                                                                   uni ts:
                                                            missing .:
missing .*:
           uni que val ues:
        uni que my codes:
                                                                            327/1, 200
                              Freq.
156
               tabul ati on:
                                         Numeri c
                                                    Label
                                                    Extremely important
                                                    Very important
                                 166
                                 209
                                                    Moderately important
                                                    A little important
                                 124
                                 218
                                                5
                                                    Not important at all
                                                    [8]Ski pped
[9]Not Asked
                                 325
            Likelihood - Many whites are unable to find a job because employers are hiring m
whi tej ob
                              numeric (byte)
                    type:
label:
                              l pres_i mmi g
```

 $\begin{array}{cccc} & range: & [1,5] & units: & 1 \\ uni \ que \ val \ ues: & 5 & mi \ ssi \ ng \ .: & 0/1, 200 \end{array}$

```
missing. *: 325/1, 200
         uni que mv codes: 1
                                Freq.
101
                tabul ati on:
                                           Numeri c
                                                       Label
                                                       Extremely likely
Very likely
Moderately likely
A little likely
Not likely at all
                                    135
                                                   \tilde{3}
                                    192
                                   248
                                                   4
                                    199
                                                   5
                                                       [9]Not Asked
                                    325
                                                  . b
wguilt1
                                                Feel guilty due to your association with the white race
                                numeric (byte)
disc_selfsex
                      label:
                      range:
                                 [1, 5]
                                                                       uni ts:
                                                                                 1
                                                                missing .:
missing .*:
           uni que val ues:
                                                                                 0/1,200
         uni que mv codes:
                                                                                 325/1, 200
                                Freq.
                tabul ati on:
                                            Numeri c
                                                       Label
                                                       A great deal
A lot
                                    123
                                                   3
                                                       A moderate amount
                                    132
                                                       Alittle
                                    538
                                                       None
                                    325
                                                       [9]Not Asked
wguilt2
               Feel guilty/Not guilty about the privileges and benefits you receive as a white
                                numeric (byte)
wguilt2
                      type:
label:
                                [1, 5]
                                                                       uni ts:
                      range:
                                                                                 0/1,200 \\ 327/1,200
         uni que val ues:
uni que my codes:
                                                                missing .:
missing .*:
                                Freq.
16
                tabul ati on:
                                            Numeric Label
                                                       Extremely guilty
Very guilty
                                     27
                                     94
                                                   3
                                                       Moderately guilty
                                    116
                                                   4
                                                       A little guilty
                                                       Not guilty at all [8]Skipped
                                                   5
                                   620
                                   325
                                                        [9]Not Asked
wguilt3
                                                             Feel guilty/Not guilty about social inequality
                                numeric (byte)
                        type:
                      label:
                                wgui l t2
                      range:
                                [1, 5]
                                                                       uni ts:
            uni que val ues:
                                                                missing .:
missing .*:
                                                                                 0/1,200
         uni que my codes:
                                                                                 326/1, 200
                                Freq.
31
                                                       Label
                tabul ati on:
                                            Numeri c
                                                       Extremely guilty
Very guilty
Moderately guilty
A little guilty
Not guilty at all
[8]Skipped
[9]Not Asked
                                     43
                                    127
                                    151
                                                   4
                                    522
                                                   5
                                    325
buycott
               Bought a certain product or service because of the social or political values of
                                numeric (byte)
                        type:
                      label:
                                buycott
                                [1, 2]
2
                                                                       uni ts:
                      range:
            uni que val ues:
                                                                                 0/1,200
                                                                  missing .:
                tabul ati on:
                                Freq. 302
                                           Numeri c
                                                       Label
                                                       Have bought a product for this
                                                        reason
                                   898
                                                       Have not done this
boycott
               Declined to buy a certain product or service because of the social or political
```

```
numeric (byte)
boycott
                        type:
label:
            range:
uni que val ues:
                                   [1, 2]
2
                                                                            uni ts:
                                                                      mi ssi ng .: 0/1, 200
                                  Freq.
432
                 tabul ation:
                                               Numeri c
                                                           Label
                                                           Have declined to buy for this
                                                           reason
                                                           Have not done this
                                      768
                                                                                                           Skin tone mobile
ski ntone_mob
                        type:
label:
                                   numeric (byte)
                                   skintone_mob, but 9 nonmissing values are not labeled
                                   [1, 10]
9
            range:
uni que val ues:
                                                                            uni ts:
                                                                     mi ssi ng .: 0/1, 200
mi ssi ng .*: 847/1, 200
          uni que mv codes:
                                   2
                 tabul ati on:
                                               Numeric Label
                                                       12345678
                                      129
                                       64
32
22
                                         62
                                         4 2
                                                      10
                                                           [98]Ski pped
[99]Not Asked
                                                      . a
ski ntone
                                                                                                                     Skin tone
                                  \begin{array}{ll} \text{numeric (byte)} \\ \text{skintone, but 10 nonmissing values are not labeled} \end{array}
                        type: label:
                                   [1, 10]
10
         range:
uni que val ues:
uni que my codes:
                                                                     units:
missing.:
missing.*:
                                                                                       0/1, 200
361/1, 200
                                   2
2
                    examples:
                                            [99]Not Asked
ski n_di scri m
                                                                                               Skin color discrimination
                       type:
label:
                                   numeric (byte)
                                   di sc_b
                                   [1, 5]
                        range:
                                                                            uni ts:
                                                                       missing : 0/1,200
             uni que val ues:
                                   Freq.
                 tabul ati on:
                                              Numeri c
                                                           Label
                                                           A great deal
A lot
                                       47
                                      136
                                                       3
                                                           A moderate amount
                                      299
                                                           Alittle
                                      673
                                                           None at all
afri canam10_1
                                                                           Race 10-point system - African American
                        type: numeric (byte) label: percent16. but
                                   percent16, but 11 nonmissing values are not labeled
                                   [0, 10]
11
         range:
uni que val ues:
uni que mv codes:
                                                                            uni ts:
                                                                     mi ssi ng .: 0/1, 200
mi ssi ng .*: 15/1, 200
                    examples:
                                   0
                                   0
                                   0
                                   2
```

```
white10_1
                                                                                  Race 10-point system - White
                               \begin{array}{ll} \text{numeric (byte)} \\ \text{percent16, but 11 nonmissing values are not labeled} \end{array}
                      type: label:
                                [0, 10]
                                                                     uni ts:
                     range:
                                                                               0/1, 200
         uni que val ues:
uni que my codes:
                                                               missing .:
missing .*:
                                11
                                                                               15/1, 200
                  examples:
                                2
                                \tilde{6}
                                10
hi spani c10_1
                                                                  Race 10-point system - Hispanic or Latino
                               numeric (byte) percent16, but 11 nonmissing values are not labeled
                      l ăbel :
                                [0, 10]
                     range:
                                                                     uni ts:
                                                               missing .:
missing .*:
                                                                               0/1,200
           uni que val ues:
         uni que mv codes:
                                                                              15/1,200
                  examples:
                                0
                                0
                                                                       Race 10-point system - Asian American
asi anam10 1
                      type:
label:
                               numeric (byte)
                                percent16, but 10 nonmissing values are not labeled
           range:
uni que val ues:
                                [0, 10]
                                                                     uni ts:
                                                              missing .:
missing .*:
                                                                               0/1.200
         uni que mv codes:
                                                                               15/1, 200
                                0
                  examples:
                                n
                                0
                                0
nativeam10_1
                                            Race 10-point system - Native American or American Indian
                       type:
                               numeric (byte)
                               percent 16, but 9 nonmissing values are not labeled
                     l abel :
                     range:
                                [0, 10]
                                                               mi ssi ng .:
mi ssi ng .*:
                                                                               0/1,200
           uni que val ues:
         uni que my codes:
                                                                               15/1, 200
               tabul ati on:
                                          Numeri c
                                                     Label
                                   142
                                                  1
2
3
4
5
                                     9
                                   16
2
1
3
                                                  6
                                                  8
                                                 10
                                    15
                                                     [-8] Ski pped
other10_1
                                                                                  Race 10-point system - Other
                               numeric (byte)
                       type:
                      l abel:
                                percent16, but 10 nonmissing values are not labeled
                                                                     uni ts:
                     range:
                                [0, 10]
           uni que val ues:
                                                                               0/1,200
                                10
                                                              missing .:
missing .*:
                                                                              15/1, 200
         uni que my codes:
                                1
                                0
                  examples:
                                0
```

othor10 open			Page 10 point greaten Open
type:	string (str33)		
uni que val ues:		ssing "": 1	, 104/1, 200
examples:	II II		
	""		
warni ng:	variable has embedded blank	s	
OTHERO			Race 10-point system - Open
	string (str1), but longest		
uni que val ues:		ssing "": 1	, 200/1, 200
tabul ati on:	Freg. Value	8	, ,
	1, 200 ""		
OTHER 1			Dona 10 maint averten Onen
	string (str1), but longest		
uni que val ues:	O mi	ssing "": 1	, 200/1, 200
tabul ati on:	Freq. Val ue 1, 200 ""		
OTHER2			Race 10-point system - Open
	string (str1), but longest		
uni que val ues:		ssing "": 1	, 200/1, 200
tabul ati on:	Freq. Val ue 1, 200 ""	Ü	
bi rthyr			Birth Year
type:	numeric (int)		
l abel:	birthyr, but 73 nonmissing	values are n	ot labeled
range: uni que val ues:	[1921, 1997] 73 mi	units: 1 issing .: 0/	1, 200
examples:	1953 1961 1974 1986		
gender			Gender
type:	numeric (byte)		
l abel :	gender		
range: uni que val ues:	[1, 2] 2 m	units: 1 issing.: 0/	1, 200
tabul ati on:	Freq. Numeric Label 570 1 Male 630 2 Female		
race			Race
type: l abel :	numeric (byte) race		
rango	[1 8]	unite: 1	

range: [1, 8] units: 1

```
uni que val ues:
                                                                missing .: 0/1, 200
                               Freq.
875
               tabul ation:
                                          Numeri c
                                                     Label
                                                     White
                                                  1
2
3
4
5
6
7
8
                                  135
113
                                                     Bl ack
                                                     Hi spani c
                                   23
7
                                                     Asi an
                                                     Native American
                                    3Ó
                                                     Mi xed
                                    15
2
                                                     0ther
                                                     Middle Eastern
race_other
                                                                                                       Race, other
                       type:
                               string (str6)
                                                                missing "": 0/1, 200
           uni que val ues:
                               Freq.
1, 200
               tabul ati on:
                                          __NA
RACE_0
                                                                                                       Race, other
                               string (str1), but longest is str0
                       type:
           uni que val ues:
                                                                mi ssi ng "": 1, 200/1, 200
                               Freq.
1, 200
               tabul ati on:
                                        Val ue
RACE_1
                                                                                                       Race, other
                               string (str1), but longest is str0
                       type:
                                                                mi ssi ng "": 1, 200/1, 200
           uni que val ues:
                                        Val ue
                               Freq.
1, 200
               tabul ati on:
RACE_2
                                                                                                       Race, other
                       type:
                               string (str1), but longest is str0
           uni que val ues:
                                                                missing "": 1, 200/1, 200
                               Freq.
1, 200
                                        Val ue
               tabul ati on:
educ
                                                                                                          Educati on
                     type:
label:
                               numeric (byte)
                               educ
           range:
uni que val ues:
                               [1, 6]
                                                                     uni ts:
                                                                mi \, ssi \, ng \, \ldots \, 0/1, \, 200
               tabul ati on:
                               Freq.
102
                                                     Label
                                          Numeri c
                                                     No HS
                                                  1
2
3
4
5
                                                     No ns
High school graduate
Some college
2-year
4-year
                                  411
                                  257
                                  106
202
                                                     Post-grad
                                                                                                   Marital Status
marstat
                       type:
                               numeric (byte)
                     label:
                               marstat
                               [1, 6]
6
                     range:
                                                                     uni ts:
                                                                              0/1, 200
           uni que val ues:
                                                                missing .:
               tabul ati on:
                                Freq.
                                          Numeri c
                                                     Label
```

Marri ed

567

```
Di vorced
                                 126
                                  64
                                                    Wi dowed
                                                5
                                 358
                                                    Si ngl e
                                                    Domestic partnership
speakspani sh
                                                                                         Do you speak Spanish
                              numeric (byte)
                    label:
                              speakspani sh
                     range:
                               [1, 4]
                                                                   uni ts:
                                                                            1
                                                            missing .:
missing .*:
           uni que val ues:
                                                                            49/1,200
        uni que mv codes:
                              Freq.
16
              tabul ati on:
                                         Numeri c
                                                    Label
                                                    I speak Spanish primarily
                                   45
                                                2
                                                    I speak both Spanish and English
                                                    equal l y
                                                    equally
I speak English primarily but
can speak Spanish
I can not speak Spanish
[8]Skipped
                                   38
                               1,052
empl oy
                                                                                             Employment Status
                              numeric (byte)
                     label:
                              empl oy
                                                                   uni ts:
                    range:
                               [1, 9]
           uni que val ues:
                                                              mi\,\,ssi\,ng . : 0/1,\,200
              tabul ati on:
                              Freq.
471
                                                    Label
                                        Numeric
                                                    Full-time
Part-time
                                 143
                                                3
4
5
6
7
8
                                                    Temporarily laid off
                                 102
                                                    Unempl oyed
                                 197
                                                    Retired
                                 112
                                                    Permanently disabled
                                  93
63
                                                    Homemaker
                                                    Student
                                                    0ther
empl oy_t
                                                                                    Employment Status - open
                      type:
                              string (str6)
                                                              missing "": 0/1, 200
           uni que val ues:
                              Freq.
1, 200
                                       Val ue
               tabul ati on:
EMPL00
                                                                                    Employment Status - open
                              string (str1), but longest is str0
                      type:
           uni que val ues:
                                                              mi ssi ng "": 1, 200/1, 200
              tabul ati on:
                              Freq.
                                       Val ue
                               1, 200
EMPL01
                                                                                    Employment Status - open
                              string (str1), but longest is str0
                      type:
           uni que val ues:
                                                              missing "": 1, 200/1, 200
                              Freq.
1, 200
                                       Val ue
              tabul ati on:
EMPL02
                                                                                    Employment Status - open
```

Separated

28

type: string (str1), but longest is str0

Val ue tabul ati on:

Freq. 1, 200

fami nc Family income type: label: numeric (byte) fami nc [1, 97]units: 1 range: missing.: missing.*: 0/1, 200 1/1, 200uni que val ues: 18 uni que mv codes: \$20, 000 - \$29, 999 \$40, 000 - \$49, 999 \$60, 000 - \$69, 999 \$120, 000 - \$149, 999 3 5 examples: faminc2 What was your family's annual income last year? type: label: numeric (byte) faminc2 range: uni que val ues: uni que mv codes: [.,.] uni ts: missing .: missing .*: Ù 0/1, 200 1, 200/1, 200 Freq. 1, 200 tabul ati on: Numeric Label .b [99]Not Asked State of Residence state type: label: numeric (byte) state range: [1, 56]units: 1 missing .: 0/1,200uni que val ues: 50 12 Fl ori da examples: Maryl and New York 24 36 45 South Carolina Voter Registration Status votereg type: label: numeric (byte) votereg range: uni que val ues: [1, 3] 3 uni ts: missing .: 0/1, 200 Freq. 1, 046 tabul ation: Label Numeri c Yes 124 No 30 Don't know pi d3 3 point Party ID numeric (byte) type: label: pi d3 range: uni que val ues: uni ts: [1, 5]missing .: 0/1,200Freq. 459 280 Label tabul ati on: Numeri c 1 2 3 4 Democrat Republ i can 380 Independent 77 0ther Not sure

pi d7 Party Identification

```
type:
label:
                                pi d7
                      range:
                                [1, 8]
                                                                      uni ts:
            uni que val ues:
                                                                 mi ssing : 14/1, 200
                                Freq. 300
               tabul ati on:
                                          Numeri c
                                                      Label
                                                      Strong Democrat
Weak Democrat
Lean Democrat
                                                  1 2
                                   146
                                                  3
                                   109
                                                      Independent
Lean Republican
Weak Republican
Strong Republican
                                   205
                                                  4
5
6
7
8
                                   111
                                   116
                                   158
                                                      Not sure
                                    41
                                    14
i deo 5
                                                                                                            I deol ogy
                                numeric (byte)
                       type:
                      label:
                                i deo5
                      range:
                                [1, 6]
                                                                      uni ts:
            uni que val ues:
                                                                 missing : 0/1,200
                                Freq.
142
               tabul ation:
                                          Numeri c
                                                      Label
                                                      Very liberal
                                   208
                                                      Li beral
                                   378
                                                  3
                                                      Moderate
                                   261
                                                  4
                                                      Conservati ve
                                                      Very conservative
                                   121
                                                  5
                                    90
                                                      Not sure
                                                                                               Political Interest
newsi nt
                     type:
label:
                               numeric (byte)
                                newsi nt
                      range:
                                [1, 7]
                                                                      uni ts:
                                                                 mi\,\,ssi\,ng . : 0/1,\,200
            uni que val ues:
                                Freq. 568
               tabul ati on:
                                          Numeric Label
                                                      Most of the time
Some of the time
                                   348
                                   178
                                                  3
                                                      Only now and then
                                                      Hardly at all
                                    28
                                                      Don' t know
                                                                                       Born Again (Pew version)
pew_bornagai n
                       type:
                               numeric (byte)
                      label:
                               pew_bornagai n
                     range:
                                [1, 2]
                                                                     units: 1
         uni que val ues:
uni que my codes:
                                                               missing .: 0/1, 200
missing .*: 1/1, 200
                                Freq.
353
               tabul ati on:
                                           Numeric Label
                                                  1
2
                                                      Yes
                                   846
                                                      No
                                                 . a [8] Ski pped
pew_churatd
                                                                              Church attendance (Pew version)
                               numeric (byte)
                       type:
                      l abel :
                                pew_churatd
                                [1, 7]
                                                                     units: 1
                     range:
                                                               missing .: 0/1, 200
missing .*: 2/1, 200
           uni que val ues:
         uni que mv codes:
                                Freq.
95
               tabul ati on:
                                           Numeri c
                                                      Label
                                                      More than once a week
                                   184
                                                      Once a week
                                    96
                                                  3
4
                                                      Once or twice a month
                                   147
                                                      A few times a year
                                   271
                                                      Sel dom
```

6

Never

381

numeric (byte)

24 7 Don't know 2 .a [8]Ski pped

rel i gpew Pew religion numeric (byte) type: l abel : rel i gpew [1, 12] range: units: 1 uni que val ues: uni que my codes: missing .: missing .*: 0/1, 200 2/1, 200examples: Protestant Roman Catholic Jewi sh 11 Nothing in particular religpew_t Pew religion other - text type: string (str28) uni que val ues: mi ssi ng "": 0/1, 200 examples: warni ng: variable has embedded blanks RELI GO Pew religion other - text string (str1), but longest is str0type: uni que val ues: mi ssi ng "": 1, 200/1, 200 tabul ati on: Freq. Val ue 1, 200 RELIG1 Pew religion other - text type: string (str1), but longest is str0 uni que val ues: missing "": 1,200/1,200 Freq. 1, 200 tabul ati on: RELI G2 Pew religion other - text string (str1), but longest is str0 type: uni que val ues: mi ssi ng "": 1, 200/1, 200 Freq. Val ue 1, 200 "" tabul ati on: page_page_follow_timing Question follow page timing numeric (double) type: [1.418, 1116.412] range: uni ts: missing .: 0/1,2001, 158 uni que val ues: 17. 4153 mean: std. dev: 58. 1584 10% 50% 75% 90% percentiles: 25% 9. 5635 23. 8065 4. 262 6. 114 15. 249

Question turnout12 page timing

page_page_turnout12_timing

type: numeric (double)

units: .001 missing .: 0/1,200 range: [1. 542, 2824. 13] uni que val ues: 1, 158

mean:

16. 5878 94. 3964 std. dev:

50% percentiles: 10% 25% 75% 90% 8. 932 13. 6365 20. 132 3. 8385 5. 7985

Question vote12 page timing page_page_vote12_timing

type: numeric (double)

 $\begin{array}{ccc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ [0, 3017. 567] range: uni que val ues: 903

mean: 9.44173 std. dev: 103. 551

25% 50% 75% 2. 0495 3. 4595 5. 482 50% 10% percentiles: 90% 8.734

page_page_percent16_timing Question percent16 page timing

type: numeric (double)

units: .001 missing .: 0/1,200 [2. 975, 397. 158] range: uni que val ues: 1, 151

mean: 12.6878 std. dev: 16. 312

50% 10% 75% 90% percentiles: 25% 7. 2555 5. 5875 9. 7345 13. 7215 20. 183

page_page_meet_ti mi ng Question meet page timing

type: numeric (double)

units: .001 missing .: 0/1,200 [1. 438, 1245. 09] range: uni que val ues: 1, 148

mean: 12.4892 std. dev: 37. 9222

percentiles: 4. 5045 6. 155 8. 407 12. 1435

page_page_givefut_timing Question givefut page timing

type: numeric (double)

units: .001 missing .: 0/1,200 [1. 214, 3860. 205] range: uni que val ues:

mean: 15. 2366 std. dev: 138. 143

10% 50% percentiles: 75% 3. 3905 4. 5515 6. 149 8. 7065

Question info page timing page_page_info_timing

> numeric (double) type:

 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ [. 94, 5286. 166] range: uni que val ues: 1, 141

16. 9345 mean: std. dev: 161.656

10% 3. 165 25% 4. 517 50% 6. 562 percentiles: 90% 9. 7275 16. 4865

page_page_march_timing Question march page timing type: numeric (double) $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ [1. 233, 781. 648] range: uni que val ues: 1, 136 12. 3393 39. 2319 mean: std. dev: 10% 90% percentiles: 25% 50% 75% 3.609 4.8605 7.026 10.6785 15.499 Question sign page timing page_page_sign_timing type: numeric (double) $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ [1.051, 1073.159] range: uni que val ues: mean: 11. 1581 std. dev: 35. 6846 percentiles: 10% 25% 50% 75% 3. 1345 4. 436 7.0785 10.621 16.22 $page_page_gi\ ve12mo_ti\ mi\ ng$ Question give12mo page timing numeric (double) type: units: .001 missing .: 0/1,200 [. 977, 276. 609] range: 1, 150 uni que val ues: 8.81801 mean: std. dev: 15. 768 25% 3. 772 50% percentiles: 10% 90% 2. 5765 5. 6345 8. 572 13.6625 page_page_compromise_timing Question compromise page timing type: numeric (double) [.898, 51433.032] . 001 range: uni ts: missing .: 0/1,200uni que val ues: 1, 168 57. 9893 mean: std. dev: 1484.97 percentiles: 10% 50% 75% 90% 4. 1995 6. 187 9.409 14.6995 Question ftobama page timing $page_page_ftobama_ti\,mi\,ng$ type: numeric (double) range: [1. 077, 248. 756] $\begin{array}{ccc} & uni\,\,ts: & .\,\,001 \\ mi\,\,ssi\,\,ng\,\,.: & 0/1,\,200 \end{array}$ 1, 162 uni que val ues: mean: 14.7617 std. dev: 13. 4867 50% percentiles: 10% 25% 75% 90% 7.713 11. 3465 17. 2155 25. 8845 5.462 Question ftblack page timing page_page_ftbl ack_timing type: numeric (double) [1. 448, 553. 094] range: uni ts: . 001 $mi\,\,ssi\,ng\,\,.:\,\,\,0/1,\,200$ uni que val ues: 1, 137 10. 4805 mean:

std. dev:

21. 2252

10% 25% 50% 75% percentiles: 25% 4. 516 3. 426 6. 674 10. 6985 17. 6155

Question ftwhite page timing page_page_ftwhi te_ti mi ng

type: numeric (double)

units: .001 missing .: 0/1,200 [. 737, 2810. 513] range: uni que val ues: 1, 149

12. 9502 82. 7011 mean: std. dev:

75% 90% 11. 383 18. 236 50% 10% 25% percentiles: 3. 6685 7. 4075 4. 9235

page_page_fthi sp_ti mi ng Question fthisp page timing

type: numeric (double)

 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ range: [1. 404, 3276, 784] uni que val ues: 1, 140

12. 5326 std. dev: 96. 1148

10% 50% 75% 25% percentiles: 4. 4015 6. 3215 10. 0545 15. 4505 3. 199

page_page_ftgay_timing Question ftgay page timing

type: numeric (double)

 $\begin{array}{ccc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ [1. 26, 535. 755] range: uni que val ues: 1, 139

9. 86919 mean: std. dev: 21, 3551

50% 75% 90% 6. 317 9. 877 15. 948 10% 25% percentiles: 3. 3755 4. 3855

page_page_ftjeb_timing Question ftjeb page timing

type: numeric (double)

units: .001 missing .: 0/1,200 range: [. 734, 147. 031] uni que val ues: 1, 127

mean: 7.8449 std. dev: 9. 1921

50% percentiles: 25% 75% 3.0605 3.9905 5. 4665 8. 475

page_page_fttrump_timing Question fttrump page timing

type: numeric (double)

[1. 463, 433. 871] units: .001 missing .: 0/1,200 range: uni que val ues: 1, 134

mean: 9.02219 std. dev: 16.0041

10% 50% 75% 90% percentiles: 25% 14. 3375 3. 3285 4. 357 6. 1755 9. 162

Question ftcarson page timing page_page_ftcarson_timing

type: numeric (double)

range: [1. 045, 27556. 716] units: .001 uni que val ues: 1, 125 missing .: 0/1, 200

31. 3932 mean: std. dev: 795. 328

10%

50% 25% 4. 128 percentiles: 75% 90% 3. 167 5. 834 8. 9815 13. 8005

page_page_fthrc_timing Question fthrc page timing

type: numeric (double)

units: .001 missing .: 0/1,200 range: [1. 314, 244. 108]

uni que val ues: 1, 128

8. 55997 mean: std. dev: 14. 5056

percentiles: 10% 25% 50% 75% 90% 50% 5. 811 13. 9885 3. 2425 4. 1195 8.63

page_page_ftrubio_timing Question ftrubio page timing

type: numeric (double)

[1. 029, 260, 766] units: .001 missing .: 0/1,200 range: 1, 133 uni que val ues:

mean: std. dev: 8.62749 15. 1489

10% 50% percentiles: 25% 75% 2. 988 3. 8385 5. 597 8. 4405

Question ftcruz page timing page_page_ftcruz_ti mi ng

type: numeric (double)

units: .001 missing .: 0/1,200 range: [. 598, 178. 173] uni que val ues: 1, 133

mean: std. dev: 8. 02197 10. 3315

50% 75% percentiles: 10% 25% 3. 0625 3. 9715 5. 5515

Question ftsanders page timing page_page_ftsanders_timing

type: numeric (double)

range: uni que val ues: [1. 111, 413. 549] uni ts: 1, 142 missing .: 0/1, 200

9.018 mean: std. dev: 19. 2975

10% 25% 50% 75% 90% percentiles: 5. 996 3. 1045 4. 2055 8. 9095 14. 234

Question ftfiorina page timing page_page_ftfi ori na_ti mi ng _____

type: numeric (double)

 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ [. 632, 305. 76] range: uni que val ues: 1, 128

8. 2223 mean: std. dev: 13. 5151

10% 50% 5. 773 90% percentiles: 25% 3.147 4. 1085 8.828 13. 482

page_page_ftpolice_timing Question ftpolice page timing

numeric (double) type:

[1.601, 2154.002] units: .001 range: mi ssi ng .: 0/1,200uni que $\,$ val ues:

11. 1383 mean: std. dev: 63. 2563

25% 50% 75% 90% percentiles: 10% 6. 7645 10. 151 4.6715 3.473 15. 263

page_page_ftfem_ti mi ng Question ftfem page timing

> type: numeric (double)

units: .001 missing .: 0/1,200 [1. 209, 171. 482] range: uni que val ues: 1, 130

mean: 8.78198 std. dev: 11. 1606

percentiles: 50% 3. 286 4. 425 6. 196 9.4515

 $page_page_fttrans_ti\,m\!i\,ng$ Question fttrans page timing

> type: numeric (double)

[1. 387, 1465. 62] range: uni ts: . 001 0/1, 200 1, 136 missing .:

uni que val ues:

10. 5002 mean: std. dev: 43.9308

10% 50% 25% 75% 90% percentiles: 3.4625 6. 6325 10. 207 16.659 4.594

page_page_ftmuslim_timing Question ftmuslim page timing

> numeric (double)type:

 $\begin{array}{ccc} & \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ [. 671, 1685. 004] range: uni que val ues: 1, 144

mean: std. dev: 10.9699 50. 595

percentiles: 10% 25% 50% 75% 90% 3.406 4. 557 6.479 10. 2495 15.948

page_page_ftsci_timing Question ftsci page timing

> numeric (double) type:

range: uni que val ues: units: .001[. 975, 644. 912] mi ssi ng .: 0/1,2001, 135

10.069 mean: std. dev: 25. 7392

50% 10% 75% 90% 25% percentiles: 3. 408 4. 522 6. 5325 9.6725 15. 1735

page_page_reg_timing Question reg page timing

type: numeric (double)

> [1. 681, 739. 231] . 001 range: uni ts: uni que val ues: 1, 056 missing .: 0/1,200

6.01383 mean: std. dev: 22.913

25% 3. 036 10% 50% percentiles: 90% 2.495 3.8905 5. 1985 7.0815

page_page_demcand_timing				Qu	uestion demcau	nd page timing
type:	numeric (dou	bl e)				
range: uni que val ues:	[1. 413, 322. 0 1, 146	87]	un mi ssi n	its: .001 g .: 0/1,		
mean: std. dev:	10. 9948 20. 8781					
percentiles:	10% 3. 608	25% 5. 3565	50% 7. 4655	75% 11. 0345	90% 16. 6775	
page_page_repcand_timing				Qu		nd page timing
type:	numeric (dou	bl e)				
range: uni que val ues:	[1. 436, 51640 1, 163	. 883]	un mi ssi n	its: .001 g .: 0/1,		
mean: std. dev:	54. 8606 1490. 81					
percentiles:	10% 3. 818	25% 5. 458	50% 7. 8305	75% 12. 309	90% 19. 0475	
page_page_vote16j b_ti mi ng				Que		b page timing
type:	numeric (dou	bl e)				
range: uni que val ues:	[0, 6832. 774] 474		un mi ssi n	its: .001 g .: 0/1,		
mean: std. dev:	10. 5824 198. 097					
percentiles:	10% 0	25% 0	50% 0	75% 6. 841	90% 11. 757	
page_page_vote16bc_ti mi ng				Que		oc page timing
type:	numeric (dou	bl e)				
range: uni que val ues:	[0, 1205. 722] 475		un missin	its: .001 g .: 0/1,		
mean: std. dev:	5. 21929 36. 0865					
percentiles:	10% 0	25% 0	50% 0	75% 6. 4055	90% 10. 601	
page page vote16tc timing				Que	estion vote16	c page timing
type:	numeric (dou	bl e)				
range: uni que val ues:	[0, 301. 728] 455			its: .001 g .: 0/1,		
mean: std. dev:	4. 32954 15. 4731					
percentiles:	10% 0	25% 0	50% 0	75% 5. 128	90% 10. 4335	
page_page_vote16mr_timing Question vote16mr page timing						
type:	numeric (dou					
range: uni que val ues:	[0, 160. 041] 483	•	un mi ssi n	its: .001 g .: 0/1,		
-						

3. 8136

mean:

std. dev: 11. 2158

25% 0 50% 0 75% 10% 90% percentiles: 0 4. 762 8.821

Question vote16dt page timing page_page_vote16dt_ti mi ng

> numeric (double) type:

[0, 2443. 247] $\begin{array}{ccc} & \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ range:

uni que val ues: 480

4. 96804 mean: std. dev: 70. 7911

10% 50% 75% 25% 90% percentiles: 4. 488 7.7905

page_page_presj ob_timing Question presjob page timing

> type: numeric (double)

 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ range: [1.094, 2838.959] uni que val ues: 1, 160

13.0071 mean: std. dev: 83. 2839

50% 10% 25% percentiles: 4.078 5. 4965 7.843 11. 197

Question lazy grid page timing page_page_l azy_ti mi ng

type: numeric (double)

[1. 988, 13275. 992] range: uni ts: . 001

missing .: 0/1,200uni que val ues: 1. 180

35. 1267 mean: std. dev: 390.856

10% 25% 50% percentiles: 6.8835 24. 5375 10. 7695 16. 0285 40.0505

page_page_vi ol ent_ti mi ng Question violent grid page timing

> numeric (double) type:

 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ range: [1.056, 2656.742] uni que val ues: 1, 180

25. 6882 87. 1763 mean: std. dev:

percentiles: 10% 25% 50% 90% 7. 465 11. 343 16. 395 25. 2095 40.608

page_page_econ_grid_timing Question econnow and econ12mo page timing

> numeric (double) type:

[1. 525, 3543. 413] 1, 176 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ range: uni que val ues:

28. 9456 143. 211 mean: std. dev:

10% 50% 75% percentiles: 25% 90% 23. 2635 10. 937 38. 973 7. 4485 15.894

page_page_pi d1d_ti mi ng Question pid1d page timing

type: numeric (double)

[0, 374. 713] $\begin{array}{ccc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ range: uni que val ues:

4. 03346 12. 7716 mean: std. dev:

10% 25% 0 50% 75% 90% percentiles: 0 5. 194 8.784

page_page_pid1r_timing Question pid1r page timing

> type: numeric (double)

[0, 840, 732] $\begin{array}{ccc} \text{units:} & \text{.001} \\ \text{missing .:} & \text{0/1,200} \end{array}$ range: uni que val ues:

mean: std. dev: 6.00505 30.9088

percentiles: 50%

page_page_pidstr_timing Question pidstr page timing

> numeric (double) type:

[0, 348. 044] units: .001 range: uni que val ues: 691 missing .: 0/1,200

3. 74781 14. 7764 mean: std. dev:

50% 10% 90% percentiles:

 $page_page_pi\,dl\,ean_t\,i\,mi\,ng$ Question pidlean page timing

type: numeric (double)

> [0, 230. 329] $\begin{array}{ccc} \text{units:} & \text{.001} \\ \text{missing::} & \text{0/1,200} \end{array}$ range: uni que val ues: 436

mean: 2. 4752 std. dev: 8.57789

90% percentiles: 3.484 6. 1975

Question lc_grid 'Liberal/conservative scale' page timing page_page_lc_grid_timing

numeric (double) type:

> $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ [1. 345, 5985. 103] range: uni que val ues: 1, 191

59. 5305 mean: std. dev: 230.907

percentiles: 10% 25% 50% 90% 17.6055 25. 7835 36. 928 54.075 76. 4075

page_page_I SSUES_0C14_ti mi ng Question ISSUES_OC14 rank page timing

> numeric (double) type:

[1.543, 24273.186] range: . 001 uni ts: missing .: 0/1,2001, 196 uni que val ues:

mean: 120.706 std. dev: 820, 902

25% 10% 50% percentiles: 90% 29.8285 42.027

type: numeric (double) $\begin{array}{cc} \text{units:} & .001 \\ \text{missing.:} & 0/1,200 \end{array}$ [0, 1991. 328] range: uni que val ues: mean: 21. 5483 63. 9119 std. dev: 10% 50% percentiles: 25% 90% 6.846 9. 42 13. 6215 20. 0375 33. 9095 Question disc 'Discrimination grid' page timing page_page_disc_timing type: numeric (double) [2. 282, 3454, 434] units: .001 missing .: 0/1,200 range: uni que val ues: 1, 187 mean: 50. 9133 std. dev: 160.623 50% 75% 90% percentiles: 10% 25% 17.033 25. 061 34. 6385 68. 207 page_page_disc_selfsex_timing Question disc_selfsex page timing numeric (double) type: units: .001 missing .: 0/1,200 [1. 561, 1109, 159] range: uni que val ues: 1, 154 13.8722 mean: std. dev: 43. 1084 50% 75% 10% 25% percentiles: 4. 4195 5. 9065 8. 322 12. 0955 19. 338 Question $\operatorname{disc_fed}$ page timing $page_page_di\,sc_fed_ti\,mi\,ng$ type: numeric (double) units: .001 missing .: 0/1,200 [1. 246, 2604. 868] range: uni que val ues: 1.175 19. 5971 mean: std. dev: 112. 983 10% 50% percentiles: 25% 90% 9. 7615 4. 3115 6. 5685 14. 689 23. 2105 Question disc_police page timing page_page_disc_police_timing type: numeric (double) units: .001 missing .: 0/1,200 range: [. 961, 501. 485] uni que val ues: 1, 165 13.6611 mean: std. dev: 30. 3348 50% 75% percentiles: 10% 25% 90% 13. 6065 3.8975 5. 755 8.6665 $page_page_srv_spend_ti\,mi\,ng$ Question srv_spend page timing type: numeric (double) $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ range: [1. 331, 38315. 565] uni que val ues: 1, 185 71. 0886 mean: std. dev: 1175. 77

10%

percentiles:

50%

25%

75%

90%

6. 2445 10. 4745 18. 551 33. 2425 53. 7975

Question campfin page timing

type: numeric (double)

[1. 461, 7203. 147] range:

 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ uni que val ues:

mean: 33. 1005 std. dev: 223.085

10% 25% 50% 75% 90% 5. 82 10. 3715 15. 7575 24. 547 42. 1075 90% percentiles:

page_page_i mmig_legal_timing Question immig_legal page timing

type: numeric (double)

units: .001 missing .: 0/1,200 range: [1. 148, 12605. 674] uni que val ues: 1, 182

mean: 29. 1618 std. dev: 365. 88

10% 25% 50% 75% 90% 5. 5135 8. 42 12. 0245 17. 507 28. 7565 percentiles:

page_page_i mmi g_numb_ti mi ng Question immig_numb page timing

type: numeric (double)

[1. 168, 1020. 036] 1, 162 uni ts: . 001 range: mi ssi ng .: 0/1, 200 uni que val ues:

16. 7065 45. 2086 mean: std. dev:

50% 10% 25% 50% 75% 90% 6. 937 9. 9645 14. 517 25. 5685 25% percentiles: 4. 913

page_page_equal pay_ti mi ng Question equal pay page timing

type: numeric (double)

units: .001 missing .: 0/1,200 range: [. 969, 1474, 647] uni que val ues:

mean: 16.0862 std. dev: 48.0383

50% percentiles: 14. 945 24. 1585 4. 4995 7. 3095 10. 4375

Question parleave page timing page_page_parl eave_ti mi ng

type: numeric (double)

[1.005, 397.274] 1, 166 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ range: uni que val ues:

13. 3389 23. 0668 mean: std. dev:

50% 75% 10% 25% percentiles: 75% 90% 13. 818 20. 882 3. 9495 6. 3795 9. 1845

page_page_cri mespend_ti mi ng Question crimespend page timing

type: numeric (double)

[.913, 97269.829] uni ts: range: missing .: 0/1, 200 uni que val ues: 1, 156

97.3988 mean: 2807. 85 std. dev:

25% 6. 747 50% 9. 329 10% 75% percentiles: 4. 7975 14. 0635

page_page_death_timing Question death page timing

> type: numeric (double)

 $[\,1.\,044,\,2431,\,093\,]$ uni ts: . 001 range: 0/1, 200uni que val ues: 1, 146 missing .:

13.6112 mean:

std. dev: 72. 7627

50% 10% 25% 90% percentiles: 3.8385 5. 6225 7. 7745 11. 2725

 $page_page_terror_worry_ti\,\textbf{mi}\,ng$ Question terror_worry page timing

type: numeric (double)

> $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ range: uni que val ues: [0, 504. 229] 758

6.84072 mean: std. dev: 19. 1422

percentiles:10% 25% 50% 90% 4. 8885 7.456 11. 3295

 $page_page_terror_12mo_timing$ Question terror_12mo page timing

> type: numeric (double)

units: .001 missing .: 0/1,200 range: uni que val ues: [0, 11815. 965] 810

18. 7865 mean: $std. \ dev:$ 344.045

90% 75% percentiles: 10% 25% 50%

5. 5555

9.302

15.074

page_page_terror_local_timing Question terror_local page timing

> numeric (double) type:

range: uni que val ues: [. 874, 720. 434] uni ts: 1, 134 missing : 0/1,200

9.35882 mean: std. dev: 30.011

10% 25% 50% percentiles:

3. 0245 4.0275 5. 5165 7.7725 11.4105

page_page_relig_bc_timing Question relig_bc page timing

> type: numeric (double)

units: missing.: [1.44,491.276] . 001 range: 0/1, 200 uni que val ues: 1, 121

9.24715mean: std. dev: 22.4523

percentiles: 10% 25% 50% 75% 90% 2. 9245 3.7935 5. 2865 8.6675 16. 185

 $page_page_rel\,i\,g_srv_t\,i\,m\!i\,ng$ Question $relig_srv$ page timing

type: numeric (double)

[1. 222, 462. 14] $\begin{array}{cc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ range: 1.063 uni que val ues: mean: 5. 71812 16. 3137 std. dev: 50% 3. 564 10% 90% percentiles: 5. 046 2. 2845 7.988 page_page_i ncgap20_ti mi ng Question incgap20 page timing numeric (double) type: units: .001 missing .: 0/1,200 [. 158, 1432. 907] range: uni que val ues: 15.8889 mean: std. dev: 59. 2835 25% 6. 721 50% percentiles: 10% 75% 90% 9.369 4. 682 13.741 20.622 page_page_i si s_troops_ti mi ng Question isis_troops page timing type: numeric (double) units: .001 missing .: 0/1,200 range: [. 495, 993, 781] uni que val ues: 1, 156 mean: std. dev: 15. 3346 36. 9453 10% 25% 50% 75% percentiles: 6. 6505 14. 2585 4.6075 9.8055 page_page_syrians_a_timing Question syrians_a page timing type: numeric (double) units: .001 [0, 161. 25] range: missing .: 0/1,200578 uni que val ues: 5.071 mean: std. dev: 10. 1993 10% 50% 25% 75% 90% percentiles: page_page_syri ans_b_ti mi ng Question syrians_b page timing numeric (double) $\begin{array}{ccc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ range: [0, 236, 734] uni que val ues: mean: 6.47285 std. dev: 14. 3823 50% percentiles: 1.856 8.7425 14. 128 page_page_pc_a_timing Question pc_a page timing type: numeric (double) [0, 738. 411] 573 units: .001 missing .: 0/1,200 range: uni que val ues: 11. 6277 mean: std. dev: 31. 3992 75% 90% percentiles: 16. 7015

uni que val ues:

std. dev:

1, 165 18.7213

169.573

50% 9. 328 10% percentiles: 22. 127 4. 408 13. 569

page_page_finwell_timing Question finwell page timing

type: numeric (double)

> . 001 [. 42, 7140. 924] range: uni ts: mi ssi ng .: 0/1, 2001, 147 uni que val ues:

21.4365mean:

std. dev: 210.606

10% 50% 75% percentiles: 25% 90% 4. 29 6. 3455 8.869 12.8615

page_page_rr_grid_timing Question rr_grid page timing

> type: numeric (double)

 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ range: [1. 971, 15444. 949] uni que val ues: 1, 190

mean: 81.7343 std. dev: 622.826

10% 75% 25% 50% percentiles: 12. 701 23. 459 35. 086 51.62 80.641

Question warm page timing page_page_warm_timing

type: numeric (double)

 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ [1. 506, 4710. 005] range: uni que val ues: 1, 178

20.6884 mean: std. dev: 137.834

50% 10% 25% 75% percentiles: 5.0675 7. 9435 11. 946 17. 398 26, 986

Question warmbad page timing page_page_warmbad_timing

> numeric (double) type:

[1.085, 981.361] . 001 range: uni ts: uni que val ues: missing : 0/1,200

mean: 11. 1045 std. dev: 41. 4515

10% 50% percentiles: 3.653 4.8815 6.6685

page_page_warmcause_timing Question warmcause page timing

numeric (double) type:

 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ [-82, 347, 11394, 312]range: uni que val ues: 1, 157

21.6681 mean: std. dev: 329.552

10% 50% 75% 90% 25% percentiles: 8. 2565 3. 4615 12. 389 18. 1415 5. 287

page_page_warmdo_timing Question warmdo page timing

 $type: \quad numeric \ (doubl\,e)$

[. 818, 70206. 336] $uni\,ts{:}\quad .\,\,001$ uni que val ues: 1, 165 missing .: 0/1, 200

71.6982 mean: 2026. 5 std. dev:

percentiles: 10% 25% 50% 75% 90% 3. 7165 8. 523 13. 3005 22. 201 5. 7185

Question aal page timing page_page_aa1_timing

> type: numeric (double)

 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ [0, 1923. 448] range: uni que val ues:

12.345 mean:

std. dev: 82. 8468

10% 50% 90% percentiles: 75%

page_page_aa2_timing Question aa2 page timing

type: numeric (double)

range: [0, 9923. 877] uni ts: . 001

uni que val ues: missing .: 0/1,200

mean: 16. 1647 std. dev: 293. 349

75% percentiles: 7. 1795 12. 1575

page_page_aa3_timing Question aa3 page timing

> type: numeric (double)

units: .001 missing .: 0/1,200 range: [0, 3786. 608] uni que val ues: 603

12.0356 mean:

std. dev: 110. 161

50% 10% 75% 90% percentiles: 1.7665 13. 2985 24.0515

Question freetrade page timing page_page_freetrade_ti mi ng

type: numeric (double)

units: .001 missing .: 0/1,200 [.73,708.565] range: uni que val ues:

13.4607 mean: std. dev: 28.0008

percentiles: 10% 3.681 5.8615

page_page_stopwhite_timing Question stopwhite page timing

type: numeric (double)

> range: uni que val ues: [. 409, 1492, 974] $\begin{array}{cc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ 1, 150

13. 3687 mean: std. dev: 56. 936

50% 25% 6. 427 percentiles: 10% 75% 90% 4. 799 8. 445 11. 8195 17. 031

page_page_stopbl ack_ti mi ng Question stopblack page timing type: numeric (double)

mean: 7.55665

std. dev: 41. 0238

percentiles: 10% 25% 50% 75% 90% 2.358 3.09 4.3015 6.3465 9.814

type: numeric (double)

mean: 10.6478 std. dev: 17.3986

page_page_forcebl ack_timing Question forcebl ack page timing

type: numeric (double)

mean: 5.63806 std. dev: 11.2

percentiles: 10% 25% 50% 75% 90% 1.7935 2.413 3.4595 5.257 9.208

page_page_12mo_grid_timing Question 12mo_grid page timing

type: numeric (double)

range: [0, 443.512] units: .001 uni que val ues: 589 mi ssi ng .: 0/1, 200

mean: 11.7103 std. dev: 19.9547

percentiles: 10% 25% 50% 75% 90% 0 0 18.955 30.146

page_page_ever_grid_timing Question ever_grid page timing

type: numeric (double)

 $\begin{array}{cccc} range: & [\,0,\,29957,\,988\,] & uni\,ts: & .\,\,001 \\ uni\,que\,\,val\,ues: & 598 & mi\,ssi\,ng\,\, . : & 0/1,\,200 \end{array}$

mean: 46.6013 std. dev: 878.829

percentiles: 10% 25% 50% 75% 90% 0 4.2735 23.2825 36.0825

type: numeric (double)

mean: 25. 2116 std. dev: 95. 0675

percentiles: 10% 25% 50% 75% 90% 4.9525 8.1725 12.1075 18.0435 30.5065

page_page_pk_sen_timing Question pk_sen page timing type: numeric (double) $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ [. 984, 1782. 073] range: uni que val ues: 1, 180 27. 8202 70. 0904 mean: std. dev: 50% percentiles: 10% 25% 75% 90% 6.713 9. 1185 14. 182 24. 8875 48. 3955 Question pk_spend page timing page_page_pk_spend_ti mi ng numeric (double) type: $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ [.806, 577.481] range: uni que val ues: mean: 19.4966 std. dev: 35.0601 percentiles: 10% 25% 50% 6. 1285 9. 1055 12. 327 18.7275 Question birthright_a page timing $page_page_bi\,rthri\,ght_a_ti\,mi\,ng$ numeric (double) type: $\begin{array}{cc} \text{units:} & .001 \\ \text{missing.:} & 0/1,200 \end{array}$ range: uni que val ues: [0, 470. 763] mean: 10.8838 std. dev: 27. 6097 50% 0 10% percentiles: 25% 75% 90% 14. 366 25.89 $page_page_bi\,rthri\,ght_b_ti\,mi\,ng$ Question birthright_b page timing type: numeric (double) [0, 283. 546] range: $uni\,ts{:}\quad .\,\,001$ $mi \, ssi \, ng : 0/1, 200$ uni que val ues: 605 7.49219 mean: std. dev: 15.6275 percentiles: 50% 75% 90% 2.009 10. 5315 Question femoff_jobs page timing $page_page_femoff_jobs_timing$ type: numeric (double) $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ [0, 578. 146] range: 596 uni que val ues: mean: 9.27178 std. dev: 27.6942 25% 0 percentiles:10% 50% 75% 90% 0 11.576 19, 6305 page_page_femoff_ed_timing Question femoff_ed page timing type: numeric (double) [0, 528. 45] range: uni ts: . 001 $mi\,\,ssi\,ng\,\,.:\,\,\,0/1,\,200$ uni que val ues: 8. 14012 mean:

std. dev:

21. 2543

percentiles:	10% 0	25% 0	50% 0	75% 11. 9815	90% 19. 1485	
page_page_femoff_spend_ti	mi ng			Questio	on femoff_spen	d page timing
type:	numeric (do					
range: uni que val ues:	[0, 2403. 61] 623		un missin	its: .001 g .: 0/1,	200	
mean: std. dev:	10. 3716 74. 1245					
percentiles:	10% 0	25% 0	50% 2. 669	75% 9. 772	90% 17. 496	
page_page_femoff_issues_t	i mi ng					s page timing
type:	numeric (do	ubl e)				
range: uni que val ues:	[0, 243. 754] 588			its: .001 g .: 0/1,		
mean: std. dev:	6. 42162 14. 5199					
percentiles:	10% 0	25% 0	50% 0	75% 9. 144	90% 15. 1465	
page_page_l pres_pl eased_t	i mi ng 			Question		d page timing
type:						
range: uni que val ues:	[. 749, 2380. 1, 174	442]		its: .001 g .: 0/1,		
mean: std. dev:	23. 4981 100. 464					
percentiles:	10% 4. 983	25% 9. 2015	50% 14. 5575	75% 21. 76	90% 32. 384	
page_page_l pres_i mmi g_ti m	i ng 			Ougeti		g page timing
	numeric (do					
range: uni que val ues:	[0, 10202. 504 571	1]	un missin	its: .001 g .: 0/1,		
mean: std. dev:	13. 9314 294. 653					
percentiles:	10% 0	25% 0	50% 0	75% 8. 529	90% 12. 614	
page_page_l pres_l a_ti mi ng				Que	stion lpres l	a page timing
type:	numeric (do					
range: uni que val ues:	[0, 220. 35] 611		un missin	its: .001 g .: 0/1,		
mean: std. dev:	5. 90247 11. 015					
percentiles:	10% 0	25% 0	50% 2. 1195	75% 8. 896	90% 13. 517	
page_page_vacci ne_ti mi ng				Qu	estion vaccin	e page timing

type: numeric (double)

range: [1.078, 10728.964] uni ts: . 001 uni que val ues: 1, 153 missing .: 0/1, 200

21. 2072 mean: std. dev: 310.99

10% 25%

50% percentiles: 75% 90% 3. 981 6.0305 8. 3745 11. 6965 18. 2905

page_page_autism_timing Question autism page timing

type: numeric (double)

units: .001 missing .: 0/1,200 [. 983, 1013. 139] range:

uni que val ues: 1, 146

mean: 9. 78441 std. dev: 31.0669

percentiles: 10% 25% 50% 75% 90% 9. 685 3. 4135 4.8025 6.7165 14.824

page_page_bo_muslim_timing Question bo_muslim page timing

type: numeric (double)

[1. 223, 897. 929] units: .001 missing .: 0/1,200 range: uni que val ues:

mean: std. dev: 7. 45481 27. 1859

10% 25% 3. 7325 50% 75% percentiles: 2. 924 4. 9505 6. 9665 10. 5945

page_NFC_page1_timing Question NFC_q1 page timing

type: numeric (double)

units: .001 missing .: 0/1,200 range: [1. 238, 742. 929] uni que val ues: 1, 174

mean: std. dev: 18. 8311 33. 1066

50% percentiles: 10% 25% 5. 8345 8. 9185 13. 2315 20. 624 31. 7445

page_NFC_page2_timing Question NFC_q2 page timing

> type: numeric (double)

range: uni que val ues: [. 958, 467. 021] 1, 160 units: .001 missing .: 0/1, 200

10.5386 mean: std. dev: 18. 7055

10% 25% 50% 75% 90% percentiles: 3. 1485 4.6775 7. 1685 11. 295 17. 492

page_NFC_page3_timing Question NFC_q3 page timing

type: numeric (double)

units: .001 missing .: 0/1,200 [1.1,695.6] range: uni que val ues: 1. 144

10.9015 mean: std. dev: 25. 4895

10% 50% 90% percentiles: 25% 3.3985 7.0285 10. 5755 4. 923 16. 499

page_NFC_page4_ti mi ng Question NFC_q4 page timing type: numeric (double)

mean: 9.8712

std. dev: 17. 2865

percentiles: 10% 25% 50% 75% 90% 2.9905 4.751 6.805 9.9255 14.9295

page_NTE_page1_timing Question NTE_q1 page timing

type: numeric (double)

mean: 15. 2641

std. dev: 26. 9621

percentiles: 10% 25% 50% 75% 90% 4.533 6.762 10.0575 15.7 23.892

page_NTE_page2_timing Question NTE_q2 page timing

type: numeric (double)

mean: 12.6285

std. dev: 45. 8451

percentiles: 10% 25% 50% 75% 90% 2.827 4.3735 7.1275 10.706 18.671

page NTE page3 timing Question NTE g3 page timing

page_NTE_page3_timing Question NTE_q3 page timing

type: numeric (double)

mean: 8. 36796 std. dev: 10. 1881

percentiles: 10% 25% 50% 75% 90% 2.6785 4.108 6.1595 9.229 14.746

.....

page_NTE_page4_timing Question NTE_q4 page timing

type: numeric (double)

mean: 9. 11767 std. dev: 37. 9581

percentiles: 10% 25% 50% 75% 90% 2.5875 3.8385 5.5815 8.81 14.04

 $page_page_amer_i\,dent_ti\,mi\,ng \\$ Question amer_i\,dent page ti\,mi\,ng

type: numeric (double)

uni que vai ues: 1, 141 mi ssi ng .: 0/1, 2

mean: 8. 77756 std. dev: 27. 196

percentiles: 10% 25% 50% 75% 90% 3.264 4.295 5.8185 8.019 11.782

page_page_race_ident_timi	 ng 			Ques	tion race_io	lent page timing
type:	numeric (dou	ıbl e)				
range: uni que val ues:	[. 93, 338. 412 1, 125	?]	uni mi ssi ng	its: .001 g .: 0/1,		
mean: std. dev:	7. 54628 14. 6808					
percentiles:	10% 2. 7865	25% 3. 7505	50% 5. 282	75% 7. 8165	90% 11. 64	
page_page_wadla_timing						ad1a page timing
type:	numeric (dou	ıbl e)				
range: uni que val ues:	[0, 1012. 398] units: . 001 598 missing .: 0/1, 200					
mean: std. dev:	6. 06307 32. 3228					
percentiles:	10% 0	25% 0	50% 1. 848	75% 7. 711	90% 11. 3565	
page_page_wad2a_timing					_	ad2a page timing
type:	numeric (dou	ıbl e)				
range: uni que val ues:	[0, 209. 652] units: .001 431 missing .: 0/1, 200					
mean: std. dev:	3. 50113 10. 2912					
percentiles:	10% 0	25% 0	50% 0		90% 9. 3715	
page_page_wad3a_timing						ad3a page timing
type:	numeric (dou	ıbl e)				
range: uni que val ues:	[0, 265. 583] 595		uni mi ssi ng	its: .001 g .: 0/1,		
mean: std. dev:	4. 6369 10. 2579					
percentiles:	10% 0	25% 0		75% 7. 125	90% 10. 8475	
nage nage wad4a timing					Ouestion wa	ad4a page timing
type:	numeric (dou	ıbl e)				
range: uni que val ues:	[0, 592. 38] units: .001 601 missing .: 0/1, 200					
mean: std. dev:	6. 66948 24. 0005					
percentiles:	10% 0	25% 0	50% 1. 6165	75% 8. 828	90% 13. 572	
page_page_wad1b_timing					Question wa	ad1b page timing
type:	numeric (dou	ıbl e)				
range: uni que val ues:	[0, 435. 279] 434		uni mi ssi ng	its: .001 g .: 0/1,		

4. 28145

mean:

std. dev: 18.0978

25% 0 50% 10% 75% 90% percentiles: 6. 737 0 10.9565

 $page_page_wad2b_t\,i\,mi\,ng$ Question wad2b page timing

> numeric (double) type:

 $\begin{array}{ccc} \text{units:} & \text{.001} \\ \text{missing .:} & \text{0/1,200} \end{array}$ range: [0, 149. 249]

uni que val ues: 586

4.90323 mean: std. dev: 9. 34148

10% 25% 50% 75% 90% percentiles: 0 7. 3755 11.6015

page_page_wad3b_timing Question wad3b page timing

> type: numeric (double)

 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ range: [0, 756. 334] uni que val ues:

4. 8947 22. 9714 mean: std. dev:

10% percentiles: 10.897

page_page_wad4b_timing Question wad4b page timing

type: numeric (double)

[0, 80270. 746] range: uni ts: . 001 0/1,200

missing .: uni que val ues:

78.8712 mean: std. dev: 2325.73

10% percentiles: 8.9185

page_page_whi tework_ti mi ng Question whitework page timing

type: numeric (double)

 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing ::} & 0/1,200 \end{array}$ range: [0, 2437. 029] uni que val ues:

10. 8345 71. 2851 mean: std. dev:

50% percentiles: 10% 90% 7. 2335 11. 521 17.819

 $page_page_whi\,tej\,ob_ti\,m\!i\,ng$ Question whitejob page timing

> type: numeric (double)

[0, 119. 731] 851 $\begin{array}{cc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ range: uni que val ues:

7. 9982 mean: std. dev: 9. 42282

10% 0 90% 50% percentiles: 7.029510. 5455

page_page_wguilt1_timing Question wguilt1 page timing

type: numeric (double)

[0, 661. 873] uni ts: range: . 001 mi ssi ng .: 0/1, 200 850 uni que val ues:

8.69595 mean:

std. dev: 25. 8651

25% 0 10% 50% 75% 90% percentiles: 10. 118 0 6.485 15.7635

page_page_wguilt2_timing Question wguilt2 page timing

> type: numeric (double)

[0, 1239. 076] $\begin{array}{ccc} \text{units:} & \text{.001} \\ \text{missing .:} & \text{0/1,200} \end{array}$ range: uni que val ues: 844

mean: std. dev: 7. 22242 36. 7753

percentiles: 10% 7.9415

 $page_page_wgui\,l\,t3_t\,i\,m\!i\,ng$ Question wguilt3 page timing

> numeric (double) type:

range: uni que val ues: [0, 281. 047] . 001 uni ts: 843 missing .: 0/1,200

mean: 6.74944 std. dev: 15. 3825

50% 75% 90% 10% percentiles: 4.996 7.8705

page_page_buycott_timing Question buycott page timing

> type: numeric (double)

[1.084, 2712.03] $\begin{array}{ccc} \text{units:} & .001 \\ \text{missing::} & 0/1,200 \end{array}$ range: uni que val ues: 1, 167

mean: 18. 5214 std. dev: 107.433

50% percentiles: 10% 25% 90% 4.243 6.32 9.418 14.001 21.487

page_page_boycott_timing Question boycott page timing

numeric (double) type:

[. 911, 639. 028] uni ts: . 001 range: mi ssi ng .: 0/1,200uni que val ues: 1, 146

10.0324 mean: std. dev: 33. 2257

percentiles: 10% 25% 50% 75% 90% 2. 714 5. 982 3.8935 8. 9595 13. 22

page_page_ski ntone_mob_ti mi ng Question skintone_mob page timing

> numeric (double) type:

[0, 548. 125] . 001 range: uni ts:

0/1,200uni que val ues: 356 missing .:

mean: 9. 2467 std. dev: 26, 8887

75% 10% 50% 90% percentiles: 13.569

Question skintone page timing

type:	numeric (double)
range: uni que val ues:	
mean: std. dev:	18. 1717 19. 8414
percentiles:	10% 25% 50% 75% 90% 0 16. 3435 27. 3505 37. 671
page_page_skin_discrim_ti	ming Question skin_discrim page timing
type:	numeric (double)
range: uni que val ues:	[1. 166, 477. 07] units: .001 1, 129 missing .: 0/1, 200
mean: std. dev:	8. 93563 15. 9715
percentiles:	10% 25% 50% 75% 90% 3. 815 5. 093 6. 911 9. 4925 13. 1755
page_pagerace10_timing	Question race10 page timing
type:	numeric (double)
range: uni que val ues:	[1.036, 31100.978] units: .001 1,188 missing .: 0/1,200
mean: std. dev:	71. 9931 908. 282
percentiles:	10% 25% 50% 75% 90% 11. 748 18. 194 29. 5 50. 2275 82. 274
disc fed disc police rnd	disc_fed and disc_police randomization
type:	string (str5)
uni que val ues:	2 mi ssi ng "": 0/1, 200
tabul ati on:	Freq. Value 603 "[0, 1]" 597 "[1, 0]"
white_sections_rnd	Sections white racial advantage and disadvantage, white racial consciousness, an
type:	string (str7)
uni que val ues:	6 mi ssi ng "": 0/1, 200
tabul ati on:	Freq. Value 197 "[0, 1, 2]" 208 "[0, 2, 1]" 190 "[1, 0, 2]" 200 "[1, 2, 0]" 210 "[2, 0, 1]" 195 "[2, 1, 0]"
l azy_vi ol ent_rnd	Lazy and violent randomization
type:	string (str5)
uni que val ues:	2 mi ssi ng "": 0/1, 200
tabul ati on:	Freq. Value 613 "[0, 1]" 587 "[1, 0]"
FEELI NG_THERMOMETER_rnd	Feeling thermometer randomization

```
type: string (str42)
           uni que val ues:
                                 1, 200
                                                                    missing "": 0/1, 200
                                " [ 11, 3, 6, 4, 1, 14, 13, 5, 7, 16, 12, 0, 8, 9, 15, 2, 10] " \\ " [ 15, 11, 0, 5, 4, 2, 3, 13, 12, 1, 6, 14, 16, 8, 7, 9, 10] " \\ " [ 3, 15, 12, 13, 2, 16, 4, 14, 7, 9, 5, 10, 8, 6, 11, 0, 1] " \\ " [ 6, 3, 4, 0, 1, 13, 2, 8, 14, 9, 11, 5, 10, 7, 12, 15, 16] "
                  examples:
                                                                                   Randomization for question meet
meet_rnd
                        type: string (str11)
                                                                   mi ssi ng "": 0/1, 200
           uni que val ues:
                                 Freq. Value 573 "[0, 1,
                tabul ati on:
                                           "[0, 1, 2, 3, 4]"
"[4, 3, 2, 1, 0]"
                                    627
MEET_0
                                                                                   Randomization for question meet
                        type:
                                 string (str1), but longest is str0
           uni que val ues:
                                                                    mi ssi ng "": 1, 200/1, 200
                                 Freq. Val ue 1, 200 ""
                tabul ati on:
MEET_1
                                                                                   Randomization for question meet
                                 string (str1), but longest is str0
                        type:
           uni que val ues:
                                                                    mi ssi ng "": 1, 200/1, 200
                                 Freq.
1, 200
                tabul ati on:
                                         Val ue
MEET_2
                                                                                   Randomization for question meet
                        type:
                                 string (str1), but longest is str0
           uni que val ues:
                                                                    missing "": 1,200/1,200
                                          Val ue
                tabul ati on:
                                 Freq.
                                 1, 200
gi vefut_rnd
                                                                               Randomization for question givefut
                        type:
                                string (str11)
                                                                    mi ssi ng "": 0/1, 200
           uni que val ues:
                                 Freq. Value 573 "[0, 1, 2, 3, 4]"
                tabul ati on:
                                    627
                                           "[4, 3, 2, 1, 0]"
GI VEFO
                                                                               Randomization for question givefut
                        type:
                                 string (str1), but longest is str0
           uni que val ues:
                                                                    missing "": 1, 200/1, 200
                                          Val ue
                                 Freq.
1, 200
                tabul ati on:
GI VEF1
                                                                               Randomization for question givefut
                                 string (str1), but longest is str0
```

missing "": 1,200/1,200 uni que val ues:

tabulation: Freq. Value 1.200 ""

tabul ati on:

Freq. Value

```
GI VEF2
                                                                    Randomization for question givefut
                             string (str1), but longest is str0
          uni que val ues:
                                                           missing "": 1, 200/1, 200
              tabul ati on:
                             Freq.
                                     Val ue
                              1, 200
info_rnd
                                                                        Randomization for question info
                             string (str11)
          uni que val ues:
                                                           missing "": 0/1, 200
                                   Val ue
              tabul ati on:
INFO_0
                                                                        Randomization for question info
                             string (str1), but longest is str0
          uni que val ues:
                                                           missing "": 1,200/1,200
                             Freq.
1, 200
              tabul ati on:
                                     Val ue
INFO_1
                                                                        Randomization for question info
                             string (str1), but longest is str0
          uni que val ues:
                                                           mi ssi ng "": 1, 200/1, 200
                             Freq.
1, 200
              tabul ati on:
                                     Val ue
INFO_2
                                                                        Randomization for question info
                             string (str1), but longest is str0
                                                           missing "": 1,200/1,200
          uni que val ues:
              tabul ati on:
                             Freq.
                                     Val ue
                             1, 200
ISSUES_0C14_rnd
                                                          Randomization for question ISSUES_OC14 Rank
                     type:
                            string (str54)
          uni que val ues:
                             1, 200
                                                           missing "": 0/1, 200
                             "[12, 1, 14, 19, 17, 18, 6, 8, 9, 16, 2, 11, 10, 7, 15, 0, 13, 4, 5, 3, 2
                examples:
                               16, 14, 5, 12, 3, 6, 9, 13, 0, 15, 8, 1, 20, 2, 19, 7, 17, 18, 11, 10,
                               \begin{bmatrix} 2, 5, 14, 3, 17, 13, 9, 15, 7, 0, 20, 4, 18, 8, 10, 19, 1, 6, 12, 16, 1 \end{bmatrix}
                               5, 3, 1, 0, 20, 10, 16, 13, 15, 9, 11, 14, 12, 8, 2, 18, 6, 4, 7, 17, 1
ISSUE0
                                                          Randomization for question ISSUES_OC14 Rank
                             string (str1), but longest is str0
                     type:
                                                           missing "": 1,200/1,200
          uni que val ues:
```

```
ISSUE1
                                                       Randomization for question ISSUES_OC14 Rank
                            string (str1), but longest is str0
                    type:
          uni que val ues:
                                                        missing "": 1,200/1,200
                                   Val ue
             tabul ati on:
                            Freq.
1, 200
ISSUE2
                                                       Randomization for question ISSUES_OC14 Rank
                            string (str1), but longest is str0
                    type:
          uni que val ues:
                                                        missing "": 1, 200/1, 200
                            Freq. Value
             tabul ati on:
                            1, 200 ""
disc_selfsex_rnd
                                                            Randomization for question disc_selfsex
                    type: string (str11)
          uni que val ues:
                                                        missing "": 0/1, 200
                           Freq.
598
             tabul ati on:
                              602
DISC_0
                                                            Randomization for question disc\_selfsex
                            string (str1), but longest is str0
                    type:
          uni que val ues:
                                                        missing "": 1, 200/1, 200
                                   Val ue
                            Freq.
1, 200
             tabul ati on:
DISC_1
                                                            Randomization for question disc_selfsex
                           string (str1), but longest is str0
                    type:
          uni que val ues:
                                                        mi ssi ng "": 1, 200/1, 200
                            Freq.
1, 200
             tabul ati on:
                                   Val ue
DISC_2
                                                            Randomization for question disc_selfsex
                            string (str1), but longest is str0
                    type:
          uni que val ues:
                                                        missing "": 1, 200/1, 200
             tabul ati on:
                            Freq. Value
                            1, 200
l\,azy\_col\,\_rnd
                                                 Column randomization spec for question lazy grid
                    type: string (str11)
                                                        missing "": 0/1, 200
          uni que val ues:
                            2
                           Freq.
598
                                   Val ue
"[0, 1, 2, 3, 4]"
"[4, 3, 2, 1, 0]"
             tabul ati on:
                              602
LAZY_3
                                                 Column randomization spec for question lazy grid
```

type: string (str1), but longest is str0

```
missing "": 1, 200/1, 200
          uni que val ues:
                             Freq. Value 1, 200 ""
              tabul ati on:
LAZY_4
                                                     Column randomization spec for question lazy grid
                              string (str1), but longest is str0
          uni que val ues:
                                                            missing "": 1,200/1,200
                              Freq. Val ue 1, 200 ""
              tabul ati on:
LAZY_5
                                                     Col\,umn\,\,randomi\,zati\,on\,\,spec\,\,for\,\,questi\,on\,\,l\,azy\,\,gri\,d
                              string (str1), but longest is str0
                                                            mi ssi ng "": 1, 200/1, 200
           uni que val ues:
                              Freq. Val ue 1, 200 ""
              tabul ati on:
lazy_row_rnd
                                                        Row randomization spec for question lazy grid
                     type: string (str9)
          uni que val ues:
                                                            missing "": 0/1,200
                 examples:
                              "[0, 3, 1, 2]"
LAZY_0
                                                        Row randomization spec for question lazy grid
                              string (str1), but longest is str0
                     type:
          uni que val ues:
                                                            missing "": 1, 200/1, 200
                              Freq.
1, 200
              tabul ati on:
                                      Val ue
LAZY_1
                                                        Row randomization spec for question lazy grid
                              string (str1), but longest is str0
                     type:
           uni que val ues:
                                                            missing "": 1,200/1,200
                              Freq. Value 1, 200 ""
              tabul ati on:
                                                        Row randomization spec for question lazy grid
LAZY_2
                              string (str1), but longest is str0
                     type:
           uni que val ues:
                                                            missing "": 1,200/1,200
                              Freq. Val ue 1, 200 ""
              tabul ati on:
vi ol ent_col _rnd
                                                 Col\,umn\,\,randomi\,zati\,on\,\,spec\,\,for\,\,questi\,on\,\,vi\,ol\,ent\,\,gri\,d
                              string (str11)
                      type:
          uni que val ues:
                                                            missing "": 0/1, 200
                                      Val ue
"[0, 1, 2, 3, 4]"
"[4, 3, 2, 1, 0]"
                             Freq.
598
602
              tabul ati on:
```

Column randomization spec for question violent grid VI OLE3 string (str1), but longest is str0 uni que val ues: missing "": 1, 200/1, 200 Freq. 1, 200 Val ue tabul ati on: VI OLE4 Column randomization spec for question violent grid string (str1), but longest is str0 missing "": 1,200/1,200 uni que val ues: Freq. Val ue 1, 200 "" tabul ati on: VI OLE5 Column randomization spec for question violent grid string (str1), but longest is str0 uni que val ues: missing "": 1, 200/1, 200 Val ue Freq. tabul ati on: 1, 200 vi ol ent_row_rnd Row randomization spec for question violent grid type: string (str9) uni que val ues: mi ssi ng "": 0/1, 200 examples: "[0, 3, 1, 2]" VI OLEO Row randomization spec for question violent grid string (str1), but longest is str0 uni que val ues: missing "": 1,200/1,200 tabul ati on: Freq. Value 1, 200 VI OLE1 Row randomization spec for question violent grid string (str1), but longest is str0 missing "": 1,200/1,200 uni que val ues: Freq. 1, 200 tabul ati on: Val ue VI OLE2 Row randomization spec for question violent grid type: string (str1), but longest is str0 uni que val ues: mi ssi ng "": 1, 200/1, 200 Freq. Val ue 1, 200 "" tabul ati on: LCORDER Row randomization spec for question lc grid type: string (str17) mi ssi ng "": 0/1, 200 uni que val ues: 1, 181

```
\begin{array}{lll} \text{exampl es:} & \text{"[1,4,7,3,5,0,6,2]"} \\ & \text{"[3,2,4,0,6,1,5,7]"} \\ & \text{"[4,6,3,1,7,2,5,0]"} \\ & \text{"[6,2,5,0,4,1,3,7]"} \end{array}
```

LCORDO Row randomization spec for question lc grid type: string (str1), but longest is str0 uni que val ues: missing "": 1,200/1,200 Freq. 1, 200 Val ue tabul ati on: LCORD1 Row randomization spec for question lc grid string (str1), but longest is str0 missing "": 1,200/1,200 uni que val ues: tabul ati on: Freq. 1, 200 Val ue LCORD2 Row randomization spec for question lc grid string (str1), but longest is str0 type: uni que val ues: missing "": 1, 200/1, 200 Freq. 1, 200 tabul ati on: Val ue di scrand Row randomization spec for question disc grid string (str19) type: mi ssi ng "": 0/1, 200 uni que val ues: 1, 199 $\begin{array}{c} "\,[\,2,\,0,\,5,\,6,\,1,\,3,\,4,\,7,\,8] \\ "\,[\,3,\,7,\,1,\,2,\,0,\,8,\,6,\,5,\,4] \\ "\,[\,5,\,4,\,0,\,2,\,1,\,8,\,7,\,3,\,6] \\ "\,[\,7,\,2,\,3,\,8,\,0,\,1,\,5,\,6,\,4] \end{array}$ examples: DI SCRO Row randomization spec for question disc grid type: string (str1), but longest is str0 uni que val ues: missing "": 1,200/1,200 Freq. Val ue 1, 200 "" tabul ati on: Row randomization spec for question disc grid DI SCR1 string (str1), but longest is str0 type: uni que val ues: missing "": 1,200/1,200 Freq. 1, 200 Val ue tabul ati on: DI SCR2 Row randomization spec for question disc grid string (str1), but longest is str0 type: mi ssi ng "": 1, 200/1, 200 uni que val ues: Freq. 1, 200 Val ue tabul ati on:

RAND_TERROR Randomization variable for 'Terror' section

type: numeric (byte)

label: percent16, but 3 nonmissing values are not labeled

tabulation: Freq. Numeric Label 416 1 371 2

```
RAND_I SI S
                                                       Randomization variable for 'Syria/ISIS' section
                              numeric (byte)
                              percent 16, but 2 nonmissing values are not labeled
                     l ăbel :
          range: uni que val ues:
                                                                  uni ts:
                                                             missing .: 0/1, 200
              tabul ati on:
                              Freq.
587
                                        Numeric Label
                                 613
RAND_PC
                                          Randomization variable for 'Political correctness' section
                              numeric (byte)
                              percent16, but 2 nonmissing values are not labeled
                              \begin{smallmatrix} [\,1,\,2\,]\\2 \end{smallmatrix}
                    range:
           uni que val ues:
                                                             missing : 0/1,200
                              Freq. 574
              tabul ati on:
                                        Numeric Label
                                 626
aa_spl i t
                                             Randomization variable for 'Affirmative action' section
                              numeric (byte)
aa_split
                    type: label:
                              [1, 2]
2
           range:
uni que val ues:
                                                                  uni ts:
                                                                           0/1,200
                                                             missing .:
                              Freq.
592
              tabul ati on:
                                        Numeric Label
                                                   aal and aa2 are shown
                                 608
                                                   aa3 is shown
ever_vs_12mo_rand
                                          Randomization variable for '12 MONTH' and 'EVER' section
                      type:
                              numeric (byte)
                    label:
                              ever_vs_12mo_rand
                    range:
                              [1, 2]
                                                                  uni ts:
                                                                           0/1, 200
           uni que val ues:
                                                             missing .:
                              Freq.
597
              tabul ati on:
                                        Numeri c
                                                  Label
                                                   12 MONTH version is shown
                                 603
                                                   EVER version is shown
RAND_BI RTH
                                         Randomization variable for 'Birthright citizenship' section
                              numeric (byte)
                              percent 16, but 2 nonmissing values are not labeled
          range:
uni que val ues:
                              [1, 2]
2
                                                                  uni ts:
                                                             missing .: 0/1,200
              tabul ati on:
                              Freq. 588
                                        Numeric Label
                                 612
RAND_FEMOFF
                                 Randomization variable for 'Behavior of female officials' section
                              \begin{array}{ll} numeri\,c\ (byte)\\ percent\,16,\ but\ 6\ nonmi\,ssi\,ng\ values\ are\ not\ l\,abel\,ed \end{array}
                     l abel :
                    range:
                                                                  units: 1
           uni que val ues:
                                                             mi\;ssi\;ng\;.:\quad 0/1,\,200
                              Freq.
188
              tabul ati on:
                                        Numeric Label
                                 225
                                                2
3
                                 186
```

193 194

RAND_LPRES Randomization variable for 'Latino president' section numeric (byte) type: percent 16, but 2 nonmissing values are not labeled l abel: $\begin{array}{cc} \text{units:} & 1 \\ \text{missing::} & 0/1,200 \end{array}$ range: [1, 2] 2 uni que val ues: Freq. 580 tabul ati on: Numeric Label 620 RAND_WAD Randomization variable for 'White racial advantage and disadvantage' section numeric (byte) percent 16, but 2 nonmissing values are not labeled l ábel : range: [1, 2] 2 uni ts: uni que val ues: missing .: 0/1, 200 tabul ati on: Freq. 608 Numeric Label 592 RAND_OC4 Randomization variable for 'Measuring race/ethnicity (OC4)' section numeric (byte) type: l ábel : percent 16, but 2 nonmissing values are not labeled $\begin{array}{ccc} & \text{units:} & 1 \\ \text{missing::} & 0/1,200 \end{array}$ range: uni que val ues: [1, 2]tabul ati on: Freq. 595 Numeric Label 605 flag_follow Nonresponse prompt trigger for question follow 'Follow politics' type: label: numeric (byte) flag_follow range: [0, 1]uni que val ues: missing .: 0/1,200tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt flag_turnout12 Nonresponse prompt trigger for question turnout12 'Election 2012 turn out' type: label: numeric (byte)
flag_follow [0, 1] 2 range: uni que val ues: uni ts: missing .: 0/1,200Freq. 1, 199 tabul ation: Numeri c Label Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question turnout12b 'Election 2012 turn out - Fol flag_turnout12b numeric (byte)

type: l abel : flag_follow

[0, 1] 2 range: uni ts: uni que val ues: $mi \, ssi \, ng \, \ldots \, 0/1, \, 200$

tabulation: Freq. Numeric Label 1, 199 0 Answered without prompt 1 1 Answered after 1 prompt

Nonresponse prompt trigger for question vote12 'Vote 2012' flag_vote12 numeric (byte) flag_follow type: label: [0, 1] range: uni ts: uni que val ues: missing .: 0/1,200Numeri c tabul ati on: Freq Label Answered without prompt Answered after 1 prompt 1, 198 0 flag_percent16 Nonresponse prompt trigger for question percent16 'Chance R votes in 2016' numeric (byte)
flag_follow type: label: range: [0, 1]uni que val ues: 0/1,200missing .: tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt flag_meet Nonresponse prompt trigger for question meet 'Attend a meeting to talk about pol numeric (byte)
flag_follow type: label: [0, 1] 2 range: uni que val ues: uni ts: missing .: 0/1,200Freq. 1, 197 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question givefut 'Likely to give money to an orga flag_givefut numeric (byte) flag_follow type: label: [0, 1] 2 range: uni que val ues: missing .: 0/1,200tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt flag_info Nonresponse prompt trigger for question info 'Likely to distribute information o type: label: numeric (byte)
flag_follow [0, 1]range: uni ts: missing .: uni que val ues: 0/1,200Freq. 1, 192 tabul ation: Numeric Label Answered without prompt Answered after 1 prompt 0 Nonresponse prompt trigger for question march 'Joined in a protest march, rally, $% \left(1\right) =\left(1\right) \left(1\right)$ flag_march type: label: numeric (byte) flag_follow [0, 0]range: uni ts: mi ssi ng \cdot : 0/1, 200 uni que val ues:

tabulation: Freq.

Numeric Label

Numeri c

Freq. 1, 194 0 Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question give12mo $^{\shortmid}$ Given money to any candidate d flag_give12mo

Label

type: label: numeric (byte) flag_follow

tabul ati on:

[0, 1] 2 range: uni que val ues: uni ts: 0/1,200missing .:

Freq. 1, 187 tabul ati on: Numeri c Label

Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question compromise 'Compromises to get things do flag_compromise

> type: label: numeric (byte) flag_follow

range: uni que val ues: [0, 1] 2 uni ts: 0/1,200missing .:

tabul ati on: Freq. Numeri c Label

Answered without prompt Answered after 1 prompt 1, 190 10

Nonresponse prompt trigger for question ftobama 'Feeling thermometer - Barack Ob flag_ftobama

> numeric (byte)
> flag_follow label:

range: uni que val ues: [0, 2]uni ts: missing .: 0/1, 200

tabul ati on: Numeri c Label

Freq. 1, 138 Answered without prompt Answered after 1 prompt Prompted, but did not answer

Nonresponse prompt trigger for question ftblack 'Feeling thermometer - Blacks' flag_ftblack

> numeric (byte) flag_follow type: label:

range: uni que val ues: [0, 2] uni ts: 0/1,200missing .:

tabul ati on: Numeri c Label

Freq. 1, 190 Answered without prompt Answered after 1 prompt Prompted, but did not answer 0 6 4

Nonresponse prompt trigger for question ftwhite 'Feeling thermometer - Whites' flag_ftwhite

numeric (byte) flag_follow label:

```
range:
                                    [0, 2]
                                                                               uni ts:
             uni que val ues:
                                                                                          0/1,200
                                                                         missing .:
                                    Freq.
1, 193
                 tabul ation:
                                                Numeric Label
                                                            Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
                                          6
                                                         Nonresponse prompt trigger for question fthisp 'Feeling thermometer - Hispanics'
flag_fthisp
                        type:
label:
                                    numeric (byte)
flag_follow
                                    [0, 2]
                        range:
                                                                               uni ts:
             uni que val ues:
                                                                                          0/1,200
                                                                         missing .:
                 tabul ati on:
                                    Freq.
                                                Numeri c
                                                             Label
                                                             Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
                                    1, 192
                                                         0
flag_ftgay
                                                         Nonresponse prompt trigger for question ftgay
                                                         'Feeling thermometer - Gays and le
                                    numeric (byte)
flag_follow
                        type:
label:
             range:
uni que val ues:
                                    [0, 2]
                                                                               uni ts:
                                                                         mi ssing : 0/1,200
                 tabul ati on:
                                    Freq.
1, 191
                                                Numeric
                                                             Label
                                                             Answered without prompt
                                                         0
                                                             Answered after 1 prompt
Prompted, but did not answer
                                          8
                    Nonresponse prompt trigger for question ftjeb 'Feeling thermometer - Jeb Bush'
flag_ftjeb
                        type:
label:
                                    numeric (byte)
flag_follow
                                    [0, 2]
                        range:
                                                                               uni ts:
                                                                                          0/1, 200
             uni que val ues:
                                                                         missing .:
                                    Freq.
1, 176
                 tabul ati on:
                                                Numeri c
                                                             Label
                                                         0
                                                             Answered without prompt
                                                             Answered after 1 prompt
Prompted, but did not answer
                                        21
                                                         Nonresponse prompt trigger for question fttrump 'Feeling thermometer - Donald Tr
flag_fttrump
                                    numeric (byte) flag_follow
                        range:
                                    [0, 2]
                                                                               uni ts:
                                                                         missing .: 0/1,200
             uni que val ues:
                                    Freq. 1, 163
                 tabul ati on:
                                                Numeri c
                                                             Label
                                                             Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
                                                         0
                                        34
                                                         Nonresponse prompt trigger for question ftcarson \dot{} Feeling thermometer - Ben Cars
flag_ftcarson
                                   numeric (byte)
flag_follow
                        type:
label:
                        range:
                                    [0, 2]
                                                                               uni ts:
             uni que val ues:
                                                                         missing .: 0/1, 200
                                    Freq.
1, 174
                 tabul ati on:
                                                Numeri c
                                                             Label
                                                         0
                                                             Answered without prompt
                                                             Answered after 1 prompt
Prompted, but did not answer
                                          8
```

flag_fthrc	Nonresponse prompt trigger for question fthrc 'Feeling thermometer - Hillary Cli
type: l abel :	numeric (byte) flag_follow
range: uni que val ues:	[0, 2] units: 1 3 missing .: 0/1, 200
tabul ati on:	Freq. Numeric Label 1,186 0 Answered without prompt 13 1 Answered after 1 prompt 1 2 Prompted, but did not answer
l ag_ftrubi o	Nonresponse prompt trigger for question ftrubio 'Feeling thermometer - Marco Rub
type: l abel :	numeric (byte) flag_follow
range: uni que val ues:	
tabul ati on:	Freq. Numeric Label 1,162 0 Answered without prompt 25 1 Answered after 1 prompt 13 2 Prompted, but did not answer
lag_ftcruz	Nonresponse prompt trigger for question ftcruz 'Feeling thermometer - Ted Cruz'
type: l abel:	numeric (byte) flag_follow
range: uni que val ues:	
tabul ati on:	Freq. Numeric Label 1,169 0 Answered without prompt 23 1 Answered after 1 prompt 8 2 Prompted, but did not answer
lag_ftsanders	Nonresponse prompt trigger for question ftsanders 'Feeling thermometer - Bernie
type:	numeric (byte) flag_follow
range: uni que val ues:	
tabul ati on:	Freq. Numeric Label 1,180 0 Answered without prompt 12 1 Answered after 1 prompt 8 2 Prompted, but did not answer
`lag_ftfiorina	Nonresponse prompt trigger for question ftfiorina 'Feeling thermometer - Carly F
type: l abel :	
range: uni que val ues:	
tabul ati on:	Freq. Numeric Label 1,126 0 Answered without prompt 47 1 Answered after 1 prompt 27 2 Prompted, but did not answer
flag_ftpolice	Nonresponse prompt trigger for question ftpolice 'Feeling thermometer - The poli

numeric (byte) type: label: flag_follow

[0, 1] 2 range: uni ts: missing .: 0/1, 200 uni que val ues:

Freq. tabul ati on: Numeri c Label

1, 195 Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question ftfem 'Feeling thermometer - Feminists' flag_ftfem

> numeric (byte)
> flag_follow type: label:

range: [0, 2]uni ts: uni que val ues: 0/1,200missing .:

Freq. 1, 185 tabul ati on: Numeri c Label

Answered without prompt Answered after 1 prompt Prompted, but did not answer

Nonresponse prompt trigger for question fttrans 'Feeling thermometer - Transgend flag_fttrans

numeric (byte)
flag_follow type: label:

range: [0, 2] 3 uni ts: uni que val ues: 0/1,200missing .:

tabul ati on: Freq. 1, 182 Numeri c Label

Answered without prompt Answered after 1 prompt Prompted, but did not answer 17 1

flag_ftmuslim

Nonresponse prompt trigger for question ftmuslim 'Feeling thermometer - Muslims' $\,$

numeric (byte)
flag_follow label:

range: [0, 2] uni ts: uni que val ues: 0/1,200missing .:

tabul ati on: Numeri c Label

Freq. 1, 183 Answered without prompt Answered after 1 prompt Prompted, but did not answer 13 4

flag_ftsci

Nonresponse prompt trigger for question ftsci 'Feeling thermometer - Scientists'

numeric (byte) flag_follow type: label:

range: uni que val ues: [0, 2]uni ts: missing .: 0/1,200

tabul ati on: Label Numeri c

Freq. 1, 194 0 Answered without prompt Answered after 1 prompt Prompted, but did not answer 5

Nonresponse prompt trigger for question reg 'Vote registration' flag_reg

> numeric (byte)
> flag_follow type: l abel :

[0, 0]range: uni ts: uni que val ues: 0/1,200missing .:

tabul ati on: Freq. Numeri c Label

1, 200 Answered without prompt

Nonresponse prompt trigger for question demcand 'Democratic candidate R prefers' flag_demcand numeric (byte) flag_follow type: label: $\begin{array}{cc} \text{units:} & 1\\ \text{missing.:} & 0/1,200 \end{array}$ [0, 2]range: uni que val ues: tabul ati on: Freq. Numeri c Label 1, 195 Answered without prompt Answered after 1 prompt Prompted, but did not answer 0 Nonresponse prompt trigger for question repcand 'Republican candidate R prefers' flag_repcand type: label: numeric (byte) flag_follow range: uni que val ues: [0, 1] 2 uni ts: missing : 0/1,200tabul ati on: Freq. Numeri c Label 1, 198 Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question vote16jb 'Vote 2016 - Hillary Clinton vs flag_vote16jb type: label: numeric (byte) flag_follow range: uni que val ues: [0, 1] 2 $\begin{array}{cc} \text{units:} & 1\\ \text{missing::} & 0/1,200 \end{array}$ tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt 1, 199 0 1 Nonresponse prompt trigger for question vote16bc 'Vote 2016 - Hillary Clinton vs flag_vote16bc numeric (byte) label: flag_follow [0, 1] 2 range: uni ts: uni que val ues: $mi\,ssi\,ng\,\,.:\,\,\,0/1,\,200$ tabul ati on: Freq. 1, 199 Numeri c Label Answered without prompt Answered after 1 prompt 0 Nonresponse prompt trigger for question vote16tc $^{\prime}$ Vote 2016 - Hillary Clinton vs flag_vote16tc type: label: numeric (byte)
flag_follow [0, 1] 2 range: uni ts: missing .: 0/1,200uni que val ues: Freq. 1, 199 Numeri c tabul ati on: Label Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question vote16mr $^{\prime}$ Vote 2016 - Hillary Clinton vs flag_vote16mr type: numeric (byte) label: flag_follow [0, 1] 2 range: uni que val ues: uni ts: missing .: 0/1, 200

Freq. 1, 195 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt $flag_vote16dt$ Nonresponse prompt trigger for question vote16dt $^{\prime}$ Vote 2016 - Hillary Clinton vs numeric (byte)
flag_follow type: label: range: [0, 1]uni ts: 0/1, 200 uni que val ues: missing .: Freq. 1, 193 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question presjob 'Approve/disapprove Barack Obama flag_presjob numeric (byte) flag_follow range: uni que val ues: [0, 1] uni ts: 0/1,200missing .: tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt $fl\,ag_l\,azyb$ Nonresponse prompt trigger for question lazyb 'Lazy - Blacks' numeric (byte) flag_follow type: label: [0, 2] range: uni ts: 0/1,200uni que val ues: missing .: tabul ati on: Freq. Numeri c Label 1, 186 Answered without prompt Answered after 1 prompt Prompted, but did not answer flag_lazyw Nonresponse prompt trigger for question lazyw 'Lazy - Whites' numeric (byte)
flag_follow type: label: range: [0, 2] uni que val ues: missing .: 0/1,200tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 1, 184 10 6 flag_lazyh Nonresponse prompt trigger for question lazyh 'Lazy - Hispanics' numeric (byte) flag_follow type: label:

tabulation: Freq. Numeric Label

1,185 0 Answered without prompt
11 1 Answered after 1 prompt
4 2 Prompted, but did not answer

flag_lazym Nonresponse prompt trigger for question lazym 'Lazy - Muslims'

type: numeric (byte) label: flag_follow

```
range:
uni que val ues:
                                   [0, 2]
                                                                             uni ts:
                                                                       missing .:
                                                                                        0/1.200
                 tabul ati on:
                                   Freq. 1, 185
                                                           Label
                                               Numeri c
                                                           Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
flag_violentb
                                    Nonresponse prompt trigger for question violentb 'Violent - Blacks'
                        type:
label:
                                   numeric (byte)
flag_follow
                                   [0, 2]
                        range:
                                                                             uni ts:
             uni que val ues:
                                                                                        0/1,200
                                                                       missing .:
                                   Freq.
1, 179
                 tabul ati on:
                                              Numeri c
                                                           Label
                                                           Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
flag_violentw
                                   Nonresponse prompt trigger for question violentw 'Violent - Whites'
                                   numeric (byte) flag_follow
                        type:
label:
            range:
uni que val ues:
                                   [0, 2]
                                                                             uni ts:
                                                                       missing .:
                                   Freq.
1, 179
                 tabul ati on:
                                              Numeri c
                                                           Label
                                                            Answered without prompt
                                                       0
                                                           Answered after 1 prompt
Prompted, but did not answer
                               Nonresponse prompt trigger for question violenth 'Violent - Hispanics'
flag_violenth
                                   numeric (byte)
flag_follow
                        type: label:
            range:
uni que val ues:
                                   [0, 2]
                                                                             uni ts:
                                                                                        0/1,200
                                                                       missing .:
                                   Freq.
1, 177
                 tabul ati on:
                                              Numeri c
                                                           Label
                                                            Answered without prompt
                                                           Answered after 1 prompt
Prompted, but did not answer
flag_violentm
                                  Nonresponse prompt trigger for question violentm 'Violent - Muslims'
                                   numeric (byte) flag_follow
                        type:
label:
                        range:
                                   [0, 2]
                                                                             uni ts:
             uni que val ues:
                                                                       missing .: 0/1, 200
                 tabul ati on:
                                   Freq.
                                              Numeri c
                                                            Label
                                                           Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
                                                       Nonresponse prompt trigger for question econnow 'Economy now compared to one yea
flag_econnow
                                   numeric (byte)
flag_follow
                        type: label:
            range:
uni que val ues:
                                   [0, 1]
2
                                                                             uni ts:
                                                                                        0/1,200
                                                                       missing .:
                 tabul ati on:
                                   Freq. 1, 193
                                                           Label
                                               Numeri c
                                                           Answered without prompt
                                                           Answered after 1 prompt
```

Nonresponse prompt trigger for question econ12mo

flag_econ12mo

```
numeric (byte)
flag_follow
                        type:
label:
             range:
uni que val ues:
                                    [0, 2]
                                                                         \begin{array}{cc} \text{units:} & 1\\ \text{missing::} & 0/1,200 \end{array}
                                    Freq.
1, 183
                 tabul ati on:
                                                Numeri c
                                                             Label
                                                            Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
                                                         0
                                        16
                        Nonresponse prompt trigger for question pid1d 'Party ID - Republican first'
flag_pid1d
                        type:
label:
                                   numeric (byte)
flag_follow
             range:
uni que val ues:
                                    [0, 0]
                                                                               uni ts:
                                                                         missing .: 0/1, 200
                 tabul ati on:
                                    Freq.
                                                Numeric Label
                                    1, 200
                                                        0 Answered without prompt
                                                        Nonresponse prompt trigger for question pid2d 'Party ID - Republican first - Oth
fl ag_pi d2d
                                   numeric (byte) flag_follow
                        type:
label:
                                    [0, 1]
                                                                         units: missing .:
             range:
uni que val ues:
                                                                                         1
0/1, 200
                 tabul ati on:
                                    Freq.
                                                Numeri c
                                                             Label
                                    1, 198
                                                             Answered without prompt
                                                        0
                                                             Answered after 1 prompt
                           Nonresponse prompt trigger for question pid1r 'Party ID - Democrat first'
flag_pid1r
                                    numeric (byte)
flag_follow
                        type:
label:
                        range:
                                    [0, 1]
                                                                               uni ts:
             uni que val ues:
                                                                                          0/1,200
                                                                         missing .:
                                    Freq.
1, 199
                 tabul ati on:
                                                Numeri c
                                                             Label
                                                            Answered without prompt
Answered after 1 prompt
                                                        Nonresponse prompt trigger for question pid2r 'Party ID - Democrat first - Other
flag_pid2r
                                   numeric (byte)
flag_follow
                        type:
label:
             range:
uni que val ues:
                                                                         units: missing .:
                                    [0, 2]
                                                                                          0/1,200
                                    Freq.
                 tabul ati on:
                                                Numeri c
                                                             Label
                                    1, 198
                                                            Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
                                                        0
flag_pidstr
                                      Nonresponse prompt trigger for question pidstr 'Party Id - Follow'
                                   numeric (byte) flag_follow
                        type:
label:
                        range:
                                    [0, 2]
                                                                               uni ts:
                                                                         missing .: 0/1, 200
             uni que val ues:
                                    Freq.
1, 197
                                                            Label
                 tabul ati on:
                                                Numeri c
                                                             Answered without prompt
                                                             Answered after 1 prompt
Prompted, but did not answer
```

```
fl ag_pi dl ean
                                   Nonresponse prompt trigger for question pidlean 'Party Id - Lean'
                                numeric (byte)
flag_follow
                       type:
label:
                                  [0, 1]
                       range:
                                                                          uni ts:
            uni que val ues:
                                                                                    0/1,200
                                                                     missing .:
                                             Numeric Label
                tabul ati on:
                                  Freq.
                                  1, 198
                                                         Answered without prompt
                                                         Answered after 1 prompt
                                                     Nonresponse prompt trigger for question lcself
'Liberal/conservative scale - You
flag_lcself
                                 numeric (byte)
flag_follow
                       type:
label:
            range:
uni que val ues:
                                  [0, 2]
                                                                          uni ts:
                                                                     missing .:
                                                                                    0/1,200
                                  Freq.
1, 175
                tabul ati on:
                                             Numeri c
                                                         Label
                                                         Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
                                                     0
             Nonresponse prompt trigger for question lcd 'Liberal/conservative scale - Democr
flag_lcd
                                 numeric (byte)
flag_follow
                       type: label:
                                  [0, 2]
            range: uni que val ues:
                                                                          uni ts:
                                                                    missing .:
                                                                                    0/1,200
                                 Freq.
1, 177
                tabul ati on:
                                             Numeri c
                                                         Label
                                                         Answered without prompt
                                                     0
                                                         Answered after 1 prompt
Prompted, but did not answer
flag_lcr
              Nonresponse prompt trigger for question lcr 'Liberal/conservative scale - Republ
                       type: label:
                                  numeric (byte)
                                  flag_follow
                       range:
                                  [0, 2]
            uni que val ues:
                                                                    missing .: 0/1,200
                                  Freq.
1, 175
                tabul ati on:
                                             Numeri c
                                                         Label
                                                         Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
                                      18
             Nonresponse prompt trigger for question lchc 'Liberal/conservative scale - Hilla
flag_lchc
                                 numeric (byte) flag_follow
                       type:
label:
            range:
uni que val ues:
                                  [0, 2]
                                                                    \begin{array}{cc} \text{units:} & 1 \\ \text{missing} & \vdots & 0/1,200 \end{array}
                                  Freq.
                tabul ati on:
                                             Numeri c
                                                         Label
                                  1, 179
                                                     0
                                                         Answered without prompt
                                                        Answered after 1 prompt
Prompted, but did not answer
              Nonresponse prompt trigger for question lcbo 'Liberal/conservative scale - Barac
flag_lcbo
                                 numeric (byte)
flag_follow
                        type:
                       label:
                       range:
                                                                          uni ts:
```

missing .: 0/1, 200

uni que val ues:

```
Freq.
1, 174
                                                       Label
                tabul ati on:
                                           Numeri c
                                                       Answered without prompt
                                                       Answered after 1 prompt
Prompted, but did not answer
                                     20
                Nonresponse prompt trigger for question lcdt 'Liberal/conservative scale - Donal
flag_lcdt
                                numeric (byte)
flag_follow
                      type:
label:
                      range:
                                 [0, 2]
                                                                       uni ts:
            uni que val ues:
                                                                  missing .:
                                                                                  0/1,200
                                 Freq.
1, 178
                tabul ati on:
                                           Numeri c
                                                       Label
                                                       Answered without prompt
Answered after 1 prompt
                                     16
                                                       Prompted, but did not answer
                                      6
               Nonresponse prompt trigger for question lcmr 'Liberal/conservative scale - Marco
flag_lcmr
                                numeric (byte)
flag_follow
                      type:
label:
           range:
uni que val ues:
                                [0, 2]
                                                                       uni ts:
                                                                                 0/1,200
                                                                  missing .:
                tabul ati on:
                                 Freq.
                                           Numeri c
                                                       Label
                                                       Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
                                                   0
             Nonresponse prompt trigger for question lctc 'Liberal/conservative scale - Ted C
flag_lctc
                                numeric (byte)
flag_follow
                      type:
label:
                                 [0, 2]
                      range:
                                                                       uni ts:
                                                                                 0/1,200
            uni que val ues:
                                                                  missing .:
               tabul ati on:
                                 Freq.
                                           Numeri c
                                                       Label
                                                       Answered without prompt
                                                       Answered after 1 prompt
Prompted, but did not answer
                                                   2
                                                   Nonresponse prompt trigger for question ISSUES_OC14 ^{\circ} Rank - Most important issue
flag_ISSUES_0C14
                                numeric (byte)
flag_follow
           range:
uni que val ues:
                                 [0, 2]
3
                                                                       uni ts:
                                                                  missing .:
               tabul ati on:
                                 Freq. 1, 170
                                           Numeri c
                                                       Label
                                                       Answered without prompt
                                                       Answered after 1 prompt
Prompted, but did not answer
                                     24
flag_best1
                       Nonresponse prompt trigger for question best1 'Rank follow - Ranked first'
                                numeric (byte) flag_follow
                      type: label:
                                [0, 2]
           range:
uni que val ues:
                                                                                  0/1,200
                                                                  missing .:
                                Freq.
1, 188
                tabul ati on:
                                                       Label
                                           Numeri c
                                                       Answered without prompt
                                      9
                                                       Answered after 1 prompt
                                      3
                                                       Prompted, but did not answer
                      Nonresponse prompt trigger for question best2 'Rank follow - Ranked second'
```

type: numeric (byte)

label: flag_follow [0, 2] range: uni que val ues: uni ts: 0/1,200missing .: Freq. tabul ati on: Numeri c Label Answered without prompt 1, 191 0 Answered after 1 prompt Prompted, but did not answer Nonresponse prompt trigger for question best3 'Rank follow - Ranked third' flag_best3 numeric (byte) flag_follow type: label:

range: [0,2] uni ts: 1 uni que val ues: 3 mi ssi ng .: 0/1, 200

tabulation: Freq. Numeric Label 1,188 0 Answe

, 188 0 Answered without prompt 10 1 Answered after 1 prompt 2 Prompted, but did not answer

flag_best4 Nonresponse prompt trigger for question best4 'Rank follow - Ranked fourth'

type: numeric (byte) label: flag_follow

 $\begin{array}{cccc} range: & [0,2] & units: & 1 \\ uni \ que \ val \ ues: & 3 & mi \ ssi \ ng \ .: & 0/1, 200 \end{array}$

tabulation: Freq. Numeric Label 1,183 0 Answer

1, 183 0 Answered without prompt
14 1 Answered after 1 prompt
3 2 Prompted, but did not answer

 $flag_disc_b \qquad \qquad \text{Nonresponse prompt trigger for question } disc_b \ 'Discrimination - Blacks'$

type: numeric (byte) label: flag_follow

tabulation: Freq. Numeric Label

1, 192 0 Answered without prompt
6 1 Answered after 1 prompt
2 Prompted, but did not answer

flag_disc_h Nonresponse prompt trigger for question disc_h 'Discrimination - Hispanics'

type: numeric (byte) label: flag_follow

tabulation: Freq. Numeric Label 1,191 0 Answe

1,191 0 Answered without prompt
8 1 Answered after 1 prompt
1 2 Prompted, but did not answer

 $flag_disc_w \qquad \qquad \text{Nonresponse prompt trigger for question } disc_w \ 'Discrimination - Whites'$

type: numeric (byte) label: flag_follow

 $\begin{array}{cccc} range: & [0,2] & units: & 1 \\ uni \ que \ val \ ues: & 3 & mi \ ssi \ ng \ .: & 0/1, \ 200 \end{array}$

tabulation: Freq. Numeric Label

1,190 0 Answered without prompt 9 1 Answered after 1 prompt 1 2 Prompted, but did not answer

Nonresponse prompt trigger for question ${\tt disc_g}$ 'Discrimination - Gays & lesbians flag_disc_g numeric (byte) flag_follow type: label: [0, 2] range: uni ts: 0/1,200uni que val ues: missing .: Freq. 1, 191 tabul ati on: Label Numeri c Answered without prompt Answered after 1 prompt 2 Prompted, but did not answer Nonresponse prompt trigger for question disc_wo 'Discrimination - Women' flag_disc_wo numeric (byte)
flag_follow type: label: range: [0, 2]uni que val ues: 0/1,200missing .: Freq. 1, 192 tabul ati on: Numeri c Label 0 Answered without prompt Answered after 1 prompt Prompted, but did not answer $fl\,ag_di\,sc_m$ Nonresponse prompt trigger for question disc_m $^{\prime}\,\text{Discrimination}$ - Men $^{\prime}\,$ numeric (byte) flag_follow type: label: range: uni que val ues: [0, 2] uni ts: 0/1,200missing .: Freq. 1, 193 tabul ati on: Numeri c Label Answered without prompt
Answered after 1 prompt
Prompted, but did not answer 0 6 Nonresponse prompt trigger for question disc_t $^{\rm L}$ Discrimination - Transgender peo flag_disc_t type: label: numeric (byte)
flag_follow [0, 2]range: uni ts: uni que val ues: missing .: 0/1,200tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 1, 190 flag_disc_mu Nonresponse prompt trigger for question disc_mu 'Discrimination - Muslims' type: label: numeric (byte) flag_follow range: uni que val ues: [0, 2] 3 uni ts: 0/1,200missing .: tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 1, 192 0

flag_disc_c Nonresponse prompt trigger for question disc_c 'Discrimination - Christians'

type: numeric (byte) label: flag_follow

Freq. 1, 190 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer Nonresponse prompt trigger for question disc_selfsex 'Experienced discrimination flag_disc_selfsex numeric (byte)
flag_follow label: range: [0, 1]uni ts: 0/1, 200 uni que val ues: missing .: tabul ati on: Freq. Numeri c Label 1, 196 Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question disc_fed flag_disc_fed 'Federal government treats whit numeric (byte) flag_follow range: uni que val ues: [0, 2] 0/1,200missing .: Freq. 1, 189 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 10 1 Nonresponse prompt trigger for question ${\tt disc_police}$ ${\tt 'The~police}$ treats ${\tt white/bla}$ flag_disc_police numeric (byte)
flag_follow type: label: [0, 2]range: uni ts: uni que val ues: 0/1,200missing .: Freq. 1, 195 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 1 Nonresponse prompt trigger for question srv_spend 'Government should provide man flag_srv_spend numeric (byte)
flag_follow type: label: range: uni que val ues: [0, 1]uni ts: 0/1,200missing .: tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt 1, 196 Nonresponse prompt trigger for question campfin 'Favor/oppose placing limits on flag_campfin numeric (byte) flag_follow type: label: [0, 1] range: uni ts: 0/1, 200 uni que val ues: missing .: tabul ati on: Freq. Numeri c Label 1, 196 Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question immig_legal 'Legal immigration'

flag_immig_legal

numeric (byte) type: label: flag_follow

[0, 1] range: uni ts: missing .: 0/1, 200 uni que val ues:

Freq. tabul ati on: Numeri c Label

Answered without prompt 1, 194 Answered after 1 prompt

Nonresponse prompt trigger for question immig_numb 'Increased/decreased the numb flag_i mmi g_numb

numeric (byte)
flag_follow type: label:

range: uni que val ues: [0, 1] 2 0/1, 200 missing .:

tabul ati on: Freq. Numeri c Label

1, 196 Answered without prompt Answered after 1 prompt

flag_equal pay

Nonresponse prompt trigger for question equal pay 'Favor/oppose requiring employe

numeric (byte)
flag_follow type: label:

range: uni que val ues: [0, 1] uni ts: 0/1,200missing .:

tabul ation: Freq. 1, 199 Numeri c Label

Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question parleave 'Favor' oppose requiring employe flag_parleave

numeric (byte)
flag_follow type: label:

range: [0, 1] 2 uni que val ues: missing .: 0/1,200

Freq. tabul ati on: Numeri c Label

1, 193 Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question crimespend 'Increased/decreased federal flag_crimespend

numeric (byte) flag_follow type: label:

range: uni que val ues: [0, 2] uni ts: 0/1, 200 missing .:

tabul ati on: Numeri c Label

Freq. 1, 193 Answered without prompt Answered after 1 prompt Prompted, but did not answer 0

Nonresponse prompt trigger for question death $\dot{}$ Favor/oppose the death penalty fo flag_death

> numeric (byte) flag_follow type: label:

range: [0, 1] uni ts: 0/1, 200 uni que val ues: missing .:

Freq. 1, 195 tabul ati on: Numeri c Label

0 Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question terror_worry 'Worried that the United St flag_terror_worry numeric (byte) flag_follow type: label: [0, 1] range: uni ts: uni que val ues: 0/1,200missing .: Freq. 1, 197 Numeric Label tabul ati on: Answered without prompt 3 1 Answered after 1 prompt Nonresponse prompt trigger for question terror_12mo 'Likelihood - There will be flag_terror_12mo numeric (byte)
flag_follow range: uni que val ues: [0, 1] 2 uni ts: missing .: 0/1,200tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt 1, 194 0 Nonresponse prompt trigger for question terror_local 'Worried terrorist will att flag_terror_local numeric (byte) flag_follow type: label: [0, 1] range: uni que val ues: uni ts: 0/1,200missing .: Freq. 1, 196 tabul ati on: Numeri c Label Answered without prompt 0 Answered after 1 prompt Nonresponse prompt trigger for question relig_bc 'Employers who object to birth flag_relig_bc numeric (byte) flag_follow type: label: range: uni que val ues: [0, 2] 3 missing .: tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 1, 189 0 10 1 flag_relig_bcstr Nonresponse prompt trigger for question relig_bcstr 'relig_bc - Follow' type: label: numeric (byte) flag_follow range: uni que val ues: [0, 1] 2 uni ts: 0/1,200missing .: tabul ati on: Freq. Numeri c Label 1, 195 0 Answered without prompt 1 Answered after 1 prompt Nonresponse prompt trigger for question $relig_srv$ 'Owners who provide wedding-re flag_relig_srv numeric (byte) flag_follow [0, 2] uni ts: range: uni que val ues: 0/1,200missing .:

Freq. 1, 191 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 2 Nonresponse prompt trigger for question $relig_srvstr$ 'Owners who provide wedding flag_relig_srvstr numeric (byte)
flag_follow type: label: range: [0, 1]uni ts: 0/1, 200 uni que val ues: missing .: Freq. 1, 198 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question incgap20 'Difference in incomes is large flag_incgap20 numeric (byte) flag_follow range: uni que val ues: [0, 2]0/1,200missing .: Freq. 1, 197 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 2 Nonresponse prompt trigger for question is is_troops $\,$ Favor/oppose sending ground flag_isis_troops numeric (byte)
flag_follow type: label: [0, 2] range: uni ts: 0/1,200uni que val ues: missing .: tabul ati on: Freq. Numeri c Label 1, 196 Answered without prompt Answered after 1 prompt Prompted, but did not answer 3 1 Nonresponse prompt trigger for question syrians_a 'Favor/oppose allowing Syrian flag_syrians_a numeric (byte)
flag_follow type: label: [0, 1]range: uni ts: uni que val ues: 0/1,200missing .: tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt 1, 196 Nonresponse prompt trigger for question syrians_b 'Favor/oppose allowing refugee flag_syrians_b numeric (byte) flag_follow type: label: range: [0, 2]uni ts: 0/1, 200uni que val ues: missing .: tabul ati on: Freq. Numeri c Label 1, 199 Answered without prompt Prompted, but did not answer Nonresponse prompt trigger for question pc_a 'Political correctness- Version A '

numeric (byte) flag_follow type: label:

[0, 2] range: uni que val ues: uni ts: $\mbox{mi} \, ssi \, ng$. : $0/1, \, 200$

Freq. 1, 197 tabul ati on: Numeri c Label

Answered without prompt 0 2 Answered after 1 prompt Prompted, but did not answer

Nonresponse prompt trigger for question pc_b 'Political correctness- Version B' flag_pc_b

> numeric (byte)
> flag_follow type: label:

range: uni que val ues: [0, 1] 2 missing .: 0/1,200

tabul ati on: Freq. Numeri c Label

Answered without prompt Answered after 1 prompt

flag_minwage Nonresponse prompt trigger for question minwage 'Minimum wage'

> numeric (byte) flag_follow type: label:

range: uni que val ues: [0, 2] uni ts: mi ssi ng .: 0/1, 200

tabul ati on: Freq. 1, 198 Label Numeric

Answered without prompt Answered after 1 prompt Prompted, but did not answer 0

Nonresponse prompt trigger for question healthspend 'Favor an increase/decrease flag_healthspend

numeric (byte)
flag_follow type: label:

range: [0, 2]uni ts: uni que val ues: missing .: 0/1, 200

tabul ati on: Numeri c Label

Answered without prompt Answered after 1 prompt Prompted, but did not answer 1, 195 0

flag_childcare Nonresponse prompt trigger for question childcare

'Favor an increase/decrease in

numeric (byte)
flag_follow type: label:

range: uni que val ues: units: missing .: [0, 1] 2 0/1,200

Freq. 1, 185 tabul ati on: Numeri c Label

Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question getahead 'Opportunity in America today f flag_getahead

> numeric (byte) flag_follow type: label:

range: [0, 2]uni ts: uni que val ues: missing .: 0/1, 200

tabul ati on: Numeri c Label

Freq. 1, 197 0 Answered without prompt Answered after 1 prompt Prompted, but did not answer

```
Nonresponse prompt trigger for question ladder 'Move up the income ladder - Easi
flag_ladder
                               numeric (byte)
                     type: label:
                               flag_follow
                               [0, 2]
3
                     range:
                                                                     uni ts:
                                                                               0/1, 200
           uni que val ues:
                                                                missing .:
               tabul ati on:
                               Freq.
1, 198
                                          Numeri c
                                                     Label
                                                      Answered without prompt
                                                     Answered after 1 prompt
Prompted, but did not answer
                                                  2
                                                  Nonresponse prompt trigger for question finwell 'People's ability to improve the
flag_finwell
                                numeric (byte)
                     label:
                               flag_follow
                                [0, 2]
3
                     range:
                                                                     uni ts:
           uni que val ues:
                                                                missing .:
                                                                               0/1,200
               tabul ati on:
                               Freq.
1, 191
                                          Numeri c
                                                     Label
                                                      Answered without prompt
                                                     Answered after 1 prompt
Prompted, but did not answer
flag_rr1
               Nonresponse prompt trigger for question rr1 'Agree/Disagree - Irish, Italians, J
                               numeric (byte) flag_follow
                     type: label:
                                [0, 2]
                     range:
                                                                     uni ts:
                                                                               0/1,200
           uni que val ues:
                                                                missing .:
                               Freq.
1, 189
               tabul ati on:
                                          Numeri c
                                                     Label
                                                      Answered without prompt
                                                      Answered after 1 prompt
                                     3
                                                     Prompted, but did not answer
flag_rr2
               Nonresponse prompt trigger for question rr2 'Agree/Disagree - Generations of sla
                     type:
label:
                               numeric (byte) flag_follow
                     range:
                                [0, 2]
                                                                               0/1,200
           uni que val ues:
                                                                missing .:
               tabul ati on:
                                          Numeri c
                                                     Label
                                Freq.
                                                      Answered without prompt
                                                     Answered after 1 prompt
Prompted, but did not answer
flag_rr3
               Nonresponse prompt trigger for question rr3 'Agree/Disagree - Over the past few
                               numeric (byte) flag_follow
                     type: label:
                               [0, 2]
                                                                     uni ts:
           range: uni que val ues:
                                                                missing .:
                                                                               0/1,200
                               Freq.
1, 192
               tabul ati on:
                                                     Label
                                          Numeri c
                                                      Answered without prompt
                                                     Answered after 1 prompt
Prompted, but did not answer
               Nonresponse prompt trigger for question rr4 'Agree/Disagree - It's really a matt
flag_rr4
                                numeric (byte)
                       type:
                     label:
                                flag_follow
                                                                     units: 1
                               [0, 2]
                     range:
```

```
uni que val ues:
                                                                 missing .: 0/1, 200
                                Freq.
1, 191
               tabul ati on:
                                           Numeri c
                                                      Label
                                                       Answered without prompt
                                                      Answered after 1 prompt
Prompted, but did not answer
                Nonresponse prompt trigger for question warm 'Personal opinion on the world's te
flag_warm
                                numeric (byte)
flag_follow
                       type:
                      label:
                                [0, 2]
                      range:
                                                                       uni ts:
           uni que val ues:
                                                                                0/1,200
                                                                 missing .:
                                Freq.
1, 197
               tabul ati on:
                                           Numeri c
                                                      Label
                                                      Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
                                                   Nonresponse prompt trigger for question warmbad {}^{\shortmid}If temperatures continue to go
flag_warmbad
                                numeric (byte) flag_follow
                      type:
label:
           range:
uni que val ues:
                                [0, 1]
                                                                       uni ts:
                                                                  missing .:
                                                                                 0/1,200
                                Freq.
1, 197
                                           Numeri c
               tabul ati on:
                                                      Label
                                                      Answered without prompt
Answered after 1 prompt
                                                   0
                                                   Nonresponse prompt trigger for question warmcause 'A rise in the world's tempera \,
flag_warmcause
                                numeric (byte)
flag_follow
                      type:
label:
                                [0, 1]
                      range:
                                                                       uni ts:
            uni que val ues:
                                                                  missing .:
                                                                                 0/1,200
               tabul ati on:
                                Freq.
                                           Numeric
                                                      Label
                                                       Answered without prompt
                                                       Answered after 1 prompt
                                                   flag_warmdo
                                numeric (byte)
flag_follow
                      type:
label:
                                [0, 2]
                      range:
                                                                       uni ts:
            uni que val ues:
                                                                                 0/1,200
                                                                  missing .:
               tabul ati on:
                                Freq.
                                           Numeri c
                                                      Label
                                                      Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
                                                   0
             Nonresponse prompt trigger for question aa1 'Favor/Oppose allowing universities
flag_aa1
                                numeric (byte) flag_follow
                      type: label:
                                [0, 1]
                      range:
                                                                       uni ts:
                                                                                 0/1, 200
            uni que val ues:
                                                                  missing .:
                                Freq.
1, 197
               tabul ati on:
                                           Numeri c
                                                      Label
                                                       Answered without prompt
                                                       Answered after 1 prompt
               Nonresponse prompt trigger for question aa2 'Favor/Oppose allowing universities
```

flag_aa2

numeric (byte) type: label: flag_follow

[0, 1] range: uni ts: missing .: 0/1, 200 uni que val ues:

Freq. 1, 197 tabul ati on: Numeri c Label

Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question aa3 'Favor/Oppose allowing universities flag_aa3

> numeric (byte)
> flag_follow type: label:

range: [0, 1]uni ts: uni que val ues: 0/1,200missing .:

Freq. 1, 195 tabul ati on: Numeri c Label

Answered without prompt Answered after 1 prompt

flag_freetrade

Nonresponse prompt trigger for question freetrade 'Favor'Oppose the U.S. making

numeric (byte) flag_follow type: label:

range: uni que val ues: [0, 1] 2 uni ts: 0/1,200missing .:

tabul ati on: Freq. 1, 197 Numeric Label

Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question stopwhite 'Frequency police officers sto flag_stopwhite

type: label: numeric (byte)
flag_follow

[0, 2] range: uni que val ues: 0/1,200missing .:

tabul ati on: Freq. Numeri c Label

1, 195 0 Answered without prompt Answered after 1 prompt Prompted, but did not answer 4

Nonresponse prompt trigger for question stopblack 'Frequency police officers sto flag_stopblack

> type: label: numeric (byte) flag_follow

range: uni que val ues: [0, 1] 2 uni ts: missing .: 0/1,200

Freq. 1, 193 tabul ati on: Numeri c Label

Answered without prompt Answered after 1 prompt 0

Nonresponse prompt trigger for question forcewhite 'Frequency police officers us flag_forcewhite

> numeric (byte)
> flag_follow type: label:

range: [0, 1] uni ts: uni que val ues: missing .: 0/1,200

tabul ati on: Freq. Numeri c Label

Answered without prompt Answered after 1 prompt

flag_forceblack	Nonresponse prompt trigger for question forceblack 'Frequency police officers us
type: l abel :	numeric (byte) flag_follow
range: uni que val ues:	
tabul ati on:	Freq. Numeric Label 1,195 0 Answered without prompt 5 1 Answered after 1 prompt
flag_stop_12mo	Nonresponse prompt trigger for question stop_12mo 'Happened/did not happen durin
type:	numeric (byte) flag_follow
range: uni que val ues:	
tabul ati on:	Freq. Numeric Label 1,199 0 Answered without prompt 1 1 Answered after 1 prompt
flag_arrested_12mo	Nonresponse prompt trigger for question arrested_12mo 'Happened/did not happen d
type: l abel :	numeric (byte) flag_follow
range: uni que val ues:	
tabul ati on:	Freq. Numeric Label 1,197 0 Answered without prompt 2 1 Answered after 1 prompt 1 2 Prompted, but did not answer
01 1 1 40	Nonresponse prompt trigger for question charged_12mo 'Happened/did not happen du
type:	numeric (byte) flag_follow
range: uni que val ues:	[0, 1] units: 1 2 missing .: 0/1, 200
tabul ati on:	Freq. Numeric Label 1,199 0 Answered without prompt 1 1 Answered after 1 prompt
flag_jailed_12mo	Nonresponse prompt trigger for question jailed_12mo 'Happened/did not happen dur
	numeric (byte) flag_follow
range: uni que val ues:	
tabul ati on:	Freq. Numeric Label 1,197 0 Answered without prompt 2 1 Answered after 1 prompt 1 2 Prompted, but did not answer
flag_convict_12mo	Nonresponse prompt trigger for question convict_12mo 'Happened/did not happen du
type: l abel :	numeric (byte) flag_follow
range: uni que val ues:	[0, 2] units: 1 3 missing .: 0/1, 200

tabul ati on: Freq. 1, 198 Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer Nonresponse prompt trigger for question famstop_12mo $^{\prime}$ Happened/did not happen du flag_famstop_12mo type: label: numeric (byte)
flag_follow [0, 1]range: uni ts: uni que val ues: 0/1,200missing .: Freq. 1, 197 tabul ation: Numeri c Label Answered without prompt Answered after 1 prompt 0 Nonresponse prompt trigger for question stop_ever $^{\prime}$ Has happened/Never happened flag_stop_ever numeric (byte) flag_follow type: label: range: uni que val ues: [0, 2] 3 uni ts: missing .: 0/1,200Freq. 1, 197 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 0 Nonresponse prompt trigger for question arrested_ever 'Has happened/Never happen flag_arrested_ever numeric (byte)
flag_follow type: label: [0, 2]range: uni ts: missing .: 0/1, 200 uni que val ues: tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 0 Nonresponse prompt trigger for question charged_ever flag_charged_ever 'Has happened/Never happene numeric (byte)
flag_follow type: label: range: uni que val ues: [0, 2] uni ts: missing .: 0/1,200tabul ati on: Numeric Label Answered without prompt Answered after 1 prompt Prompted, but did not answer Nonresponse prompt trigger for question jailed_ever 'Has happened/Never happened flag_jailed_ever numeric (byte) flag_follow type: label: range: uni que val ues: [0, 2]uni ts: missing .: 0/1,200tabul ati on: Label Freq. Numeri c Answered without prompt Answered after 1 prompt Prompted, but did not answer 1, 195

flag_convict_ever		Nonresponse prompt trigger for question convict_ever 'Has happened/Never happene
type: l abel :	numeric (byte flag_follow)
range: uni que val ues:	[0, 2] 3	uni ts: 1 mi ssi ng .: 0/1, 200
tabul ati on:	Freq. Numer 1, 195 4 1	oric Label O Answered without prompt Answered after 1 prompt Prompted, but did not answer
flag_famstop_ever		Nonresponse prompt trigger for question famstop_ever 'Has happened/Never happene
type:	numeric (byte flag_follow	
range: uni que val ues:	[0, 2] 3	units: 1 missing .: 0/1,200
tabul ati on:	Freq. Numer 1,194 3 3	oic Label O Answered without prompt Answered after 1 prompt Prompted, but did not answer
flag_pk_deficit		Nonresponse prompt trigger for question pk_deficit 'The U.S. federal budget defi
	numeric (byte flag_follow	
range: uni que val ues:	[0, 2] 3	uni ts: 1 mi ssi ng .: 0/1, 200
tabul ati on:	Freq. Numer 1, 197 2 1	oic Label O Answered without prompt Answered after 1 prompt Prompted, but did not answer
flag_pk_sen		Nonresponse prompt trigger for question pk_sen 'Years a United States Senator el
type: l abel :	numeric (byte flag_follow)
range: uni que val ues:	[0, 2] 3	uni ts: 1 mi ssi ng .: 0/1, 200
tabul ati on:	Freq. Numer 1, 168 26 6	ric Label 0 Answered without prompt 1 Answered after 1 prompt 2 Prompted, but did not answer
flag_pk_spend		Nonresponse prompt trigger for question pk_spend 'The U.S. federal government cu
type: l abel :	numeric (byte flag_follow)
range: uni que val ues:	[0, 2] 3	uni ts: 1 mi ssi ng .: 0/1, 200
tabul ati on:	Freq. Numer 1, 196 3 1	ic Label 0 Answered without prompt 1 Answered after 1 prompt 2 Prompted, but did not answer
fl ag_bi rthri ght_a		Nonresponse prompt trigger for question birthright_a 'Favor/Oppose changing the

type: numeric (byte) label: flag_follow

```
[0, 2]
                       range:
                                                                           uni ts:
            uni que val ues:
                                                                     missing .:
                                                                                     0/1.200
                                 Freq.
1, 195
                tabul ati on:
                                             Numeri c
                                                          Label
                                                          Answered without prompt
Answered after 1 prompt
Prompted, but did not answer
                                        3
                                                      Nonresponse prompt trigger for question birthright_b 'Favor/Oppose children of u
flag_birthright_b
                                  numeric (byte)
flag_follow
                       label:
                       range:
                                                                           uni ts:
            uni que val ues:
                                                                                     0/1,200
                                                                     missing .:
                                  Freq.
1, 197
                tabul ati on:
                                             Numeri c
                                                          Answered without prompt
                                                          Answered after 1 prompt
                                                      Nonresponse prompt trigger for question femoff_jobs 'Female elected officials ar
flag_femoff_jobs
                                  numeric (byte) flag_follow
                       type:
label:
            range:
uni que val ues:
                                  [0, 1]
2
                                                                           uni ts:
                                                                     missing .:
                                                                                     0/1,200
                tabul ati on:
                                  Frea.
                                             Numeric
                                                          Label
                                  1, 198
                                                          Answered without prompt
                                                          Answered after 1 prompt
                                                      Nonresponse prompt trigger for question femoff_ed 'Female elected officials are
flag_femoff_ed
                       type:
label:
                                  numeric (byte)
flag_follow
                                  [0, 1]
                       range:
                                                                           uni ts:
            uni que val ues:
                                                                     missing .:
                                                                                     0/1,200
                tabul ati on:
                                  Freq.
                                             Numeri c
                                                          Label
                                                          Answered without prompt
                                                          Answered after 1 prompt
                                                      Nonresponse prompt trigger for question femoff_spend
'Female elected officials a
flag_femoff_spend
                                  numeric (byte)
flag_follow
                       type:
label:
            range:
uni que val ues:
                                  [0, 1]
2
                                                                           uni ts:
                                                                     missing .:
                                                                                     0/1,200
                                  Freq.
1, 199
                tabul ati on:
                                             Numeri c
                                                          Label
                                                         Answered without prompt
Answered after 1 prompt
                                                      0
                                                      Nonresponse prompt trigger for question femoff\_issues 'Female elected officials
flag_femoff_issues
                                 numeric (byte) flag_follow
                        type:
                       label:
                                  [0, 1]
2
                       range:
                                                                           uni ts:
            uni que val ues:
                                                                                     0/1,200
                                                                     missing .:
                tabul ati on:
                                  Freq.
                                             Numeri c
                                                          Label
                                   1, 198
                                                          Answered without prompt
                                                          Answered after 1 prompt
```

Nonresponse prompt trigger for question lpres_pleased

flag_lpres_pleased

		' T	he idea of a Latino pers		
type:	numeric (byte)				
l abel :	flag_follow		units: 1		
range: uni que val ues:	[0, 2]		mi ssi ng .: 0/1, 200		
tabul ati on:	Freq. No 1, 187 8	umeric 0 1	Answered without prompt Answered after 1 prompt		
	5 2 Prompted, but did not answer				
flag_lpres_immig	Nonresponse prompt trigger for question lpres_immig 'Likelihood that a Latino pr				
type:	numeric (byte)				
range:	fl ag_foll o [0, 2]	OW	units: 1		
uni que val ues: tabul ati on:	3 Freq. N	umeric	missing.: 0/1,200		
cupar ucross	1, 196 2 2	0 1	Answered without prompt Answered after 1 prompt Prompted, but did not answer		
flag_lpres_la	Nonresponse prompt trigger for question lpres_la 'Worried that a Latino Presiden				
	numeric (l				
range: uni que val ues:	[0, 2] 2	~ · ·	units: 1 missing.: 0/1,200		
tabul ati on:	Freq. No. 1, 199	umeric 0 2			
fl ag_vacci ne	Nonresponse prompt trigger for question vaccine 'Favor/oppose requiring children				
			avor/oppose requiring emituren		
	numeric (b flag_follo				
range: uni que val ues:	ā -		units: 1 missing .: 0/1, 200		
tabul ati on:	Freq. No. 1, 198	umeric 0 1	Label Answered without prompt Answered after 1 prompt		
flag_autism			nresponse prompt trigger for question autism		
		' L:	nresponse prompt trigger for question autism ikelihood that vaccines cause a		
type: l abel :	numeric (l flag_follo	oyte) ow			
range: uni que val ues:			units: 1 missing .: 0/1, 200		
tabul ati on:	Freq. No. 1, 194	umeric 0 1	Label Answered without prompt Answered after 1 prompt		
flag_bo_muslim			nresponse prompt trigger for question bo_muslim arack Obama a Muslim is/is n		
type:	numeric (h	ovte)			
l abel :	flag_follo	ow É	units: 1		
range: uni que val ues:	3		mi ssi ng .: 0/1, 200		

Freq. tabul ati on: Numeri c Label 1, 188 Answered without prompt Answered after 1 prompt Prompted, but did not answer 6 6 Nonresponse prompt trigger for question bo_confid 'Barack Obama a Muslimis/is n flag_bo_confid numeric (byte)
flag_follow type: label: range: [0, 1]uni ts: 0/1, 200 uni que val ues: missing .: Freq. 1, 197 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question NFC $_q1$ 'Need for cognition - Item 1' flag_NFC_q1 numeric (byte)
flag_follow type: label: [0, 1] 2 range: uni que val ues: uni ts: missing .: tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt 1, 198 0 flag_NFC_q2 Nonresponse prompt trigger for question NFC_q2 'Need for cognition - Item 2' numeric (byte) flag_follow type: label: range: uni que val ues: [0, 1] uni ts: 0/1,200missing .: Freq. 1, 196 tabul ati on: Numeri c Label Answered without prompt 0 Answered after 1 prompt flag_NFC_q3 Nonresponse prompt trigger for question NFC_q3 'Need for cognition - Item 3' type: numeric (byte) label: flag_follow range: [0, 1]0/1,200uni que val ues: missing .: tabul ati on: Numeri c Label Freq. Answered without prompt 1, 196 Answered after 1 prompt flag_NFC_q4 (unl abel ed) numeric (byte) flag_follow type: label: [0, 1]range: uni ts: uni que val ues: 0/1,200missing .: tabul ati on: Freq. Label Numeri c Answered without prompt 1, 195 Answered after 1 prompt flag_NTE_q1 Nonresponse prompt trigger for question NTE_q1 'Need to evaluate - Item 1' numeric (byte) flag_follow type: label:

range: [0,1] units: 1 uni que val ues: 2 missi ng .: 0/1, 200

Freq. 1, 194 tabul ati on: Numeric Label

Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question NTE_q2 'Need to evaluate - Item 2' flag_NTE_q2

> numeric (byte)
> flag_follow type: label:

range: [0, 1] uni que val ues: 0/1,200missing .:

tabul ati on: Freq. Numeri c Label

1, 192 Answered without prompt Answered after 1 prompt

flag_NTE_q3 Nonresponse prompt trigger for question NTE_q3 'Need to evaluate - Item 3'

> numeric (byte)
> flag_follow type: label:

[0, 1] 2 range: uni ts: uni que val ues: missing .: 0/1,200

tabul ati on: Numeri c Label

Freq. 1, 190 0 Answered without prompt Answered after 1 prompt

flag_NTE_q4 Nonresponse prompt trigger for question NTE_q4 'Need to evaluate - Item 4'

> numeric (byte) flag_follow type:

range: uni que val ues: [0, 1] uni ts: 0/1,200missing .:

tabul ati on: Freq. Numeri c Label

1, 193 Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question amer_ident 'Important to your identity flag_amer_ident

> numeric (byte)
> flag_follow label:

[0, 1] range: uni ts: uni que val ues: missing .: 0/1,200

tabul ati on: Freq. Numeri c Label

Answered without prompt Answered after 1 prompt 1, 196

Nonresponse prompt trigger for question race_ident 'Important to your identity flag_race_i dent

numeric (byte) flag_follow type: label:

[0, 1] range: uni ts: uni que val ues: 0/1,200missing .:

tabul ati on: Freq. Numeri c Label

Answered without prompt 1, 196 Answered after 1 prompt

Nonresponse prompt trigger for question wadla 'Your skin color make your everyda flag_wad1a

type: label: numeric (byte)
flag_follow

[0, 1] 2 range: uni ts: uni que val ues: 0/1,200missing .:

Freq. 1, 197 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt 1 Nonresponse prompt trigger for question wad2a $^{\prime}\,Bei\,ng$ white grant you unearned pr flag_wad2a numeric (byte) flag_follow type: label: range: [0, 1]uni ts: 0/1, 200 uni que val ues: missing .: tabul ati on: Freq. Numeri c Label 1, 199 Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question wad3a 'To what extent white people have flag_wad3a numeric (byte) flag_follow [0, 1] 2 range: uni que val ues: 0/1,200missing .: Freq. 1, 199 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question wad4a 'White skin generally give whites $\,$ flag_wad4a numeric (byte) flag_follow type: label: range: uni que val ues: [0, 1] 2 uni ts: 0/1,200missing .: Freq Numeri c tabul ation: Label 1, 199 0 Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question wad1b 'Being white helps/hurts you' flag_wad1b numeric (byte) flag_follow label: range: uni que val ues: [0,0]missing .: tabul ati on: Freq. Numeri c Label Answered without prompt 1, 200 Nonresponse prompt trigger for question wad2b 'White people have a lot/none adva flag_wad2b

numeric (byte)
flag_follow type: label:

[0, 1] 2 range: uni que val ues: uni ts: 0/1,200missing .:

tabul ati on: Numeri c Label

Freq. 1, 199 Answered without prompt Answered after 1 prompt

Nonresponse prompt trigger for question wad3b 'White people have a lot/none disa flag_wad3b

numeric (byte)
flag_follow l abel :

range: [0, 1]uni ts: uni que val ues: 0/1,200missing .: Freq. 1, 196 Numeric Label tabul ation: Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question wad4b $^{\prime}$ Compared to other groups, white p flag_wad4b numeric (byte)
flag_follow type: label: [0, 1]range: uni ts: uni que val ues: 0/1,200missing .: tabul ati on: Freq. Numeri c Label 1, 198 Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question whitework 'Important - Whites work toge flag_whitework numeric (byte) flag_follow type: label: [0, 2]range: uni ts: uni que val ues: missing .: 0/1,200Freq. 1, 197 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 0 2 Nonresponse prompt trigger for question whitejob $^{\shortmid}$ Likelihood - Many whites are u flag_whitejob numeric (byte) flag_follow label: [0, 1]range: uni ts: 0/1, 200 uni que val ues: missing .: Freq. 1, 195 tabul ati on: Numeri c Label 0 Answered without prompt Answered after 1 prompt flag_wguilt1 Nonresponse prompt trigger for question wguilt1 'Feel guilty due to your associa numeric (byte)
flag_follow type: label: range: uni que val ues: [0, 1] 2 0/1,200missing .: tabul ati on: Freq. Numeri c Label 1, 196 Answered without prompt Answered after 1 prompt Nonresponse prompt trigger for question wguilt2 'Feel guilty/Not guilty about th flag_wguilt2 numeric (byte) flag_follow type: label: range: uni que val ues: [0, 2] $\begin{array}{cc} \text{units:} & 1 \\ \text{missing::} & 0/1,200 \end{array}$ Freq. 1, 194 $\begin{array}{c} \text{Numeric} \\ 0 \end{array}$ tabul ati on: Label Answered without prompt Answered after 1 prompt Prompted, but did not answer

flag_wguilt3 Nonresponse prompt trigger for question wguilt3 'Feel

flag_buycott Nonresponse prompt trigger for question buycott 'Bought a certain product or ser

numeric (byte)
flag_follow type:

[0, 1] 2 range: 0/1,200uni que val ues: missing .:

tabul ati on: Numeri c Label Freq.

Answered without prompt Answered after 1 prompt 1, 196

flag_boycott Nonresponse prompt trigger for question boycott

'Declined to buy a certain produ

numeric (byte) flag_follow type: label:

[0, 1] 2 uni ts: range: uni que val ues: 0/1,200missing .:

tabul ati on: Freq. Numeric Label

1, 188 0 Answered without prompt 12 Answered after 1 prompt

Nonresponse prompt trigger for question skintone_mob 'Skin tone mobile' flag_skintone_mob

> numeric (byte)
> flag_follow type: label:

[0, 2] range: uni ts: $_{0/1,\,200}^{1}$ uni que val ues: missing .:

tabul ati on: Freq. Numeri c Label

Answered without prompt Answered after 1 prompt Prompted, but did not answer 0

flag_skintone_grid Nonresponse prompt trigger for question skintone 'Skin tone'

> numeric (byte)
> flag_follow type: label:

range: [0, 2] uni ts: uni que val ues: 0/1,200missing .:

Freq. tabul ati on: Numeri c Label

Answered without prompt Answered after 1 prompt Prompted, but did not answer 1, 191 0

Nonresponse prompt trigger for question $skin_discrim$ 'Skin color discrimination' flag_skin_discrim

> type: label: numeric (byte) flag_follow

range: [0, 1]uni ts: uni que val ues: $mi\ ssi\ ng\ .:\ 0/1,\,200$

tabulation: Freq. Numeric Label

Nonresponse prompt trigger for question africanam10 $^{\rm l}$ Race 10-point system - Afri $flag_africanam10$ numeric (byte) flag_follow type: label: [0, 2] range: uni ts: missing ... 0/1,200uni que val ues: tabul ati on: Freq. Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer Nonresponse prompt trigger for question white10 'Race 10-point system - White' flag_white10 numeric (byte) flag_follow type: label: [0, 2] range: uni que val ues: uni ts: missing .: 0/1, 200 Freq. 1, 161 24 tabul ati on: Numeri c Label 0 Answered without prompt 1 Answered after 1 prompt 2 Prompted, but did not answer Nonresponse prompt trigger for question hispanic10 'Race 10-point system - Hispa fl ag_hi spani c10 numeric (byte)
flag_follow type: label: range: uni que val ues: [0, 2] uni ts: $\frac{1}{0/1}$, 200 missing .: Freq. tabul ation: Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 1, 161 0 15 Nonresponse prompt trigger for question asi anam10 'Race 10-point system - Asi an flag_asi anam10 numeric (byte) flag_follow type: label: range: uni que val ues: [0, 2] 3 missing .: 0/1,200Freq. 1, 161 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 0 Nonresponse prompt trigger for question nativeam10 $^{\prime}$ Race 10-point system - Nativ flag_nativeam10 numeric (byte) flag_follow type: label: range: uni que val ues: [0, 2]uni ts: 0/1, 200 missing .: Freq. 1, 161 24 tabul ati on: Numeri c Label 0 Answered without prompt Answered after 1 prompt Prompted, but did not answer 15 2 Nonresponse prompt trigger for question other10 'Race 10-point system - Other' flag_other10

0 Answered without prompt1 Answered after 1 prompt

1, 195 5

numeric (byte) flag_follow type: label: [0, 2]range: units: 1 $mi\,\,ssi\,\,ng\,\,\ldots\,\,0/1,\,200$ uni que val ues: Freq. 1, 161 tabul ati on: Numeri c Label Answered without prompt Answered after 1 prompt Prompted, but did not answer 24 15 starttime Interview Start Time type: numeric (double) range: [1. 367e+10, 1. 367e+10] uni ts: mi ssi ng \therefore 0/1, 200 uni que val ues: 1, 200 1. 4e+10 mean: std. dev: 98300.1 10% 50% 75% 90% percentiles: 1.4e+101.4e+101.4e+101. 4e+10 1.4e+10endti me Interview End Time numeric (double) type: [1. 367e+10, 1. 367e+10] range: uni ts: mi ssi ng .: 0/1, 200 uni que val ues: 1, 200 1.4e + 10mean: std. dev: 103802 10% 25% 50% 75% 90% percentiles: 1.4e+101.4e+101.4e+101.4e+101. 4e+10Date of panel enrollment optintimestamp type: string (str26) missing "": 105/1, 200 uni que val ues: 1,095 "2007-05-21 14: 50: 53. 373425"
"2010-04-01 07: 02: 20. 857405"
"2013-11-30 18: 19: 55. 937913"
"2015-07-08 00: 21: 07. 166278" examples: variable has embedded blanks Number of previous panel surveys completed count numeric (int) type: range: [1, 672] uni ts: uni que val ues: mi ssi ng .: 0/1, 200268 89.0525 mean: std. dev: 80. 2544 75% percentiles: 10% 25% 50% 90% 126.5 193 User Agent string ua string (str228) type: missing "": 0/1, 200 uni que val ues:

"Mozilla/5.0 (Macintosh; Intel Mac OS X 10_10_5) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/47.0.2526.111 Safari/537.36" "Mozilla/5.0 (Windows NT 10.0; WOW64; rv:43.0) Gecko/20100101 Firefox/43.0" examples:

"Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/47.0.2526.111 Safari/537.36" "Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko"

warning: variable has embedded blanks

Web Browser browser

type: string (str14)

> uni que val ues: 46 missing "": 8/1,200

"Chrome 47" "Chrome 47" examples:

"Firefox 43"
"MSIE 11"

variable has embedded blanks warni ng:

os Operating System

type: string (str21)

uni que val ues: missing "": 0/1,200

examples:

"ChromeOS 7520.67"
"Windows 10"
"Windows 7"
"Windows 8.1"

warning: variable has embedded blanks